

# **16**<sup>th</sup> NTERNATIONAL Auchenorrhyncha Congress

12<sup>th</sup> International Workshop on Leafhoppers and Planthoppers of Economic Significance



Organized by:





**Program and Abstracts** 

## 16<sup>th</sup> INTERNATIONAL AUCHENORRHYNCHA CONGRESS

12<sup>th</sup> International Workshop on Leafhoppers and Planthoppers of Economic Significance

Cuc Phuong NP, Vietnam July 2<sup>nd</sup> - 8<sup>th</sup>, 2019

#### **Program and Abstracts**



Organized by:



#### IAC 2019

#### 16<sup>TH</sup> INTERNATIONAL AUCHENORRHYNCHA CONGRESS AND THE 12<sup>TH</sup> INTERNATIONAL WORKSHOP ON LEAFHOPPERS AND PLANTHOPPERS OF ECONOMIC SIGNIFICANCE (IAC 2019) IS BEING ORGANIZED BY THE FOLLOWING COMMITTEES:

#### Organizers:

Vietnam National Museum of Nature, Vietnam Academy of Science and Technology

#### **Organizing Committee:**

- 1. Nguyen Trung Minh, Chairman (VNMN)
- 3. Nguyen Thanh Vinh (MONRE)
- 5. Phan Ke Long (VNMN)
- 7. Do Van Lap (Cuc Phuong NP)
- 9. Nguyen Quoc Binh (VNMN)
- 11. Nguyen Thien Tao (VNMN)

#### **Scientific Committee:**

- 1. Thierry Bourgoin, Chairman (France)
- 3. Chris Dietrich (USA)
- 5. Masami Hayashi (Japan)
- 7. Vu Quang Con (Vietnam)
- 9. Sophany Phauk (Cambodia)
- 11. Yalin Zhang (China)

- 2. Tran The Lien (MARD)
- 4. Vu Van Lien (VNMN)
- 6. Truong Quang Bich (Cuc Phuong NP)
- 8. Pham Hong Thai (VNMN)
- 10. Pham Dinh Sac (VNMN)
- 12. Nguyen Thanh Tuan (VNMN)
- 2. Murray Fletcher (Australia)
- 4. Vladimir Gnezdilov (Russia)
- 6. Mike Wilson (UK)
- 8. Pham Hong Thai (Vietnam)
- 10. Jerome Constant (Belgium)

#### International IAC Standing Committee:

- 1. Thierry Bourgoin, Chairman (France)
- 3. Chris Dietrich (USA)
- 5. Masami Hayashi (Japan)
- 7. Daniela Maeda Takiya (Brazil)
- 9. Jacek Szwedo (Poland)
- 11. Yalin Zhang (China)
- 13. Sheryl A. Yap (Philippines)
- 15. Werner Holzinger (Austria)

- 2. Murray Fletcher (Australia)
- 4. Vladimir Gnezdilov (Russia)
- 6. Hannelore Hoch (Germany)
- 8. Sofia Seabra (Portugal)
- 10. Mike Wilson (UK)
- 12. Pham Hong Thai (Vietnam)
- 14. Mike Stiller (South Africa)



#### Secretariat:

- 1. Do Thi Hai (VNMN)
- 3. Tran Huong Lien (VNMN)
- 5. Bui Tuan Hai (VNMN)
- 7. Hoang Thi Nga (VNMN)

- 2. Vu Tien Chinh (VNMN)
- 4. Nguyen Thi Man (VNMN)
- 6. Tran Thi Viet Thanh (VNMN)
- 8. Ta Thi Ha Thuy (VNMN)

#### **SPONSOR**

Vietnam National Museum of Nature, Vietnam Academy of Science and Technology Vietnam National Foundation for Science and Technology Development (NAFOSTED)





### PROGRAM





	2 <sup>ND</sup> JULY	3 <sup>RD</sup> JULY	4 <sup>™</sup> JULY	5 <sup>™</sup> JULY	6 <sup>™</sup> JULY	7 <sup>™</sup> JULY	8 <sup>TH</sup> JULY		
TIME	VIETNAM ACADEMY   OF SCIENCE AND   TECHNOLOGY   (VAST)   18 Hoang Quoc Viet   St, Cau Giay, Hanoi,   Viet Nam								
7:30	Congress participant arrivals: the registration	Breakfast	Breakfast	Breakfast	Breakfast	Breakfast	Breakfast		
9:00		Oral session: Taxonomy, phylogeny, and biogeography	Collecting in Cuc Phuong National park	Oral session: Taxonomy, phylogeny, and biogeography	Oral session: Ecology, Behavior and bioascoustics	Morning - Tràng An Scenic Landscape Complex Afternoon - Bái Đính Temple Spiritual and Cultural Complex	Congress participant departures		
10:30		Coffee break		Coffee break	Coffee break				
11:00		Oral session: Taxonomy, phylogeny, and biogeography	Collecting in Cuc Phuong National park	Oral session: Taxonomy, phylogeny, and biogeography	Oral session: Ecology, Behavior and bioascoustics				
12:30	Lunch	Lunch	<b>Lunch</b> (inside forest – Bong Center)	Lunch	Lunch				



## PROGRAM





	2 <sup>ND</sup> JULY	3 <sup>RD</sup> JULY	4 <sup>™</sup> JULY	5 <sup>™</sup> JULY	6 <sup>™</sup> JULY	7 <sup>™</sup> JULY	8 <sup>TH</sup> JULY
TIME	VIETNAM ACADEMY OF SCIENCE AND TECHNOLOGY (VAST) 18 Hoang Quoc Viet St, Cau Giay, Hanoi, Viet Nam	CUC PHUONG NATIC Ninh Binh, Viet Nam	DNAL PARK				
14:30	<b>IAC opening</b> Congress participant arrivals: the registration (continued) until 15:00	Oral session: Taxonomy, phylogeny, and biogeography	Collecting in Cuc Phuong National park	Oral session: Taxonomy, phylogeny, and biogeography	Visit to Cuc Phuong National park ( <i>Turtle</i> <i>Conservation</i> <i>Center, Endangered</i> <i>Primate Rescue</i> <i>Center, Carnivore</i> <i>and Pangolin</i> <i>Conservation</i> <i>Program</i> )		
15:30	Move to Cuc Phuong National Park	Coffee break	Coffee break	Coffee break			
16:00- 17:30			Collecting in Cuc Phuong National park	Poster presentation IAC board meeting	IAC closing remarks		
19:00	Welcoming dinner	Dinner*	Dinner*	Dinner*	Dinner*	Farewell dinner	
		Light trapping	Light trapping	Light trapping	Light trapping	Dancing show	

#### CULTIVATING THE TREE – A NEW INSIGHT INTO RELATIONSHIPS WITHINFULGOROIDEA(HEMIPTERA, FULGOROMORPHA)

#### Jacek Szwedo, Alicja M. Brysz

Laboratory of Evolutionary Entomology and Museum of Amber Inclusions, Department of Invertebrate Zoology and Parasitology, Faculty of Biology, University of Gdańsk, WitaStwosza 59, PL80-308 Gdańsk, Poland.

E-mail: jacek.szwedo.biol.ug.edu.pl; alicja.brysz@biol.ug.edu.pl

Fulgoroidea Latreille, 1807 is the largest and the only extant superfamily of hemipteran suborder Fulgoromorpha Evans, 1946. The other fulgoromorphan superfamilies, i.e. Coleoscytoidea Martynov, 1935 and Surijokocixioidea Shcherbakov, 2000 are extinct. Fulgoroidea fossil record reaches the early Jurassic times (Szwedo 2018, Bourgoin 2019). Almost all fulgoroids are opophagous phytophages, feeding on phloem of most of the spermatophyte plant groups, but some are believed to be mycetophagous. Eto-ecology of these insects is connected to various degrees to their host plants, varying from monophagy to wide polyphagy, also egg laying and nymphal ecology is related to a wide range of habitats and range of host plant availability. Currently, the Fulgoroidea comprise 31 families, including 10 extinct, but status, range, definition, and taxonomic composition of many of them remain disputable.

Classification of Fulgoroidea, as well as relationship proposals for families comprised, are subject of constant change. Several proposals are based on molecular data, but numerous controversies remained (Urban &Cryan 2007, Song & Liang 2013). The existing morphology-based relationship reconstructions are currently of limited use because of the enormous number of new fossils influencing the shape of the trees. The informal division into 'basal' and 'higher' fulgoroids (Gnezdilov 2008) fails at the moment, as neither of these groups is clearly defined; separation of Cixiidae-like lineage (Bourgoin& Szwedo 2008) and its content must be revised. Recently (Bartlett et al. 2014) added an 'intermediate'



group to the divisions. Unfortunately no stable set of characters, morphological or molecular, required for inclusion into a particular group is available. Molecular trees need to be better calibrated with fossils, however the recent increase of new fossil material makes this aim more difficult, as newly described families, especially from the Cretaceous, are difficult to include into calibrations of phylogenies. Therefore the phylogeny of the Fulgoroidea must be rearranged to include new, rich fossil material. Here, we propose a morphology-based and molecular-data-influenced preliminary tree of relationships within Fulgoroidea.

#### References

- Bartlett, C.R., O'Brien, L.B. & Wilson, S.W. (2014. A review of the planthoppers (Hemiptera: Fulgoroidea) of the United States. *Memoirs of the American Entomological Society*, 50, 1–287.
- Bourgoin, T. (2019) FLOW (Fulgoromorpha Lists on The Web): a world knowledge base dedicated to Fulgoromorpha. Version 8, updated 2019-03-29. Available from: http://hemiptera-databases.org/flow/ (date of access: 2019-04-15).
- Bourgoin, T. & Szwedo, J. (2008) The 'cixiid-like' fossil planthopper families. Bulletin of Insectology, 61 (1), 107–108.
- Evans, J.W. (1946) A natural classification of leaf-hoppers (Jassoidea, Homoptera). Part 1. Externalmorphology and systematic position. *Transactions of the Royal Entomological Society of London*, 96 (3), 47–60.
- Gnezdilov, V.M. (2008) To the taxonomy of higher Fulgoroidea (Hemiptera). Bulletin of Insectology, 61 (1), 119–120.
- Latreille, P.A. (1807) Sectio secunda. Familia quarta. Cicadariae. Cicadaires. Genera Crustaceorum et Insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata, 3, 1–258.
- Martynov, A.V. (1935) Permian fossil insects from Arkhangelsk District. Part 5. Homoptera. Trudy Paleozoologischeskogo Instituta Akademii Nauk SSSR, 4, 1–35.
- Shcherbakov, D.E. (2000) Permian faunas of Homoptera (Hemiptera) in relation to phytogeography and the Permo-Triassiccrisis. *Paleontological Journal* Supplement, 3, S251–S267.



- Song, N. & Liang, A.-P. (2013) A preliminary molecular phylogeny of planthoppers (Hemiptera: Fulgoroidea) based on nuclear and mitochondrial DNA sequences. *PLoS ONE* 8 (3), e58400.
- Szwedo, J. (2018) The unity, diversity and conformity of bugs (Hemiptera) through time. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, 107, 109–128.
- Urban, J.M. & Cryan, J.R. (2007) Evolution of the planthoppers (Insecta: Hemiptera: Fulgoroidea). *Molecular Phylogenetics and Evolution*, 42, 556–572.

