

†Parapholidoptera RAMME, 1951 (syn. nov.)

Mitt. zool. Mus. Berl. 27:194, 195.

Type-species: not designated, therefore unavailable!

B) A Replacement Name for a Pamphagid Genus:

Kurt har z i a (nom. nov.)

The Objective Replacement Name for Navasius HARZ, 1975.

Type-species: Pamphagus nugatorius NAVAS, 1909, Boln Soc. aragon. Cienc. nat. 1909:102, by original designation (for Navasius HARZ, 1975).

Navasius HARZ, 1975 (syn. nov.)

Die Orthopteren Europas (II):126.

Type-species: Pamphagus nugatorius NAVAS, 1909, Boln Soc. aragon. Cienc. nat. 1909:102, by original designation.

Navasius HARZ, 1975 is invalid, as it is junior homonym of Navasius ESBEN-PETERSEN, 1936 Revue suisse Zool. 43:202 (Neuroptera).

(to be continued)

LIST OF THE GENERA OF TURKISH AUCHENORRHYNCHA (HOMOPTERA), WITH SOME REPLACEMENT NAMES FOR THE GENERA EXISTING IN OTHER COUNTRIES

by

Ahmet Ö. Kocak

(continued from page 40)

† Florodelphax¹⁾ VILBASTE, 1968 Suomen hyönt. Aikak 34(2):70.

Type-species: Delphax paryphasma FLOR, 1861, by original designation.

† Florodelphax¹⁾ VILBASTE, 1968 Über die Zikadenfauna des Primorje Gebietes: 37.

Type-species: Delphax paryphasma FLOR, 1861, by original designation.

¹⁾ Generic name was not accompanied by a statement "that purports to give characters differentiating the taxon
1981 ./..

- x) FLORODELPHAX VILBASTE, 1971 Die Zikaden Estlands I:80, 188.
Type-species: Delphax paryphasma FLOR, 1861, by original designation.
- x) FLASTENA NAST, 1975 Annls zool. Warsz. 33:8-9.
Type-species: Delphax fumipennis FIEBER, 1866, by original designation.
- GRAVESTEINIELLA WAGNER, 1963 Mitt. hamb. zool. Mus. Inst. (1962) 60:167.
Type-species: Liburnia boldi SCOTT, 1870, by original designation.
- HORVATHIANELLA ANUFRIEV, 1980 Zool. Zh. 59(2):214.
Type-species: Delphax palliceps HORVATH, 1897, by original designation.
- HYLEDELPHAX VILBASTE, 1968 Suomen hyönt. Aikak 34(2):70, 71.
Type-species: Delphax elegantula BOHEMAN, 1847, by original designation. ")
- IUBSODA NAST, 1975 Annls zool. Warsz. 33:11.
Type-species: Liburnia stigmatica MELICHAR, 1897, by original designation.
- JASSIDAEUS FIEBER, 1866 Verh. zool.-bot. Ges. Wien 16:521.
Type-species: Jassidaeus morio FIEBER, 1866, by monotypy.
- ‡ Jassideus FIEBER, 1866 Verh. zool.-bot. Ges. Wien 16:pl. 8, fig. 13, incorrect subsequent spelling of Jassidaeus FIEBER, 1866.
- x) JAVESELLA FENNAH, 1963 Proc. R. ent. Soc. Lond (B) 32:15-19.
Type-species: Fulgora pellucida FABRICIUS, 1794, by original designation.

Article 13, a, i, and are therefore unavailable !

") This genus was also described by VILBASTE as a new genus in 1968, Über die Zikadenfauna des Primorje Gebietes: 37 (note), and in 1971 Die Zikaden Estlands I: 78, 192 unnecessarily.

KARTALIA KOCAK, 1981 Priamus 1(1):31.

Type-species: Zuleika bengalensis DISTANT, 1912,
by monotypy (for Zuleika DISTANT, 1912).

A Replacement name for Zuleika DISTANT, 1912
nec BANG-HAAS, 1906.

x) KELISIA FIEBER, 1866 Verh. zool-bot. Ges. Wien 16:519.

Type-species: Delphax guttula GERMAR, 1818, by
monotypy.

KOSSWIGIANELLA WAGNER, 1963 Mitt. hamb. zool. Mus. Inst. (1962)
60:169.

Type-species: Delphax exigua BOHEMAN, 1847, by
original designation.

x) LAODELPHAX FENNAH, 1963 Proc. R. ent. Soc. Lond. (B) 32:15-19

Type-species: Delphax striatella FALLEN, 1826, by
original designation.

LEIMONODITE KIRKALDY, 1907 Bull. Hawaii Exp. Stn. (Ent.) 3:133.

Type-species: Dicranotropis beckeri FIEBER, 1866,
by original designation.

x) LEPTODELPHAX HAUPT, 1927 Bull. agric. Exp. Stn. Tel-Aviv 8:10.

Type-species: Leptodelphax cyclops HAUPT, 1927, by
original designation. ')

LITEMIXIA ASCHE, 1980 Marb. ent. Publ. 1(3):61.

Type-species: Litemixia pulchripennis ASCHE, 1980,
by original designation.

x) MEGADELPHAX WAGNER, 1963 Mitt. hamb. zool. Mus. Inst. (1962) 60:
167.

Type-species: Delphax sordidula STAL, 1853, by ori-
ginal designation.

MEGAMELUS FIEBER, 1866 Verh. zool-bot. Ges. Wien 16:519.

Type-species: Delphax notula GERMAR, 1830, by
monotypy.

x) METADELPHAX WAGNER, 1963 Mitt. hamb. zool. Mus. Inst. (1962)

60:170.

Type-species: Delphax propinqua FIEBER, 1866, by
original designation.

') L. cyclops HAUPT is reported by KARTAL (det. ASCHE) from S. Tur-
key!

- METROPIS FIEBER, 1866 Verh.zool.-bot.Ges.Wien 16:521.
Type-species:Metropis mayri FIEBER, 1866, by subsequent designation by OSHANIN, 1912.
- MUELLERIANELLA WAGNER, 1963 Mitt.hamb.zool.Mus.Inst.(1962) 60:168.
Type-species:Delphax fairmairei PERRIS, 1857, by original designation.
- x) MUIRODELPHAX WAGNER, 1963 Mitt.hamb.zool.Mus.Inst.(1962) 60:169.
Type-species:Delphax aubei PERRIS, 1857, by original designation.
- x) NEPHROPSIA COSTA, 1862 Annu.Mus.zool.Univ.Napoli 1:76.
Type-species:Fulgura elegans COSTA, 1834, by monotypy.
- ONCODELPHAX WAGNER, 1963 Mitt.hamb.zool.Mus.Inst.(1962) 60:169.
Type-species:Delphax pullula BOHEMAN, 1852, by original designation.
- PARADELPHACODES WAGNER, 1963 Mitt.hamb.zool.Mus.Inst.(1962) 60:169.
Type-species:Delphax paludosa FLOR, 1861, by original designation.
- PASTIROMA DLABOLA, 1967 Sb.faun.Praci ent.Odd.nár.Mus.Praze 12:8.
Type-species:Calligypona odessana DLABOLA, 1958, by original designation.
- x) PERKINSIELLA KIRKALDY, 1903 Entomologist 36:179.
Type-species:Perkinsiella saccharicida KIRKALDY, 1903, by original designation.
- PSEUDARAEOPUS KIRKALDY, 1904 Entomologist 37:177.
Type-species:Araeopus lethierryi MULSANT & REY, 1879, by original designation.
- PSEUDODELPHACODES WAGNER, 1963 Mitt.hamb.zool.Mus.Inst. (1962) 60:170.
Type-species:Delphax flaviceps FIEBER, 1866, by original designation.

RIBAUTODELPHAX WAGNER, 1963 Mitt.hamb.zool.Mus.Inst.(1962)
60:170.

Type-species:Delphax collina BOHEMAN, 1847, by
original designation.

SCOTTIANELLA ANUFRIEV, 1980 Zool.Zh.59(2):210.

Type-species:Liburnia dalei SCOTT, 1870, by
original designation.

SMARA DISTANT, 1906 Faun.Brit.Ind., Rhynch.3:466, 478.

Type-species:Smara festiva DISTANT, 1906, by
original designation.

‡Segatella deLONG, 1957 Biological Abstract 31:36501; incorrect
subsequent spelling of Sogatella FENNAH, 1956.

SOGATELLA FENNAH, 1956 ')

Type-species: Delphax furcifera HORVATH, 1899,
by original designation (after NAST 1972:53).

‡Stenocaremus FIEBER, 1866 Verh.zool.-bot.Ges.Wien 16:533;
incorrect subsequent spelling of Stenocranus
FIEBER, 1866.

STENOCRANUS FIEBER, 1866 Verh.zool.-bot.Ges.Wien.16:519.

Type-species:Fulgora minuta FABRICIUS, 1787, by
subsequent designation by OSHANIN, 1912.

STIROMA FIEBER, 1866 Verh.zool.-bot.Ges.Wien 16:521

Type-species:Stiroma affinis FIEBER, 1866, by
subsequent designation by OSHANIN, 1912.

STIROMELLA WAGNER, 1963 Mitt.hamb.zool.Mus.Inst.(1962)
60:166.

Type-species:Crimorphus obliquus WAGNER, 1948,
by original designation.

STIROMEURYSA DLABOLA, 1965 Acta ent.Mus.natn.Pragae 36:660.

Type-species: Stiomeurysa vitoshaensis DLABOLA,
1965, by original designation.

STIROMOIDES VILBASTE, 1971 Die Zikaden Estlands I:76, 133.

Type-species:Eurysa maculipes HORVATH, 1903, by
original designation.

') published in 1956, Proc.Calif.Acad.Sci.28(13):441-527.

- STRUEBINGIANELLA WAGNER, 1963 Mitt.hamb.zool.Mus.Inst.
(1962)60:169.
Type-species:Delphax lugubrina BOHEMAN, 1847,
by original designation.
- x) TOYA DISTANT, 1906 Faun.Brit.Ind., Rhynch.3:472.
Type-species:Toya attenuata DISTANT, 1906, by
original designation.
- TRICRANONEURA HORVATH, 1922 Ann.Mus.nat.Hungar.19:32
Type-species:Delphacodes bolivari MELICHAR,
1901, by monotypy.
- x) TROPIDOCEPHALA STAL, 1853 Ofvers.K.VetenskAkad.Förh.Stockh.
10:266.
Type-species:Tropidocephala flaviceps STAL, 1855,
by monotypy.
- TYRPHODELPHAX VILBASTE, 1968 Suomen hyönt.Aikak 34(2):70, 72.
Type-species:Delphax distincta FLOR, 1861, by
original designation. ')
- x) UNKANODES FENNAH, 1956 ")
Type-species:Unkana sapporana MATSUMURÄ, 1935, by
original designation (after NAST, 1972:50).
- Verriculus EMELYANOV, 1976 Ent.Obozr.55(2):357-363.
Type-species:Verriculus molestus EMELYANOV, 1976,
by original designation.
Objective replacement name for Verriculus EMEL-
YANOV, 1976 is EMELYANODELPHAX KOCAK, 1981.
Verriculus EMELYANOV, 1976 is junior homonym of
VERRICULUS JORDAN&EVERSMANN, 1904 (Pisces).

') This genus was also described by VILBASTE as new in 1971,
Die Zikaden Estlands I:77, 185, unnecessarily.

") This name was published in 1956 Proc.Calif.Acad.Sci.28(13):
441-527.

x) WEIDNERIANELLA WAGNER, 1963 Mitt.hamb.zool.Mus.Inst.(1962)

60:170.

Type-species: Fulgora pellucida FABRICIUS, 1794,
by original designation.

XANTHODELPHAX WAGNER, 1963 Mitt.hamb.zool.Mus.Inst.(1962)

60:169.

Type-species: Delphax flaveola FLOR, 1861, by
original designation.

‡ Zuleica MATSUMURA & ISHIHARA, 1944 Mushi 16(10):59-82.

Incorrect subsequent spelling of Zuleika DIS-
TANT, 1912.

Zuleika DISTANT, 1912 Ann.Mag.nat.Hist.(8)9:193.

Type-species: Zuleika bengalensis DISTANT, 1912,
by original designation.

This name is junior homonym of Zuleika BANG-
HAAS, 1906 (Geometridae: Lepidoptera). Objective
replacement name for Zuleika DISTANT, 1912 is
Kartalia KOCAK, 1981.

F a m.: M E E N O P L I D A E

ANIGRUS STAL, 1866 Hem.Afric.4:172.

Type-species: Anigrus sordidus STAL, 1866, by sub-
sequent designation by MUIR, 1925.

x) MEENOPLUS FIEBER, 1866 Verh.zool.-bot.Ges.Wien 16:498.

Type-species: Meenoplus albosignatus FIEBER, 1866,
by monotypy.

NISIA MELICHAR, 1903 Homopt.Ceylon 53:223.

Type-species: Meenoplus atrovenosus LETHIERRY, 1888
by monotypy.

F a m.: D E R B I D A E

MALENIA HAUPT, 1925 Mem.Soc.ent.Ital.3:233.

Type-species: Lamenia bosnica HORVATH, 1907, by
original designation.

F a m . : A C H I L I D A E

- x) AKOTROPIS MATSUMURA, 1914 Ann. Mus. Hungar 12:270.
Type-species: Akotropis fumata MATSUMURA, 1914,
by original designation.
- x) CIXIDIA FIEBER, 1866 Verh. zool.-bot. Ges. Wien 16:499.
Type-species: Cicada confinis ZETTERSTEDT, 1828,
by monotypy.
- DEFERUNDA DISTANT, 1912 Ann. Mag. nat. Hist. (8)9:186.
Type-species: Deferunda stigmatica DISTANT, 1912,
by monotypy.
- NEOMENACRIA FENNAH, 1950 Bull. Brit. Mus. nat. Hist. (Ent.)1:23.
Type-species: Elidiptera advena SPINOLA, 1839, by
original designation.

F a m . : D I C T Y O P H A R I D A E

- BURSINIA COSTA, 1862 Annu. Mus. zool. Univ. Napoli 1:72.
Type-species: Fulgora hemiptera COSTA, 1840, by
monotypy.
- x) CALLODICTYA MELICHAR, 1912 Abh. zool-bot. Ges. Wien 7:98.
Type-species: Dictyophara krueperi FIEBER, 1866,
by original designation.
- ‡Chanithus AMYOT, 1847 Anns. Soc. ent. Fr. (2)5:160.
Rejected by the Commission for nomenclatural
purposes (Opinion 686).
- x) CHANITHUS KOLENATI, 1857 Bull. Soc. imp. nat. Sci. Moscou 30(i):
427.
Type-species: Flata pannonica GERMAR, 1830, by
monotypy.
- COPPA EMELYANOV, 1969 Ent. Rev. (Wash.)48(2):195(transl.).
Type-species: Sphenocratus huldaensis LINNAVUORI,
1962, by original designation.
- x) DICTYOPHARA GERMAR, 1833 Rev. ent. 1(4):175.
Type-species: Fulgora europaea LINNAEUS, 1767, by
subsequent designation by DESMAREST, 1849.

DORYSARTHROS PUTON, 1895 Rev.ent.fr.14:88.

Type-species: Dorysarthrus mchilicornis PUTON,
1895, by monotypy.

NYMPHORGERIUS OSHANIN, 1913 Fauna Rossii, Hemipt.3(1):12, 48.

Type-species: Orgerius dimorphus OSHANIN, 1879,
by original designation.

PALAEORGERIUS FENNAH, 1944 Proc.biol.Soc.Wash.57:91.

Type-species: Orgerius montandoni HORVATH, 1911,
by original designation.

PARDORGERIUS MELICHAR, 1912 Abh.zool.-bot.Ges.Wien 7:204.

Type-species: Ranissus platypus FIEBER, 1866, by
subsequent designation by METCALF, 1946.

Pseudophana BURMEISTER, 1835 Handb.Ent.2(1):159.

Type-species: Fulgora europaea LINNAEUS, 1767,
by subsequent designation by WESTWOOD, 1840.

Pseudophana BURMEISTER, 1835 is invalid, as it
is junior objective synonym of Dictyophara
GERMAR, 1833.

SCHIZORGERIUS KUSNEZOV, 1930 Russk.ent.Obozr.24:43.

Type-species: Orgerius scythia OSHANIN, 1912, by
original designation.

NIPTOPHADA EMEL'YANOV, 1969 Ent.rev.(Wash.)48(2):195 (transl.)

Type-species: Nymphorgerius tianshanskyi
OSHANIN, 1913, by original designation.

ORGERIUS HORN, 1840 Ann.Mus.-Hungar.6:176.

Type-species: Orgerius apoccephalus OSHANIN, 1874,
by original designation.

TACHORJA EMEL'YANOV, 1969 Ent.rev.(Wash.)48(2):194 (transl.)

Type-species: Tigrahauda recurviceps LINNAEUS,
1758, by original designation.

F a m . : T R O P I D U C H I D A E

OMMATISSUS FIEBER, 1875 Rev.Mag.zool.3(3):353.

Type-species: Ommatissus binotatus FIEBER, 1876,
by subsequent monotypy.

TRYPETIMORPHA COSTA, 1862 Annu. Mus. zool. Univ. Napoli 1:60.

Type-species: Trypetimorpha fenestrata COSTA, 1862, by subsequent designation by OSHANIN, 1912

F a m. : T E T T I G O M E T R I D A E

Brachycephalus SIGNORET, 1866 Anns. Soc. ent. Fr. (4)6:139.

Type-species: Tettigometra lucida SIGNORET, 1866 by original designation.

This genus name is invalid, as it is junior homonym of Brachycephalus FITZINGER, 1826 (Amphibia) and Brachycephalus HOLLARD, 1857 (Pisces).

Objective replacement name is Brachyceps KIRKALDY, 1906.

BRACHYCEPS KIRKALDY, 1906 Entomologist 39:248.

Type-species: Tettigometra lucida SIGNORET, 1866, by original designation.

Objective replacement name for Brachycephalus SIGNORET, 1866.

EURYCHILA SIGNORET, 1866 Anns. Soc. ent. Fr. (4)6:139.

Type-species: Tettigometra decorata SIGNORET, 1866, by subsequent designation by BAKER, 1924.

MACROMETRINA LINDBERG, 1948 Notul. ent. 28:7.

Type-species: Tettigometra (Macrometrina) grossa LINDBERG, 1948, by monotypy.

Micrometrina LINDBERG, 1948 Notul. ent. 28:6.

Type-species: Tettigometra (Micrometrina) mongolica LINDBERG, 1948.

According to NAST (1972:106) this generic name has been designation subsequently. In this case Micrometrina LINDBERG, 1948 must be regarded as unavailable under the Article 13(b). Micrometrina LINDBERG, 1948 is currently considered as valid genus name.

‡Mithricephalus DLABOLA, 1981 Acta ent. Mus. natn. Pragae 40:
 .Incorrect subsequent spelling of Mitri-
cephalus SIGNORET, 1866.

x) MITRICEPHALUS SIGNORET, 1866 Anns. Soc. ent. Fr. (4)6:139.

Type-species: Tettigometra longiceps SIGNORET,
 1866, by subsequent designation by BAKER, 1924.

x) NAUTAMETRINA DLABOLA, 1981 Acta ent. Mus. natn. Pragae 40:
 171.

Type-species: Tettigometra (Brachycephalus)
baranii SIGNORET, 1866, by original designation.

‡Tettigometra LATREILLE, 1804 in SONNINI's Hist. Crust. Ins. 12:
 313. Incorrect subsequent spelling of Tettigo-
metra LATREILLE, 1804.

x) TETTIGOMETRA LATREILLE, 1804 in CUVIER's Règne Anim. 3:405.
 Type-species: Fulgora virescens PANZER, 1799, by
 subsequent designation by LATREILLE, 1810.

F a m . : I S S I D A E

x) ACRESTIA DLABOLA, 1980 Sb. nar. mus. Praze (B) 36(4):222.

Type-species: Bubastia (Acrestia) quadracuta
 DLABOLA, 1980, by original designation.

Aeluroopsis EMELYANOV, 1971 Ent. rev. (Wash.) 50(3):354 (transl.)

Type-species: Hysteropterum tauricum KUSNESOV,
 1926, by original designation.

This name invalid, as it is junior homonym of
Aeluroopsis LYDEKKER, 1884 (Mammalia).

Objective replacement name for Aeluroopsis EMEL-
 YANOV is Bubastia EMELYANOV, 1975.

x) AGALMATIUM EMELYANOV, 1971 Ent. rev. (Wash.) 50(3):352 (transl.)

Type-species: Cercopsis grylloides FABRICIUS, 1794,
 by original designation.

ANISSUS DLABOLA, 1980 Sb. nar. mus. Praze (B) 36(4):177.

Type-species: Anissus bispinatus DLABOLA, 1980,
 by original designation and monotypy.