

NNALES ZOOLOGICZNI

tom 40

Warszawa, 16 III 1987

Nr 15

Janusz NAST

The *Auchenorrhyncha (Homoptera) of Europe*

Abstract. A tabular list of 1771 European species with distribution and some annotations.

CONTENTS

Introduction	536
Tables of distribution	539
<i>Psylidae</i>	540
<i>Phacidae</i>	544
<i>Asiracinae</i>	544
<i>Kelisiinae</i>	544
<i>Stenocraninae</i>	546
<i>Delphacinae</i>	546
<i>Anoplidae</i>	556
<i>Psylidae</i>	556
<i>Psyllidae</i>	556
<i>Dicyopharidae</i>	556
<i>Dictyopharinae</i>	556
<i>Orgeriinae</i>	556
<i>Psyllochidae</i>	558
<i>Gigometridae</i>	558
<i>Psylloidea</i>	560
<i>Caliscelinae</i>	560
<i>Psylinae</i>	562
<i>Psylidae</i>	568
<i>Psylidae</i>	568
<i>Psylidae</i>	568
<i>Coccoidea</i>	570
<i>Coccoptinae</i>	570

<i>Aphrophorinac</i>	570	The order of fa
<i>Membracidae</i>	571	; for shortage of
<i>Cicadellidae</i>	572	<i>Cicadellidae</i> recently
<i>Ulopinae</i>	573	species are listed in
<i>Megophthalminae</i>	574	synonyms other than u
<i>Ledrinae</i>	575	a primary binom
<i>Macropsinae</i>	576	certain and has ne
<i>Agalliinae</i>	577	ame is here given in
<i>Idiocerinae</i>	578	* of types are imp
<i>Iassinae</i>	579	itted from the pr
<i>Penthimiinae</i>	580	All literature ava
<i>Dorycephalinae</i>	581	reparation of the pr
<i>Hecalinae</i>	582	Some more or le
<i>Aphrodinae</i>	583	ming the auchenor
<i>Stegelytrinae</i>	584	ished in last twenty
<i>Cicadellinae</i>	585	
<i>Typhlocybinae</i>	586	
<i>Alebrini</i>	587	ABOLA J. 1964. Ergebn
<i>Dikraneurini</i>	588	22. Beitrag. Homop
<i>Empoascini</i>	589	ABOLA J. 1977. Homop
<i>Typhlocybini</i>	590	faun. ent. Mus. nat.
<i>Zygineillini</i>	591	OSOPOULOS S. 1980. H
<i>Erythroneurini</i>	592	atalogue of the repor
<i>Deltocephalinae</i>	593	GEL G. 1949. Aperçu s
Annotations	594	rhyncha. — Bull. Sc
Index of species-group names	595	UVESTEIN W. H. 1976.
Streszczenie (Summary in Polish)	596	(<i>Auchenorrhyncha</i>). — Ent. Be
Резюме (Summary in Russian)	597	KOVIĆ L. 1975. <i>Homop</i> , ins. Serbie, Beograd,

INTRODUCTION

The present paper contains a list of European *Auchenorrhyncha* arranged in form of tables with distribution marked by special signs. Wherever possible, the provenance of types has been included in the Tables. The sign for "holotype" refers also to the whole original series coming from one country. At the end of Tables are added some synomical and distributional Annotations to particular species, provided with a number corresponding with the number of species in the Tables, marked with an asterisk (*) there. The countries are arranged in parallel lines from west to east and from north to south.

Europe is here regarded roughly in conventional limits. In the Caucasus the boundary goes between the Russian S.F.S.R. and Georgia and Azerbaijan. The eastern boundary runs along the Ural Mts. and along the western boundary of Kazakhstan (for practical reasons the western part of Kazakhstan has been excluded from the present paper). Ireland is treated as an island, Balearic Is. are quoted under Spain, Corsica under France, Sardinia and Sicily under Italy, Crete and all the Greek islands under Greece. On account of space, the Channel Is., other British islands, Iceland, Luxemburg, Andorra, Gibraltar, as well as the regions not defined exactly, are mentioned in the Annotations.

- NAST J. 1972. Palaea pp.
- NAST J. 1980. Palaea — Ann. Zool., W.
- NAST J. 1982. Palaea produced till 1980. — A
- HAMILTON K. G. A. *Archota: Homoptera*. —
- bers of Economic Imp

The order of families and subfamilies corresponds with that published in my Check list¹; for shortage of time, the new, very interesting and also controversial system of the Cicadellidae recently proposed by HAMILTON² could not be used here. The genera and species are listed in alphabetical order, and the species numbered throughout. The synonyms other than used in the Check list (1972) are rectified in the Annotations. When, in a primary binomen, the combination of generic and specific name was apparently uncertain and has not been revised according to present-day requirements, the generic name is here given in quotation marks (""). The old, dubious names, which chiefly for lack of types are impossible to be verified (pp. 449–454 in my Check list), are, as a rule, omitted from the present paper.

All literature available to the writer before December 31, 1984, has been used in preparation of the present list.

Some more or less complete comprehensive papers, catalogues and check lists concerning the achenorrhynchous fauna of particular European countries have been published in last twenty years. Among them at least the following are worth mentioning:

- ABOLA J. 1964. Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institutes. 22. Beitrag. Homoptera: Auchenorrhyncha. — Beitr. Ent., Berlin, 14 (3/4): 269–318, 5 figs.
- ABOLA J. 1977. Homoptera Auchenorrhyncha. In: Enumeratio insectorum Bohemoslovakiae. — Acta faun. ent. Mus. nat. Praha, Suppl. 4: 83–96.
- KOSOPOULOS S. 1980. Hemipterological studies in Greece. Part II. Homoptera-Auchenorrhyncha. A catalogue of the reported species. — Biol. Gallo-Hell., Athènes, 9 (1): 187–194.
- MAGEL G. 1949. Aperçu sur les connaissances actuelles des Jassides de Belgique (Homoptera, Auchenorrhyncha). — Bull. Soc. ent. Belg., Bruxelles, 85: 144–153.
- RAVESTEIN W. H. 1976. Naamlijst van de in Nederland voorkomende Cicaden (Homoptera, Auchenorrhyncha). — Ent. Ber., Amsterdam, 36 (4): 51–57.
- UKOVIĆ L. 1975. Homoptera-Fauna (Auchenorrhyncha) in der Republik Serbien. — Rec. trav. faune ins. Serbie, Beograd, 1: 85–217, 100 figs., 1 map.
- QUESNE W. J., PAYNE K. R. 1981. Cicadellidae (Typhlocybinae) with a check list of the British Auchenorrhyncha (Homoptera, Homoptera). — Handbooks for the identification of British Insects. London, 2, 2 (c), 95 pp. [A check list of British Auchenorrhyncha on pp. 42–53].
- EVINENKO V. M. 1975. Fulgoroidny cikadovy (Fulgoroidea). — Fauna Ukrainskoy, Kyiv, 20 (2): 287 pp. 232 figs. [In Ukrainian].
- NAST J. 1976. Piewiki Auchenorrhyncha (Cicadodea). — Catalogus Faunae Poloniae, Warszawa, 21 (1), 256 pp., 1 map.
- HANNILSSON F. 1978–1983. The Auchenorrhyncha (Homoptera) of Fennoscandia and Denmark. — Fauna entomologica scandinavica, vol. 7. Part 1: Introduction, infraorder Fulgoromorpha. Klampenborg, 1978: 1–222, figs. 1–733, plate figs. 1–36; Part 2: The Families Cicadidae, Cercopidae, Membracidae, Fulgoridae, Psyllidae, Aleyrodoidea. — Fauna entomologica scandinavica, vol. 8. Klampenborg, 1983: 1–222, figs. 1–733, plate figs. 1–36.

¹ NAST J. 1972. Palaearctic Auchenorrhyncha (Homoptera). An annotated Check list. Warszawa, 256 pp.

NAST J. 1980. Palaearctic Auchenorrhyncha (Homoptera). Part. 2. Bibliography. Addenda and Corrections. — Ann. Zool., Warszawa, 34: 481–499.

NAST J. 1982. Palaearctic Auchenorrhyncha (Homoptera). Part 3. New taxa and replacement names introduced till 1980. — Ann. Zool., Warszawa, 36: 289–362.

² HAMILTON K. G. A. 1983. Classification, morphology and phylogeny of the family Cicadellidae (Homoptera). — Proceedings of the 1st International Workshop on Leafhoppers and Plant-hoppers of Economic Importance. London. Pp. 15–37, 18 figs.

- cidae, and Cicadellidae (excl. Deltcephalinae). Klampenborg, 1981, pp. 223–594, figs. 734–1936, plate figs. 37–156; Part 3: The Family Cicadellidae: Deltcephalinae, Catalogue, Literature Index. Copenhagen, 1983, pp. 595–979, figs. 1937–2939, plate figs. 157–221.
- SCHIEMENZ H. 1970. Beiträge zur Insekten-Fauna der DDR: Verzeichnis (check list) der im Gebiet der Deutschen Demokratischen Republik bisher festgestellten Zikaden (Homoptera: Auchenorrhyncha). — Beitr. Ent., Berlin, 20 (5/6): 481–502.
- SERVADEI A. 1967. Rhynchota (Heteroptera, Homoptera Auchenorrhyncha). Catalogo topografico e sinonimico. — Fauna d'Italia, Bologna, 9: 851 pp., 2 figs. [Auchenorrhyncha on pp. 542–762].
- TALICKIY V. I., LOGVINENKO V. M. 1966. Obzor fauny cikadovykh (Homoptera, Cicadinea) Moldavsko-SSR. — Tr. Mold. inst. sad., vin., Kishinev, 13: 231–269, 11 figs. [In Russian].
- VILBASTE J. 1971. Eesti Tirdid Homoptera: Cicadinea I. Tettigometridae, Cixiidae, Delphacidae, Achanthidae, Issidae, Cicadidae, Aphrophoridae, Membracidae. Tallinn. 284 pp., 125 figs. [In Estonian].
- VILBASTE J. 1974. Preliminary list of Homoptera-Cicadina of Latvia and Lithuania. — Eesti NSV Tead. Ak. Toimet., Tartu, 23 B 2: 131–163, 3 figs.

TABLES OF DISTRIBUTION

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

	<i>Cixiidae</i>	Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Belgium	F. R. Germany	German D. R.	Poland
1	<i>Cixius admirabilis</i> LOGV.*	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2	<i>Cixius alpestris</i> WAGN.*	-	-	-	-	-	-	-	-	-	-	2	-	-	-
3	<i>Cixius armatus</i> RIB.*	-	-	-	-	-	-	-	-	-	-	3	-	-	-
4	<i>Cixius beieri</i> WAGN.*	-	-	-	-	-	-	-	-	-	-	4	-	-	-
5	<i>Cixius caledonicus</i> CHINA*	-	-	-	-	-	-	-	-	-	-	5	-	-	-
6	<i>Cixius cambricus</i> CHINA*	-	-	-	●	-	-	-	-	-	-	6	-	-	-
7	<i>Cixius carniolicus</i> WAGN.*	-	-	-	-	-	-	-	-	-	-	7	-	-	-
8	<i>Cixius cunicularius</i> (L.)*	-	-	-	-	-	-	-	-	-	-	8	-	-	-
9	<i>Cixius distinguendus</i> KBM.*	-	-	-	-	-	-	-	-	-	-	9	-	-	-
10	<i>Cixius dubius</i> WAGN.*	-	-	-	-	-	-	-	-	-	-	10	-	-	-
11	<i>Cixius granulatus</i> HORV.*	-	-	-	-	-	-	-	-	-	-	11	-	-	-
12	<i>Cixius haupti</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	12	-	-	-
13	<i>Cixius heydenii</i> KBM.*	-	-	-	-	-	-	-	-	-	-	13	-	-	-
14	<i>Cixius hispidus</i> LOGV.*	-	-	-	-	-	-	-	-	-	-	14	-	-	-
15	<i>Cixius lineolatus</i> RIB.*	-	-	-	-	-	-	-	-	-	-	15	-	-	-
16	<i>Cixius nervosus</i> (L.)*	-	-	-	-	-	-	-	-	-	-	16	-	-	-
17	<i>Cixius ochraceus</i> RIB.*	-	-	-	-	-	-	-	-	-	-	17	-	-	-
18	<i>Cixius pallipes</i> FIEB.*	-	-	-	-	-	-	-	-	-	-	18	-	-	-
19	<i>Cixius pascuorum</i> RIB.*	-	-	-	-	-	-	-	-	-	-	19	-	-	-
20	<i>Cixius remotus</i> EDW.*	-	-	-	-	-	-	-	-	-	-	20	-	-	-
21	<i>Cixius rufofasciatus</i> LOGV.*	-	-	-	-	-	-	-	-	-	-	21	-	-	-
22	<i>Cixius rufus</i> LOGV.*	-	-	-	-	-	-	-	-	-	-	22	-	-	-
23	<i>Cixius sibiricus</i> EM.*	-	-	-	-	-	-	-	-	-	-	23	-	-	-
24	<i>Cixius similis</i> KBM.*	-	-	-	-	-	-	-	-	-	-	24	-	-	-
25	<i>Cixius simplex</i> (H.-S.)*	-	-	-	-	-	-	-	-	-	-	25	-	-	-
26	<i>Cixius sticticus</i> R.*	-	-	-	-	-	-	-	-	-	-	26	-	-	-
27	<i>Cixius stigmaticus</i> (GERM.)*	-	-	-	-	-	-	-	-	-	-	27	-	-	-
28	<i>Cixius ukrainicus</i> LOGV.*	-	-	-	-	-	-	-	-	-	-	28	-	-	-
29	<i>Cixius wagneri</i> CHINA*	-	-	-	-	-	-	-	-	-	-	29	-	-	-
30	" <i>Cixius</i> " <i>sanctangeli</i> O. COSTA*	-	-	-	-	-	-	-	-	-	-	30	-	-	-
31	" <i>Cixius</i> " <i>variabilis</i> METC.*	-	-	-	-	-	-	-	-	-	-	31	-	-	-
32	<i>Hemitropis bipunctata</i> FIEB.	-	-	-	-	-	-	-	-	-	-	32	-	-	-
33	<i>Hemitropis fasciata</i> HORV.*	-	-	-	-	-	-	-	-	-	-	33	-	-	-
34	<i>Hemitropis seticulosa</i> (LETH.)*	-	-	-	-	-	-	-	-	-	-	34	-	-	-
35	<i>Hemitropis tamaricis</i> (LETH.)*	-	-	-	-	-	-	-	-	-	-	35	-	-	-
36	<i>Hemitropis viridissima</i> DLAB.	-	-	-	-	-	-	-	-	-	-	36	-	-	-
37	<i>Hemitropis viridula</i> HORV.*	-	-	-	-	-	-	-	-	-	-	37	-	-	-
38	<i>Hyalesthes duffelsi</i> DLAB.	-	-	-	-	-	-	-	-	-	-	38	-	-	-
39	<i>Hyalesthes luteipes</i> FIEB.	-	-	-	-	-	-	-	-	-	-	39	-	-	-
40	<i>Hyalesthes mavromoustakisi</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	40	-	-	-
41	<i>Hyalesthes mlokosiewiczi</i> SIGN.*	-	-	-	-	-	-	-	-	-	-	41	-	-	-
42	<i>Hyalesthes obsoletus</i> SIGN.	-	-	-	-	-	-	-	-	-	-	42	-	-	-

1	Belgium
2	F. R. Germany
3	German D. R.
4	Poland
5	Czechoslovakia
6	Belorussia
7	m. Russia
8	France
9	Switzerland
10	Austria
11	Hungary
12	Ukraine
13	Moldavia
14	Romania
15	s. Russia
16	Portugal
17	Spain
18	Italy
19	Yugoslavia
20	Albania
21	Bulgaria
22	Greece
23	Eur. Turkey
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Belgium	F. R. Germany	German D. R.
43	<i>Hyalesthes scotti</i> FERR.	-	-	-	-	-	-	-	-	-	-	43	-	-
44	<i>Mesoliarus malagensis</i> MATS.	-	-	-	-	-	-	-	-	-	-	44	-	-
45	<i>Myndus musivus</i> (GERM.)*	-	-	-	-	-	-	-	-	-	-	45	-	-
46	" <i>Oliarus</i> " <i>adustus</i> FIEB.	-	-	-	-	-	-	-	-	-	-	46	-	-
47	" <i>Oliarus</i> " <i>angustiformis</i> LNV.*	-	-	-	-	-	-	-	-	-	-	47	-	-
48	" <i>Oliarus</i> " <i>bourouensis</i> LNV.	-	-	-	-	-	-	-	-	-	-	48	-	-
49	" <i>Oliarus</i> " <i>brevilinea</i> MATS.	-	-	-	-	-	-	-	-	-	-	49	-	-
50	" <i>Oliarus</i> " <i>elongatus</i> MATS.*	-	-	-	-	-	-	-	-	-	-	50	-	-
51	" <i>Oliarus</i> " <i>hispanicus</i> MATS.	-	-	-	-	-	-	-	-	-	-	51	-	-
52	" <i>Oliarus</i> " <i>horridus</i> LNV.*	-	-	-	-	-	-	-	-	-	-	52	-	-
53	" <i>Oliarus</i> " <i>hyalinus</i> FIEB.	-	-	-	-	-	-	-	-	-	-	53	-	-
54	" <i>Oliarus</i> " <i>limbatus</i> FIEB.	-	-	-	-	-	-	-	-	-	-	54	-	-
55	" <i>Oliarus</i> " <i>lugubris</i> FIEB.	-	-	-	-	-	-	-	-	-	-	55	-	-
56	" <i>Oliarus</i> " <i>lutescens</i> FIEB.	-	-	-	-	-	-	-	-	-	-	56	-	-
57	" <i>Oliarus</i> " <i>minusculus</i> MEL.*	-	-	-	-	-	-	-	-	-	-	57	-	-
58	" <i>Oliarus</i> " <i>perminutus</i> DLAB.	-	-	-	-	-	-	-	-	-	-	58	-	-
59	" <i>Oliarus</i> " <i>putoni</i> SIGN.	-	-	-	-	-	-	-	-	-	-	59	-	-
60	" <i>Oliarus</i> " <i>sordidus</i> FIEB.*	-	-	-	-	-	-	-	-	-	-	60	-	-
61	" <i>Oliarus</i> " <i>splendidulus</i> FIEB.	-	-	-	-	-	-	-	-	-	-	61	-	-
62	" <i>Oliarus</i> " <i>tristis</i> FIEB.	-	-	-	-	-	-	-	-	-	-	62	-	-
63	" <i>Oliarus</i> " <i>venosus</i> RAMB.*	-	-	-	-	-	-	-	-	-	-	63	-	-
64a	<i>Pentastira major</i> KBM.	-	-	-	-	-	-	-	-	-	-	64a	-	-
64b	<i>Pentastira major atrata</i> (DLAB.)*	-	-	-	-	-	-	-	-	-	-	64b	-	-
65	<i>Pentastira rhodosica</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	65	-	-
66	<i>Pentastira rorida</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	66	-	-
67	<i>Pentastiridius beieri</i> (WAGN.)	-	-	-	-	-	-	-	-	-	-	67	-	-
68	<i>Pentastiridius curvatus</i> (LOGV.)	-	-	-	-	-	-	-	-	-	-	68	-	-
69	<i>Pentastiridius dagestanicus</i> (KUSN.)*	-	-	-	-	-	-	-	-	-	-	69	-	-
70	<i>Pentastiridius leporinus</i> (L.)*	-	▲	●	●	●	●	●	●	●	●	70	-	-
71	<i>Pentastiridius nanus</i> (IV.)*	-	-	-	-	-	-	-	-	-	-	71	-	-
72	<i>Pentastiridius obscurus</i> (SIGN.)*	-	-	-	-	-	-	-	-	-	-	72	-	-
73	<i>Pentastiridius suezensis</i> (MATS.)*	-	-	-	-	-	-	-	-	-	-	73	-	-
74	<i>Pseudoliarus oblitteratus</i> (KUSN.)*	-	-	-	-	-	-	-	-	-	-	74	-	-
75	<i>Reptalus apiculatus</i> (FIEB.)*	-	-	-	-	-	-	-	-	-	-	75	-	-
76	<i>Reptalus concolor</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	76	-	-
77	<i>Reptalus cuspidatus</i> (FIEB.)*	-	-	-	-	-	-	-	-	-	-	77	-	-
78	<i>Reptalus lindbergi</i> (DLAB.)*	-	-	-	-	-	-	-	-	-	-	78	-	-
79	<i>Reptalus melanochaetus</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	79	-	-
80	<i>Reptalus minutior</i> (DLAB.)	-	-	-	-	-	-	-	-	-	-	80	-	-
81	<i>Reptalus panzeri</i> (P. LÖW)*	-	-	-	-	-	-	-	-	●	-	81	-	-
82	<i>Reptalus quinquecostatus</i> (DUF.)*	-	-	-	-	-	-	-	-	-	-	82	-	-
83	<i>Reptalus rufocarinatus</i> (KUSN.)*	-	-	-	-	-	-	-	-	-	-	83	-	-
84	<i>Reptalus vilbastei</i> LOGV.*	-	-	-	-	-	-	-	-	-	-	84	-	-

Netherlands

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark		
85	<i>Siculus osellai</i> DLAB.	-	-	-	-	-	-	-	-	-	-	85	
86	<i>Tachycixius creticus</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	86	
87	<i>Tachycixius desertorum</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	87	
88	<i>Tachycixius distinctus</i> (SIGN.)	-	-	-	-	-	-	-	-	-	-	88	
89	<i>Tachycixius gravesteini</i> RIB.	-	-	-	-	-	-	-	-	-	-	89	
90	<i>Tachycixius ligustinus</i> WAGN.	-	-	-	-	-	-	-	-	-	-	90	
91	<i>Tachycixius longiceps</i> (LNV.)*	-	-	-	-	-	-	-	-	-	-	91	
92	<i>Tachycixius pilosus</i> (OL.)*	-	-	-	-	-	-	-	-	-	-	92	
93	<i>Tachycixius pyrenaicus</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	93	
94	<i>Tachycixius tigrinus</i> LOGV.*	-	-	-	-	-	-	-	-	-	-	94	
95	<i>Tachycixius venustulus</i> (FIEB.)*	-	-	-	-	-	-	-	-	-	-	95	
96	<i>Tachycixius viperinus</i> DLAB.	-	-	-	-	-	-	-	-	-	-	96	
97	<i>Trigonocranus emmeae</i> FIEB.	-	-	-	-	-	-	-	-	-	-	97	
98	<i>Trirhacus biokovensis</i> DLAB.	-	-	-	-	-	-	-	-	-	-	98	
99	<i>Trirhacus discrepans</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	99	
100	<i>Trirhacus dubiosus</i> WAGN.	-	-	-	-	-	-	-	-	-	-	100	
101	<i>Trirhacus formosissimus</i> A. COSTA	-	-	-	-	-	-	-	-	-	-	101	
102	<i>Trirhacus globuliferus</i> (WAGN.)	-	-	-	-	-	-	-	-	-	-	102	
103	<i>Trirhacus limbatus</i> (SIGN.)	-	-	-	-	-	-	-	-	-	-	103	
104	<i>Trirhacus michalki</i> (WAGN.)	-	-	-	-	-	-	-	-	-	-	104	
105	<i>Trirhacus setulosus</i> FIEB.	-	-	-	-	-	-	-	-	-	-	105	
106	<i>Trirhacus trichophorus</i> MEL.	-	-	-	-	-	-	-	-	-	-	106	
107	<i>Trirhacus wagnerianus</i> NAST	-	-	-	-	-	-	-	-	-	-	107	
	Delphacidae												
	<i>Asiracinae</i>												
108	<i>Asiraca clavicornis</i> (F.)	-	-	-	-	-	○	-	-	●	-	108	● ● ●
	<i>Kelisiinae</i>												
109	<i>Anakelisia fasciata</i> (KBM.)*	-	●	-	-	-	-	-	-	●	●	109	
110	<i>Anakelisia perspicillata</i> (BOH.)	-	▲	-	○	-	-	-	-	●	●	110	● ● ●
111	<i>Kelisia brucki</i> FIEB.	-	-	-	-	-	●	●	-	-	-	111	
112	<i>Kelisia confusa</i> LNV.	-	-	-	-	-	-	-	-	-	-	112	
113	<i>Kelisia creticola</i> ASCHE	-	-	-	-	-	-	-	-	-	-	113	
114	<i>Kelisia gargano</i> REM., ASCHE	-	-	-	-	-	-	-	-	-	-	114	
115	<i>Kelisia guttula</i> (GERM.)*	-	-	-	-	-	●	●	●	●	●	115	● ● ●
116	<i>Kelisia guttulifera</i> (KBM.)	-	-	-	-	-	●	●	●	●	●	116	
117	<i>Kelisia haupti</i> WAGN.	-	-	-	-	-	-	-	-	-	-	117	
118	<i>Kelisia henschii</i> HORV.	-	-	-	-	-	-	-	-	-	-	118	
119	<i>Kelisia irregularata</i> HPT.	-	-	-	-	-	-	-	-	-	-	119	
120	<i>Kelisia melanops</i> FIEB.	-	-	-	-	-	-	-	-	-	-	120	
121	<i>Kelisia minima</i> RIB.	-	-	-	-	-	-	-	-	-	-	121	

Belgium

F. R. Germany

German D. R.

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

- 122 *Kelisia monoceros* RIB.
 123 *Kelisia nervosa* VILB.
 124 *Kelisia pallidula* (BOH.)
 125 *Kelisia pannonica* MATS.*
 126 *Kelisia perrieri* RIB.
 127 *Kelisia praecox* HPT.
 128 *Kelisia punctulum* (KBM.)
 129 *Kelisia ribauti* WAGN.*
 130 *Kelisia sima* RIB.*
 131 *Kelisia sulcata* RIB.
 132 *Kelisia vittipennis* (J. SHLB.)
 133 *Kelisia yarkonensis* LNV.*

Stenocraninae

- 134 *Stenocranus fuscovittatus* (STÅL)*
 135 *Stenocranus gialovus* ASCHE, HOCH
 136 *Stenocranus longipennis* (CURT.)
 137 *Stenocranus major* (KBM.)
 138 *Stenocranus minutus* (F.)
 139 *Stenokelisia angusta* RIB.

Delphacinae

- 140 *Acanthodelphax denticauda* (BOH.)
 141 *Acanthodelphax spinosus* (FIEB.)*
 142 *Achorotile albosignata* (DHLB.)
 143 *Achorotile longicornis* (J. SHLB.)*
 144 *Achorotile nobilis* DLAB.
 145 *Agrisicula ankistrofer* ASCHE
 146 *Callipypona reyi* (FIEB.)
 147 *Cantoreanus olorinus* (DLAB.)
 148 *Cemus dimorphus* (MATS.)
 149 *Changeondelphax velitchkovskyi* (MEL.)*
 150 *Chloriona chinai* OSS.
 151 *Chloriona clavata* DLAB.
 152 *Chloriona dorsata* EDW.
 153 *Chloriona glaucescens* FIEB.
 154 *Chloriona ponticana* ASCHE
 155 *Chloriona sicula* MATS.*
 156 *Chloriona smaragdula* (STÅL)
 157 *Chloriona stenoptera* (FL.)
 158 *Chloriona unicolor* (H.-S.)*
 159 *Chloriona vasconica* RIB.
 160 *Chlorionidea flava* (P. Löw)

	Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Netherlands	Belgium	F. R. Germany	German D. R.
122	●	—	●	—	●	●	●	—	●	—	—	—	—	●
123	—	●	—	—	—	—	—	—	—	—	—	—	—	—
124	—	●	▲	—	●	●	●	—	●	—	—	—	●	—
125	—	●	●	—	●	●	●	—	●	—	—	—	—	—
126	—	—	—	—	—	—	—	—	—	—	—	—	●	—
127	—	●	—	—	—	—	—	—	—	—	—	—	—	—
128	—	●	—	—	—	—	—	—	—	—	—	—	—	—
129	—	●	—	—	—	—	—	—	—	—	—	—	—	—
130	—	●	—	—	—	—	—	—	—	—	—	—	—	—
131	—	●	—	—	—	—	—	—	—	—	—	—	—	—
132	—	●	—	—	—	—	—	—	—	—	—	—	—	—
133	—	●	—	—	—	—	—	—	—	—	—	—	—	—
134	—	—	—	—	—	—	—	—	—	—	—	—	—	—
135	—	—	—	—	—	—	—	—	—	—	—	—	—	—
136	—	—	—	—	—	—	—	—	—	—	—	—	—	—
137	—	—	—	—	—	—	—	—	—	—	—	—	—	—
138	—	—	—	—	—	—	—	—	—	—	—	—	—	—
139	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140	●	▲	●	●	●	●	●	—	●	—	—	—	—	—
141	—	●	●	●	●	●	●	—	●	—	—	—	—	—
142	—	▲	●	●	●	●	●	—	●	—	—	—	—	—
143	—	●	●	●	●	●	●	—	●	—	—	—	—	—
144	—	●	●	●	●	●	●	—	●	—	—	—	—	—
145	—	●	●	●	●	●	●	—	●	—	—	—	—	—
146	—	●	●	●	●	●	●	—	●	—	—	—	—	—
147	—	●	●	●	●	●	●	—	●	—	—	—	—	—
148	—	●	●	●	●	●	●	—	●	—	—	—	—	—
149	—	●	●	●	●	●	●	—	●	—	—	—	—	—
150	—	●	●	●	●	●	●	—	●	—	—	—	—	—
151	—	●	●	●	●	●	●	—	●	—	—	—	—	—
152	—	●	●	●	●	●	●	—	●	—	—	—	—	—
153	—	●	●	●	●	●	●	—	●	—	—	—	—	—
154	—	●	●	●	●	●	●	—	●	—	—	—	—	—
155	—	●	●	●	●	●	●	—	●	—	—	—	—	—
156	—	●	●	●	●	●	●	—	●	—	—	—	—	—
157	—	●	●	●	●	●	●	—	●	—	—	—	—	—
158	—	●	●	●	●	●	●	—	●	—	—	—	—	—
159	—	●	●	●	●	●	●	—	●	—	—	—	—	—
160	—	●	●	●	●	●	●	—	●	—	—	—	—	—

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Netherlands	Belgium	F. R. Germany	German D. R.	Poland
161	<i>Conomelus anceps</i> (GERM.)	●											161	●	●	●
162a	<i>Conomelus lorifer calabricus</i> DLAB.		●										162a	●	●	▲
162b	<i>Conomelus lorifer dehneli</i> NAST												162b			
162c	<i>Conomelus lorifer lorifer</i> RIB.												162c			
163	<i>Conomelus odryssius</i> DLAB.												163			
164	<i>Conomelus sagittifer</i> REM., ASCHE												164			
165	<i>Conomelus serrifer</i> REM.												165			
166	<i>Criomorphus albomarginatus</i> CURT.	●	●	●	●	●	●	●	●	●	●	●	166			
167	<i>Criomorphus borealis</i> (J. SHLB.)	●	●	▲	●	●	●	●	●	●	●	●	167			
168	<i>Criomorphus moestus</i> (BOH.)		●	●	●	●	●	●	●	●	●	●	168			
169	<i>Criomorphus williamsi</i> CHINA												169			
170	<i>Delphacellus putoni</i> (SCOTT)*												170			
171	<i>Delphacinus mesomelas</i> (BOH.)		●	●									171			
172	<i>Delphacissa uncinata</i> (FIEB.)*												172			
173	<i>Delphacodes audrasi</i> (RIB.)												173			
174	<i>Delphacodes capnodes</i> (SCOTT)												174			
175	<i>Delphacodes fascia</i> (LDB.)												175			
176	<i>Delphacodes framariib</i> ASCHE, REM.*												176			
177	<i>Delphacodes linnauorii</i> LE Q.*												177			
178	<i>Delphacodes mulsanti</i> (FIEB.)												178			
179	<i>Delphacodes nastasi</i> ASCHE, REM.	●	▲	●	●	●	●	●	●	●	●	●	179			
180	<i>Delphacodes schinias</i> ASCHE, REM.												180			
181	<i>Delphacodes venosus</i> (GERM.)	●											181			
182	" <i>Delphacodes</i> " <i>flava</i> METC.*		●	●	●	●	●	●	●	●	●	●	182			
183	<i>Delphacodoides anaxarchi</i> MUIR*												183			
184	<i>Delphax armeniacus</i> AN.*												184			
185	<i>Delphax crassicornis</i> (PANZ.)												185			
186	<i>Delphax inermis</i> RIB.												186			
187	<i>Delphax meridionalis</i> (HPT.)												187			
188	<i>Delphax narbonensis</i> RIB.												188			
189	<i>Delphax pulchellus</i> (CURT.)												189			
190	<i>Delphax ribautianus</i> ASCHE, DROS.												190			
191	" <i>Delphax</i> " <i>gilveolus</i> KBM.												191			
192	" <i>Delphax</i> " <i>macropterus</i> O. COSTA												192			
193	" <i>Delphax</i> " <i>modestus</i> FIEB.												193			
194	" <i>Delphax</i> " <i>radiatus</i> O. COSTA												194			
195	" <i>Delphax</i> " <i>stigmatical</i> CURT.												195			
196	" <i>Delphax</i> " <i>tapinus</i> FIEB.												196			
197	<i>Dicranotropis beckeri</i> FIEB.	●	▲	●	●	●	●	●	●	●	●	●	197			
198	<i>Dicranotropis divergens</i> KBM.												198			
199	<i>Dicranotropis hamata</i> (BOH.)												199			
200	<i>Dicranotropis montana</i> (HORV.)												200			
201	<i>Ditropis pteridis</i> (SPIN.)	●	●										201			

161		Belgium
162a	●	F. R. Germany
162b	●	German D. R.
162c	●	Poland
163	●	Czechoslovakia
164	●	Belorussia
165	●	m. Russia
166	●	France
167	●	Switzerland
168	●	Austria
169	●	Ukraine
170	●	Hungary
171	●	Moldavia
172	●	Romania
173	●	s. Russia
174	●	Portugal
175	●	Spain
176	●	Italy
177	●	Yugoslavia
178	●	Albania
179	●	Bulgaria
180	●	Greece
181	●	Eur. Turkey
182	●	
183	●	
184	●	
185	●	
186	●	
187	●	
188	●	
189	●	
190	●	
191	●	
192	●	
193	●	
194	●	
195	●	
196	●	
197	●	
198	●	
199	●	
200	●	
201	●	

▲ Holotype or lectotype
 ■ Paratypes or syntypes
 ● Reliable data
 ○ Unreliable data
 ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Belgium	F. R. Germany	German D. R.
202	<i>Ditropsis flavipes</i> (SIGN.)	●										202	●	●
203	<i>Euconomelus lepidus</i> (BOH.)		▲									203	●	●
204	<i>Euides alpina</i> WAGN.		●									204	●	●
205	<i>Euides basilinea</i> (GERM.)*		●									205	●	●
206	<i>Euides caspiana</i> (DLAB.)		●									206	●	●
207	<i>Euidopsis truncata</i> RIB.*											207	●	●
208	<i>Eurybregma bielawskii</i> NAST											208	●	●
209	<i>Eurybregma nigrolineata</i> SCOTT				■ ○							209	●	●
210	<i>Eurybregma porcus</i> (EM.)*				■							210	●	●
211	<i>Eurysa brunnea</i> MEL.											211	●	●
212	<i>Eurysa dimidiata</i> R.*											212	●	●
213	<i>Eurysa douglasi</i> (SCOTT)											213	●	●
214	<i>Eurysa duffelsi</i> DROS., ASCHE*											214	●	●
215	<i>Eurysa flavobrunnea</i> (DLAB.)											215	●	●
216	<i>Eurysa forficula</i> (HORV.)											216	●	●
217	<i>Eurysa forguja</i> REM., ASCHE											217	●	●
218	<i>Eurysa foribera</i> REM., ASCHE											218	●	●
219	<i>Eurysa fornasta</i> ASCHE, DROS., HOCH											219	●	●
220	<i>Eurysa forsicula</i> ASCHE, DROS., HOCH											220	●	●
221	<i>Eurysa immunda</i> HORV.*											221	●	●
222	<i>Eurysa lineata</i> (PERR.)		●									222	●	●
223	<i>Eurysa pyrenaea</i> FIEB.*											223	●	●
224	<i>Eurysa rubripes</i> (MATS.)*											224	●	●
225	<i>Eurysula lurida</i> (FIEB.)*											225	●	●
226	<i>Falcotoya minuscula</i> (HORV.)											226	●	●
227	<i>Flastena sumata</i> (LDB.)*											227	●	●
228	<i>Flastena sumipennis</i> (FIEB.)											228	●	●
229	<i>Florodelphax leptosoma</i> (FL.)											229	●	●
230	<i>Florodelphax mourikisi</i> DROS.*											230	●	●
231	<i>Florodelphax paryphasma</i> (FL.)											231	●	●
232	<i>Gravesteiniella boldi</i> (SCOTT)											232	●	●
233	<i>Halmyra aeluropodis</i> (EM.)*											233	●	●
234	<i>Herbalima eforiae</i> (DLAB.)											234	●	●
235	<i>Horvathianella palliceps</i> (HORV.)											235	●	●
236	<i>Hyledelphax elegantulus</i> (BOH.)		▲									236	●	●
237	<i>Iubsoda duffelsi</i> (DLAB.)*											237	●	●
238	<i>Iubsoda stigmatica</i> (MEL.)		●									238	●	●
239	<i>Jassidaeus lugubris</i> (SIGN.)			▲								239	●	●
240	<i>Javesella alpina</i> (J. SHLB.)*			●								240	●	●
241	<i>Javesella bottnica</i> HULD.		▲									241	●	●
242	<i>Javesella discolor</i> (BOH.)		●									242	●	●
243	<i>Javesella dubia</i> (KBM.)		●									243	●	●
244	<i>Javesella forcipata</i> (BOH.)*		▲									244	●	●

202	●	Belgium
203	●	F. R. Germany
204	●	German D. R.
205	●	Poland
206	●	Czechoslovakia
207	●	Belorussia
208	●	m. Russia
209	●	France
210	●	Switzerland
211	●	Austria
212	▲	Hungary
213	●	Ukraine
214	●	Moldavia
215	●	Romania
216	●	s. Russia
217	●	Portugal
218	●	Spain
219	●	Italy
220	●	Yugoslavia
221	●	Albania
222	●	Bulgaria
223	●	Greece
224	●	Eur. Turkey
225	●	
226	●	
227	●	
228	●	
229	●	
230	●	
231	●	
232	●	
233	●	
234	●	
235	●	
236	●	
237	●	
238	●	
239	●	
240	●	
241	●	
242	●	
243	●	
244	●	

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

No.	Sw.	Fif.	n.	Es.	La.	Lit.	Ire.	Gr.	Dent.	Be.	F.	Ge.
245	Javesella obscurella (BOH.)		●							●		
246	Javesella pellucida (F.)*		●	●						●		
247	Javesella salina (HPT.)		●							●		
248	Javesella simillima (LNV.)		●	●						●		
249	Javesella stali (METC.)*		●	●						●		
250	Kormus artemisiae FIEB.		●							●		
251	Kosswigianella exigua (BOH.)	▲	●							●		
252	Laodelphax striatellus (FALL.)	▲	●	●	●					●		
253	"Liburnia" axillaris J. SHLB.	▲	●	●	●					●		
254	"Liburnia" coracina CSIKI									●		
255	"Liburnia" fuscifrons FIEB.									●		
256	"Liburnia" latifrons FIEB.*									●		
257	"Liburnia" lethierryi SCOTT									●		
258	"Liburnia" marshalli SCOTT*									●		
259	"Liburnia" melanocephala FIEB.									●		
260	Litemixia pulchripennis ASCHE									●		
261	Litochodelphax aliakmon ASCHE									●		
262	Maculidelpax maculipennis (LNV.)*									●		
263	Matutinus putoni (A. COSTA)*									●		
264	Megadelphax haglundi (J. SHLB.)	▲		●	●					●		
265	Megadelphax sordidulus (STÅL)	▲		●	●					●		
266	Megadelphax subsymmetricus LOGV.									●		
267	Megamelodes lequesnei WAGN.									●		
268	Megamelodes quadrimaculatus (SIGN.)									●		
269	Megamelus discrepans HPT.									●		
270	Megamelus leptus FIEB.*									●		
271	Megamelus notula (GERM.)		●	●	●					●		
272	Metropis aris ASCHE, DROS., HOCH		●	●	●					●		
273	Metropis inermis WAGN.									●		
274	Metropis latifrons (KBM.)									●		
275	Metropis latinus LNV.									●		
276	Metropis maura FIEB.									●		
277	Metropis mayri FIEB.									●		
278	Metropis ugamicus MIT.*									●		
279	Mirabella albifrons (FIEB.)*									●		
280	Muellerianella brevipennis (BOH.)	▲		●	●					●		
281	Muellerianella extrusa (SCOTT)*	●		●	●					●		
282	Muellerianella fairmairei (PERR.)*	●		●	●					●		
283	Muirodelphax aubei (PERR.)	●		●	●					●		
284	Nothodelphax albocarinatus (STÅL)	▲		●	●					●		
285	Nothodelphax distinctus (FL.)	●		●	●					●		
286	Oncodelphax pullulus (BOH.)	▲		●	●					●		
287	Paradelphacodes litoralis (REUT.)									●		

245	Belgium
246	F. R. Germany
247	German D. R.
248	
249	
250	
251	
252	Poland
253	Czechoslovakia
254	Belorussia
255	m. Russia
256	France
257	Switzerland
258	Austria
259	Hungary
260	Ukraine
261	Moldavia
262	Romania
263	s. Russia
264	Portugal
265	Spain
266	Italy
267	Yugoslavia
268	Albania
269	Bulgaria
270	Greece
271	Eur. Turkey
272	
273	
274	
275	
276	
277	
278	
279	
280	
281	
282	
283	
284	
285	
286	
287	

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

288	Belgium
289	F. R. Germany
290	German D. R.
291	Poland
292	Czechoslovakia
293	Belorussia
294	m. Russia
295	France
296	Switzerland
297	Austria
298	Hungary
299	Ukraine
300	Moldavia
301	Romania
302	s. Russia
303	Portugal
304	Spain
305	Italy
306	Yugoslavia
307	Albania
308	Bulgaria
309	Greece
310	Eur. Turkey
311	
312	
313	
314	
315	
316	
317	
318	
319	
320	
321	
322	
323	
324	
325	
326	
327	
328	
329	
330	

▲ Holotype or lectotype
 ■ Paratypes or syntypes
 ● Reliable data
 ○ Unreliable data
 ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Netherlands	Belgium	F. R. Germany	German D. R.
331	<i>Xanthodelphax stramineus</i> (STÅL)	-	▲	-	-	-	-	-	-	331					
332	<i>Xanthodelphax xanthus</i> VILB.*	-	●	●	-	-	●	●	-	332					
<i>Meenoplidae</i>															
333	<i>Meenoplus albosignatus</i> FIEB.*	-	-	-	-	-	-	-	-	333					
334	<i>Nisia atrovenosa</i> (LETH.)*	-	-	-	-	-	-	-	-	334					
<i>Derbidae</i>															
335	<i>Malenia bosnica</i> (HORV.)	-	-	-	-	-	-	-	-	335					
336	<i>Malenia sarmatica</i> AN.*	-	-	-	-	-	-	-	-	336					
337	<i>Malenia sicula</i> HPT.	-	-	-	-	-	-	-	-	337					
<i>Achilidae</i>															
338	<i>Cixidia advena</i> (SPIN.)*	-	-	-	-	-	-	-	-	338					
339	<i>Cixidia confinis</i> (ZETT.)	▲	●	-	-	-	-	-	-	339					
340	<i>Cixidia genei</i> (SPIN.)	-	-	-	-	-	-	-	-	340					
341	<i>Cixidia italicica</i> (WAGN.)	▲	●	●	-	-	-	-	-	341					
342	<i>Cixidia lapponica</i> (ZETT.)	-	-	-	-	-	-	-	-	342					
343	<i>Cixidia marginicollis</i> (SPIN.)*	-	-	-	-	-	-	-	-	343					
344	<i>Cixidia parnassia</i> (STÅL)	-	-	-	-	-	-	-	-	344					
<i>Dictyopharidae</i>															
<i>Dictyopharinae</i>															
345	<i>Callobictya krueperi</i> (FIEB.)	-	-	-	-	-	-	-	-	345					
346	<i>Dictyophara cyrnea</i> SPIN.*	-	-	-	-	-	-	-	-	346					
347	<i>Dictyophara distincta</i> MEL.	-	-	-	-	-	-	-	-	347					
348	<i>Dictyophara europaea</i> (L.)*	-	-	-	-	-	-	-	-	348					
349	<i>Dictyophara lindbergi</i> METC.*	-	-	-	-	-	-	-	-	349					
350	<i>Dictyophara longirostris</i> WALK.	-	-	-	-	-	-	-	-	350					
351	<i>Dictyophara multireticulata</i> M., R.	-	-	-	-	-	-	-	-	351					
352	<i>Dictyophara oertzeni</i> MATS.	-	-	-	-	-	-	-	-	352					
353	<i>Dictyophara pannonica</i> (GERM.)	-	-	-	-	-	-	-	-	353					
354	<i>Dictyophara seladonica</i> MEL.	-	-	-	-	-	-	-	-	354					
355	<i>Dictyophara validicornis</i> (STÅL)	-	-	-	-	-	-	-	-	355					
356	<i>Raivuna striata</i> (OSH.)*	-	-	-	-	-	-	-	-	356					
<i>Orgeriinae</i>															
357	<i>Almana longipes</i> (DUF.)	-	-	-	-	-	-	-	-	357					
358	<i>Bursinia adelpha</i> HORV.	-	-	-	-	-	-	-	-	358					
359	<i>Bursinia breviceps</i> HORV.	-	-	-	-	-	-	-	-	359					
360	<i>Bursinia carinata</i> HORV.	-	-	-	-	-	-	-	-	360					
361	<i>Bursinia discolor</i> HORV.	-	-	-	-	-	-	-	-	361					

▲ Holotype or lectotype
 ■ Paratypes or syntypes
 ● Reliable data
 ○ Unreliable data
 ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Danmark	Nederland	Belgium	F. R. Germany	German D. R.	Poland	Czechoslovakia
401	<i>Eurychila decorata</i> (SIGN.)*	-	-	-	-	-	-	-	-	401	-	-	-	-	-	-	-
402	<i>Histrionia hexaspina</i> (KOL.)*	-	-	-	-	-	-	-	-	402	-	-	-	-	-	-	-
403	<i>Micrometrina baranii</i> (SIGN.)	-	-	-	-	-	-	-	-	403	-	-	-	-	-	-	-
404	<i>Micrometrina diminuta</i> (MATS.)	-	-	-	-	-	-	-	-	404	-	-	-	-	-	-	-
405	<i>Micrometrina longicornis</i> (SIGN.)	-	-	-	-	-	-	-	-	405	-	-	-	-	-	-	-
406	<i>Mitricephalus macrocephalus</i> (FIEB.)	-	-	-	-	-	-	-	-	406	-	-	-	-	-	-	-
407	<i>Tettigometra afra</i> KBM.*	-	-	-	-	-	-	-	-	407	-	-	-	-	-	-	-
408	<i>Tettigometra angulata</i> LDB.*	-	-	-	-	-	-	-	-	408	-	-	-	-	-	-	-
409	<i>Tettigometra atra</i> HAG.	-	-	-	-	-	-	-	-	409	-	-	-	-	-	-	-
410	<i>Tettigometra atrata</i> FIEB.	-	-	-	-	-	-	-	-	410	-	-	-	-	-	-	-
411	<i>Tettigometra atrovirens</i> O. COSTA	-	-	-	-	-	-	-	-	411	-	-	-	-	-	-	-
412	<i>Tettigometra beckeri</i> HORV.*	-	-	-	-	-	-	-	-	412	-	-	-	-	-	-	-
413	<i>Tettigometra brachynota</i> FIEB.	-	-	-	-	-	-	-	-	413	-	-	-	-	-	-	-
414	<i>Tettigometra concolor</i> FIEB.	-	-	-	-	-	-	-	-	414	-	-	-	-	-	-	-
415	<i>Tettigometra costulata</i> FIEB.*	-	-	-	-	-	-	-	-	415	-	-	-	-	-	-	-
416	<i>Tettigometra depressa</i> FIEB.	-	-	-	-	-	-	-	-	416	-	-	-	-	-	-	-
417	<i>Tettigometra distincta</i> (LUC.)*	-	-	-	-	-	-	-	-	417	-	-	-	-	-	-	-
418	<i>Tettigometra eremi</i> LDB.	-	-	-	-	-	-	-	-	418	-	-	-	-	-	-	-
419	<i>Tettigometra fasciata</i> (RAMB.)	-	-	-	-	-	-	-	-	419	-	-	-	-	-	-	-
420	<i>Tettigometra fusca</i> FIEB.	-	-	-	-	-	-	-	-	420	-	-	-	-	-	-	-
421	<i>Tettigometra griseola</i> FIEB.	-	-	-	-	-	-	-	-	421	-	-	-	-	-	-	-
422	<i>Tettigometra helferi</i> FIEB.*	-	-	-	-	-	-	-	-	422	-	-	-	-	-	-	-
423	<i>Tettigometra impressifrons</i> M., R.	-	-	-	-	-	-	-	-	423	-	-	-	-	-	-	-
424	<i>Tettigometra impressopunctata</i> DUF.	-	-	-	-	-	-	-	-	424	-	-	-	-	-	-	-
425	<i>Tettigometra lyncea</i> HORV.	-	-	-	-	-	-	-	-	425	-	-	-	-	-	-	-
426	<i>Tettigometra obliqua</i> (PANZ.)*	-	-	-	-	-	-	-	-	426	-	-	-	-	-	-	-
427	<i>Tettigometra peliotaea</i> FIEB.	-	-	-	-	-	-	-	-	427	-	-	-	-	-	-	-
428	<i>Tettigometra picea</i> KBM.	-	-	-	-	-	-	-	-	428	-	-	-	-	-	-	-
429	<i>Tettigometra picta</i> FIEB.	-	-	-	-	-	-	-	-	429	-	-	-	-	-	-	-
430	<i>Tettigometra pistacina</i> O. COSTA	-	-	-	-	-	-	-	-	430	-	-	-	-	-	-	-
431	<i>Tettigometra sordida</i> FIEB.	-	-	-	-	-	-	-	-	431	-	-	-	-	-	-	-
432	<i>Tettigometra sororcula</i> HORV.	-	-	-	-	-	-	-	-	432	-	-	-	-	-	-	-
433	<i>Tettigometra stepposa</i> LOGV.	-	-	-	-	-	-	-	-	433	-	-	-	-	-	-	-
434	<i>Tettigometra sulphurea</i> M., R.	-	-	-	-	-	-	-	-	434	-	-	-	-	-	-	-
435	<i>Tettigometra varia</i> FIEB.	-	-	-	-	-	-	-	-	435	-	-	-	-	-	-	-
436	<i>Tettigometra ventralis</i> SIGN.*	-	-	-	-	-	-	-	-	436	-	-	-	-	-	-	-
437	<i>Tettigometra virescens</i> (PANZ.)*	-	-	-	-	-	-	-	-	437	-	-	-	-	-	-	-
438	<i>Tettigometra vitellina</i> FIEB.	-	-	-	-	-	-	-	-	438	-	-	-	-	-	-	-
	<i>Issidae</i>																
	<i>Caliscelinae</i>																
439	<i>Alloscelis vittifrons</i> (IV.)	-	-	-	-	-	-	-	-	439	-	-	-	-	-	-	-
440	<i>Aphelonema ellisi</i> DLAB.	-	-	-	-	-	-	-	-	440	-	-	-	-	-	-	-

Auchenerhymcha of Europe

401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440
Belgium																																							
F. R. Germany																																							
German D. R.																																							
Poland																																							
Czechoslovakia																																							
Belorussia																																							
m. Russia																																							
France																																							
Switzerland																																							
Austria																																							
Hungary																																							
Ukraine																																							
Moldavia																																							
Romania																																							
s. Russia																																							
Portugal																																							
Spain																																							
Italy																																							
Yugoslavia																																							
Albania																																							
Bulgaria																																							
Greece																																							
Eur. Turkey																																							

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Danmark	Nederland	Belgium	F. R. Germany	German D. R.	Poland
441	<i>Aphelonema melichari</i> (HORV.)	-	-	-	-	-	-	-	-	41	-	-	-	-	-	-
442	<i>Aphelonema punctifrons</i> (HORV.)	-	-	-	-	-	-	-	-	42	-	-	-	-	-	-
443	<i>Aphelonema quadrivittata</i> (FIEB.)	-	-	-	-	-	-	-	-	43	-	-	-	-	-	-
444	<i>Aphelonema raniformis</i> (M., R.)	-	-	-	-	-	-	-	-	44	-	-	-	-	-	-
445	<i>Caliscelis affinis</i> (FIEB.)	-	-	-	-	-	-	-	-	45	-	-	-	-	-	-
446	<i>Caliscelis bolivari</i> HORV.	-	-	-	-	-	-	-	-	46	-	-	-	-	-	-
447	<i>Caliscelis bonellii</i> (LATR.)	-	-	-	-	-	-	-	-	47	-	-	-	-	-	-
448	<i>Caliscelis dimidiata</i> A. COSTA*	-	-	-	-	-	-	-	-	48	-	-	-	-	-	-
449	<i>Caliscelis tricolor</i> (O. COSTA)*	-	-	-	-	-	-	-	-	49	-	-	-	-	-	-
450	<i>Caliscelis unicolor</i> (O. COSTA)*	-	-	-	-	-	-	-	-	50	-	-	-	-	-	-
451	<i>Caliscelis wallengreni</i> (STÅL)	-	-	-	-	-	-	-	-	51	-	-	-	-	-	-
452	<i>Homocnemia albovittata</i> A. COSTA	-	-	-	●	-	-	-	-	52	-	-	-	-	-	-
453	<i>Ommatidiotus alternans</i> HORV.	-	-	-	▲	-	-	-	-	53	-	-	-	-	-	-
454	<i>Ommatidiotus concinnus</i> HORV.	-	-	-	●	-	-	-	-	54	-	-	-	-	-	-
455	<i>Ommatidiotus dissimilis</i> (FALL.)	-	-	-	●	-	-	-	-	55	-	-	-	-	-	-
456	<i>Ommatidiotus falleni</i> STÅL	-	-	-	●	-	-	-	-	56	-	-	-	-	-	-
457	<i>Ommatidiotus inconspicuus</i> STÅL	-	-	-	●	-	-	-	-	57	-	-	-	-	-	-
458	<i>Ommatidiotus longiceps</i> PUT.	-	-	-	●	-	-	-	-	58	-	-	-	-	-	-
<i>Issinae</i>																
459	<i>Agalmatium bilobum</i> (FIEB.)	-	-	-	-	-	-	-	-	459	-	-	-	-	-	-
460	<i>Agalmatium corsicum</i> DLAB.	-	-	-	-	-	-	-	-	460	-	-	-	-	-	-
461	<i>Agalmatium costale</i> (MATS.)*	-	-	-	-	-	-	-	-	461	-	-	-	-	-	-
462	<i>Agalmatium curtulum</i> (MEL.)	-	-	-	-	-	-	-	-	462	-	-	-	-	-	-
463	<i>Agalmatium distinguendum</i> (KBM.)	-	-	-	-	-	-	-	-	463	-	-	-	-	-	-
464	<i>Agalmatium flavescens</i> (OL.)*	-	-	-	-	-	-	-	-	464	-	-	-	-	-	-
465	<i>Agenia lamii</i> DESC.	-	-	-	-	-	-	-	-	465	-	-	-	-	-	-
466	<i>Bootheca taurus</i> (OSH.)*	-	-	-	-	-	-	-	-	466	-	-	-	-	-	-
467	<i>Bubastia corniculata</i> (PUT.)	-	-	-	-	-	-	-	-	467	-	-	-	-	-	-
468	<i>Bubastia jankovici</i> DLAB.	-	-	-	-	-	-	-	-	468	-	-	-	-	-	-
469	<i>Bubastia josifovi</i> DLAB.	-	-	-	-	-	-	-	-	469	-	-	-	-	-	-
470	<i>Bubastia ludyki</i> DLAB.	-	-	-	-	-	-	-	-	470	-	-	-	-	-	-
471	<i>Bubastia lukia</i> DLAB.	-	-	-	-	-	-	-	-	471	-	-	-	-	-	-
472	<i>Bubastia montandonica</i> DLAB.	-	-	-	-	-	-	-	-	472	-	-	-	-	-	-
473	<i>Bubastia novalis</i> (LOGV.)	-	-	-	-	-	-	-	-	473	-	-	-	-	-	-
474	<i>Bubastia obsoleta</i> (FIEB.)	-	-	-	-	-	-	-	-	474	-	-	-	-	-	-
475	<i>Bubastia olympica</i> DLAB.	-	-	-	-	-	-	-	-	475	-	-	-	-	-	-
476	<i>Bubastia quadracuta</i> DLAB.	-	-	-	-	-	-	-	-	476	-	-	-	-	-	-
477	<i>Bubastia sakisi</i> DLAB.*	-	-	-	-	-	-	-	-	477	-	-	-	-	-	-
478	<i>Bubastia saskia</i> DLAB.	-	-	-	-	-	-	-	-	478	-	-	-	-	-	-
479	<i>Bubastia spartica</i> DLAB.	-	-	-	-	-	-	-	-	479	-	-	-	-	-	-
480	<i>Bubastia suturalis</i> (FIEB.)	-	-	-	-	-	-	-	-	480	-	-	-	-	-	-
481	<i>Bubastia taurica</i> (KUSN.)	-	-	-	-	-	-	-	-	481	-	-	-	-	-	-

441			Belgium	
442			F. R. Germany	
443			German D. R.	
444			Poland	
445			Czechoslovakia	
446			Belorussia	
447			m. Russia	
448			France	
449			Switzerland	
450			Austria	
451			Hungary	
452			Ukraine	
453			Moldavia	
454			Romania	
455			s. Russia	
456			Portugal	
457			Spain	
458			Italy	
459			Yugoslavia	
460			Albania	
461			Bulgaria	
462			Greece	
463			Eur. Turkey	
464	●	○		
465	●			
466	●			
467	●			
468	●			
469	●			
470	●			
471	●			
472	●			
473	●			
474	●			
475	●			
476	●			
477	●			
478	●			
479	●			
480	●			
481	●			

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Netherlands	Belgium	F. R. Germany	German D. R.	Poland
<i>Flatidae</i>																
566	<i>Cyphopterum adscendens</i> (H.-S.)	-	-	-	-	-	-	-	-	-	-	-	566			
567	<i>Cyphopterum difforme</i> (SPIN.)	-	-	-	-	-	-	-	-	-	-	-	567			
568	<i>Cyphopterum incertum</i> LDB.	-	-	-	-	-	-	-	-	-	-	-	568			
569	<i>Metcalfa pruinosa</i> (SAY)*	-	-	-	-	-	-	-	-	-	-	-	569			
570	<i>Phantia subquadrata</i> (H.-S.)	-	-	-	-	-	-	-	-	-	-	-	570			
<i>Ricaniidae</i>																
571	<i>Ricania hedenborgi</i> STÅL*	-	-	-	-	-	-	-	-	-	-	-	571			
572	<i>Ricania japonica</i> MEL.*	-	-	-	-	-	-	-	-	-	-	-	572			
<i>Cicadidae</i>																
573	<i>Aestuansella aestuans</i> (F.)*	-	-	-	-	-	-	-	-	-	-	-	573			
574a	<i>Cicada barbara</i> (STÅL)*	-	-	-	-	-	-	-	-	-	-	-	574a			
574b	<i>Cicada barbara lusitanica</i> BOUL.	-	-	-	-	-	-	-	-	-	-	-	574b			
575	<i>Cicada orni</i> L.	-	-	-	-	-	-	-	-	-	-	-	575			
576	<i>Cicadatra alhageos</i> (KOL.)*	-	-	-	-	-	-	-	-	-	-	-	576			
577	<i>Cicadatra atra</i> (OL.)*	-	-	-	-	-	-	-	-	-	-	-	577			
578	<i>Cicadatra concinna</i> (GERM.)*	-	-	-	-	-	-	-	-	-	-	-	578			
579	<i>Cicadatra hyalina</i> (F.)	-	-	-	-	-	-	-	-	-	-	-	579			
580	<i>Cicadatra persica</i> KIRK.*	-	-	-	-	-	-	-	-	-	-	-	580			
581	<i>Cicadetta albipennis</i> FIEB.	-	-	-	-	-	-	-	-	-	-	-	581			
582	<i>Cicadetta brullei</i> FIEB.	-	-	-	-	-	-	-	-	-	-	-	582			
583	<i>Cicadetta caucasica</i> (KOL.)*	-	-	-	-	-	-	-	-	-	-	-	583			
584	<i>Cicadetta dimissa</i> (HAG.)	-	-	-	-	-	-	-	-	-	-	-	584			
585	<i>Cicadetta dubia</i> (RAMB.)	-	-	-	-	-	-	-	-	-	-	-	585			
586	<i>Cicadetta fangoana</i> BOUL.*	-	-	-	-	-	-	-	-	-	-	-	586			
587	<i>Cicadetta flaveola</i> (BR.)	-	-	-	-	-	-	-	-	-	-	-	587			
588	<i>Cicadetta lobulata</i> FIEB.	-	-	-	-	-	-	-	-	-	-	-	588			
589	<i>Cicadetta mediterranea</i> FIEB.	-	-	-	-	-	-	-	-	-	-	-	589			
590	<i>Cicadetta montana</i> (SCOP.)*	-	●	-	●	-	-	-	-	-	-	-	590	●	●	
591	<i>Cicadetta podolica</i> (EICHW.)*	-	-	●	-	-	-	-	-	-	-	-	591	●	●	
592	<i>Cicadetta pygmea</i> (OL.)*	-	-	-	●	-	-	-	-	-	-	-	592	●	●	
593	<i>Cicadetta transylvanica</i> FIEB.	-	-	-	-	-	-	-	-	-	-	-	593	●	●	
594	<i>Cicadivetta tibialis</i> (PANZ.)	-	-	-	-	-	-	-	-	-	-	-	594	●	●	
595	<i>Euryphara cantans</i> (F.)*	-	-	-	-	-	-	-	-	-	-	-	595	●	●	
596	<i>Euryphara contentei</i> BOUL.	-	-	-	-	-	-	-	-	-	-	-	596	●	●	
597	<i>Euryphara undulata</i> (WALTL)	-	-	-	-	-	-	-	-	-	-	-	597	●	●	
598	<i>Hilaphura varipes</i> (WALTL)*	-	-	-	-	-	-	-	-	-	-	-	598	●	●	
599	<i>Lyristes plebejus</i> (SCOP.)*	-	-	-	-	-	-	-	-	-	-	-	599	●	●	
600	<i>Melampsalta albeola</i> (EVSM.)	-	-	-	-	-	-	-	-	-	-	-	600	●	●	
601	<i>Pagiphora annulata</i> (BR.)	-	-	-	-	-	-	-	-	-	-	-	601	●	●	

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Belgium	F. R. Germany	German D. R.
669	<i>Hephatus nanus</i> (H.-S.)	-	-	-	-	-	-	-	-	-	-	669	-	-
670	<i>Hephatus unicolor</i> (LDB.)*	-	-	-	-	-	-	-	-	-	-	670	-	-
671	<i>Macropsidius abrotani</i> EM.*	-	-	-	-	-	-	-	-	-	-	671	-	-
672	<i>Macropsidius araxes</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	672	-	-
673	<i>Macropsidius calaber</i> DLAB.	-	-	-	-	-	-	-	-	-	-	673	-	-
674	<i>Macropsidius chazarianus</i> LOGV.	-	-	-	-	-	-	-	-	-	-	674	-	-
675	<i>Macropsidius dispar</i> (FIEB.)*	-	-	-	-	-	-	-	-	-	-	675	-	-
676	<i>Macropsidius friesei</i> DLAB.	-	-	-	-	-	-	-	-	-	-	676	-	-
677	<i>Macropsidius gravesteinicus</i> DLAB.	-	-	-	-	-	-	-	-	-	-	677	-	-
678	<i>Macropsidius involutus</i> DLAB.	-	-	-	-	-	-	-	-	-	-	678	-	-
679	<i>Macropsidius parvus</i> RIB.	-	-	-	-	-	-	-	-	-	-	679	-	-
680	<i>Macropsidius sahlbergi</i> (FL.)	-	-	-	-	-	-	-	-	-	-	680	-	-
681	<i>Macropsidius serratus</i> LOGV.	-	-	-	-	-	-	-	-	-	-	681	-	-
682	<i>Macropsis acrotirica</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	682	-	-
683	<i>Macropsis brabantica</i> WAGN.	-	-	-	-	-	-	-	-	-	-	683	-	-
684	<i>Macropsis cerea</i> (GERM.)*	-	-	-	-	-	-	-	-	-	-	684	-	-
685	<i>Macropsis elaeagni</i> EM.*	-	-	-	-	-	-	-	-	-	-	685	-	-
686	<i>Macropsis fuscinervis</i> (BOH.)	-	-	-	-	-	-	-	-	-	-	686	-	-
687	<i>Macropsis fuscula</i> (ZETT.)	-	-	-	-	-	-	-	-	-	-	687	-	-
688	<i>Macropsis glandacea</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	688	-	-
689	<i>Macropsis graminea</i> (F.)	-	-	-	-	-	-	-	-	-	-	689	-	-
690	<i>Macropsis gravesteini</i> WAGN.	-	-	-	-	-	-	-	-	-	-	690	-	-
691	<i>Macropsis harrisoni</i> WAGN.	-	-	-	-	-	-	-	-	-	-	691	-	-
692	<i>Macropsis haupti</i> WAGN.	-	-	-	-	-	-	-	-	-	-	692	-	-
693	<i>Macropsis heracleionica</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	693	-	-
694a	<i>Macropsis impura</i> (BOH.)	-	-	-	-	-	-	-	-	-	-	694a	-	-
694b	<i>Macropsis impura cencovica</i> DLAB.	-	-	-	-	-	-	-	-	-	-	694b	-	-
695	<i>Macropsis infuscata</i> (J. SHLB.)	-	-	-	-	-	-	-	-	-	-	695	-	-
696	<i>Macropsis marginata</i> (H.-S.)	-	-	-	-	-	-	-	-	-	-	696	-	-
697	<i>Macropsis megerlei</i> (FIEB.)*	-	-	-	-	-	-	-	-	-	-	697	-	-
698	<i>Macropsis mendax</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	698	-	-
699	<i>Macropsis mulsanti</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	699	-	-
700	<i>Macropsis najas</i> NAST	-	-	-	-	-	-	-	-	-	-	700	-	-
701	<i>Macropsis notata</i> (PROH.)	-	-	-	-	-	-	-	-	-	-	701	-	-
702	<i>Macropsis ocellata</i> PROV.*	-	-	-	-	-	-	-	-	-	-	702	-	-
703	<i>Macropsis prasina</i> (BOH.)	-	-	-	-	-	-	-	-	-	-	703	-	-
704	<i>Macropsis scotti</i> EDW.	-	-	-	-	-	-	-	-	-	-	704	-	-
705	<i>Macropsis scutellata</i> (BOH.)	-	-	-	-	-	-	-	-	-	-	705	-	-
706	<i>Macropsis verbae</i> AN., ZHILC.	-	-	-	-	-	-	-	-	-	-	706	-	-
707	<i>Macropsis vestita</i> RIB.	-	-	-	-	-	-	-	-	-	-	707	-	-
708	<i>Macropsis vicina</i> (HORV.)	-	-	-	-	-	-	-	-	-	-	708	-	-
709	<i>Macropsis viridinervis</i> WAGN.	-	-	-	-	-	-	-	-	-	-	709	-	-
710	<i>Oncopsis alni</i> (SCHRK.)	-	-	-	-	-	-	-	-	-	-	710	-	-

- ▲ Holotype or lectotype
 - Paratypes or syntypes
 - Reliable data
 - Unreliable data
 - ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Belgium	F. R. Germany	German D. R.
751	<i>Platyproctus tessellatus</i> LDB.*	—	—	—	—	—	—	—	—	—	—	751	—	—
752	<i>Sympypyga obsoleta</i> HPT.*	—	—	—	—	—	—	—	—	—	—	752	—	—
753	<i>Sympypyga repetekia</i> KUSN.*	—	—	—	—	—	—	—	—	—	—	753	—	—
	<i>Idiocerinae</i>													
754	<i>Acericerus heydenii</i> (KBM.)	—	—	—	—	—	—	—	—	—	—	754	—	▲
755	<i>Acericerus rotundifrons</i> (KBM.)	—	—	—	—	—	—	—	—	—	—	755	●	▲
756	<i>Acericerus vittifrons</i> (KBM.)	—	—	—	—	—	—	—	—	—	—	756	—	▲
757	<i>Balcanocerus balcanicus</i> (HORV.)	—	—	—	—	—	—	—	—	—	—	757	—	—
758	<i>Balcanocerus brusinae</i> (HORV.)	—	—	—	—	—	—	—	—	—	—	758	—	—
759	<i>Balcanocerus larvatus</i> (H.-S.)	—	—	—	—	—	—	—	—	—	—	759	●	▲
760	<i>Balcanocerus pruni</i> (RIB.)	—	—	—	—	—	—	—	—	—	—	760	—	—
761	<i>Bugraia ocularis</i> (M., R.)*	—	—	—	—	—	—	—	—	—	—	761	—	—
762	<i>Idiocerus herrichii</i> (KBM.)	—	●	—	●	—	●	—	—	—	—	762	●	—
763	<i>Idiocerus humilis</i> HORV.	—	—	—	—	—	—	—	—	—	—	763	—	—
764	<i>Idiocerus lituratus</i> (FALL.)*	—	●	—	●	—	●	—	—	—	—	764	—	—
765	<i>Idiocerus similis</i> KBM.	—	—	—	—	—	—	—	—	—	—	765	●	▲
766	<i>Idiocerus stigmatical</i> LEW.*	—	●	—	●	—	●	—	—	—	—	766	●	—
767	<i>Idiocerus vicinus</i> MEL.	—	—	—	—	—	—	—	—	—	—	767	—	—
768	" <i>Idiocerus</i> " <i>aaliensis</i> STRAND*	▲	—	—	—	—	—	—	—	—	—	768	—	—
769	" <i>Idiocerus</i> " <i>affinis</i> FL.	—	—	—	—	—	—	—	—	—	—	769	—	—
770	" <i>Idiocerus</i> " <i>lambertiei</i> MEL.	—	—	—	—	—	—	—	—	—	—	770	—	—
771	" <i>Idiocerus</i> " <i>maculicollis</i> CURT.*	—	—	—	—	—	—	—	—	—	—	771	—	—
772	" <i>Idiocerus</i> " <i>salgiris</i> KUSN.	—	—	—	—	—	—	—	—	—	—	772	—	—
773	<i>Metidiocerus crassipes</i> (J. SHLB.)	—	—	●	—	—	▲	—	—	—	—	773	—	—
774	<i>Metidiocerus elegans</i> (FL.)	—	●	—	●	—	●	—	—	—	—	774	●	—
775	<i>Populicerus albicans</i> (KBM.)	—	●	—	●	—	●	—	—	—	—	775	—	■
776	<i>Populicerus confusus</i> (FL.)	—	●	—	●	—	●	—	—	—	—	776	●	●
777	<i>Populicerus fulgidus</i> (F.)	—	●	—	●	—	●	—	○	—	—	777	—	—
778	<i>Populicerus laminatus</i> (FL.)	—	●	—	●	—	●	—	▲	—	—	778	●	●
779	<i>Populicerus nitidissimus</i> (H.-S.)	—	●	—	●	—	●	—	—	—	—	779	●	▲
780	<i>Populicerus populi</i> (L.)	—	●	—	●	—	●	—	●	—	—	780	●	●
781	<i>Rhytidodus caspicus</i> AN.	—	—	—	—	—	—	—	—	—	—	781	—	—
782	<i>Rhytidodus decimusquartus</i> (SCHRK.)*	—	—	●	—	—	—	—	—	●	—	782	●	●
783	<i>Rhytidodus nobilis</i> (FIEB.)	—	—	—	—	—	—	—	—	—	—	783	—	—
784	<i>Rhytidodus wagneri</i> DLAB.	—	—	—	—	—	—	—	—	—	—	784	—	—
785	<i>Sahlbergotettix salicicola</i> (FL.)	—	—	—	●	—	—	—	▲	—	—	785	—	—
786	<i>Stenidiocerus poecilus</i> (H.-S.)	—	●	—	●	—	●	—	●	—	—	786	●	—
787	<i>Sulamicerus stali</i> (FIEB.)*	—	—	—	—	—	—	—	—	—	—	787	—	—
788	<i>Tremulicerus distinguendus</i> (KBM.)	—	—	—	—	—	—	—	—	—	—	788	—	—
789	<i>Tremulicerus dimidiatus</i> (RIB.)*	—	—	—	—	—	—	—	—	—	—	789	—	—
790	<i>Tremulicerus fasciatus</i> (FIEB.)	—	—	—	—	—	—	—	—	—	—	790	—	—
791	<i>Tremulicerus fuchsi</i> (KBM.)	—	—	—	—	—	—	—	—	—	—	791	○	●

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Lithuania	Ireland	Great Britain	Denmark	Netherlands	Belgium
792	<i>Tremulicerus impressifrons</i> (KBM.)	-	-	-	-	-	-	-	-	-	-	792
793	<i>Tremulicerus mesopyrrhus</i> (KBM.)*	-	-	-	-	-	-	-	-	-	-	793
794	<i>Tremulicerus rutilans</i> (KBM.)	-	●	-	-	-	-	-	-	-	-	794
795	<i>Tremulicerus tremulae</i> (ESTL.)	●	▲	●	●	-	-	-	-	-	-	795
796	<i>Tremulicerus vitreus</i> (F.)	-	-	-	-	○	-	-	-	-	-	796
797	<i>Viridicerus ustulatus</i> (M., R.)	-	-	-	-	-	-	-	-	-	-	797
	<i>Iassinae</i>											
798	<i>Batracomorphus allionii</i> (TURT.)	-	-	-	-	-	-	-	-	-	-	798
799	<i>Batracomorphus desertorum</i> KUSN.	-	-	-	-	-	-	-	-	-	-	799
800	<i>Batracomorphus irroratus</i> LEW.	-	-	-	-	-	-	-	-	-	-	800
801	<i>Batracomorphus viridulus</i> (MEL.)*	-	●	●	-	-	-	-	-	-	-	801
802	<i>Iassus lanio</i> (L.)	●	▲	●	●	●	●	●	●	●	●	802
803	<i>Iassus mirabilis</i> OROSZ	-	-	-	-	-	-	-	-	-	-	803
804	<i>Iassus scutellaris</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	804
	<i>Penthimiinae</i>											
805	<i>Penthimia nigra</i> (GOEZE)*	-	-	-	-	-	?	-	-	-	-	805
	<i>Dorycephalinae</i>											
806	<i>Cephalius frontalis</i> SIGN.*	-	-	-	-	-	-	-	-	-	-	806
807	<i>Dorycephalus baeri</i> KOUCH.	-	●	●	-	-	-	-	-	-	-	807
808	<i>Eupelix cuspidata</i> (F.)	-	●	●	●	●	●	●	●	●	●	808
809	<i>Paradorydium paradoxum</i> (H.-S.)*	-	-	-	-	-	-	-	-	-	-	809
	<i>Hecalinae</i>											
810	<i>Glossocratus foveolatus</i> FIEB.*	-	-	-	-	-	-	-	-	-	-	810
811	<i>Hecalus eximus</i> (KBM.)*	-	-	-	-	-	-	-	-	-	-	811
812	<i>Hecalus glaucescens</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	812
813	<i>Hecalus storai</i> (LDB.)*	-	-	-	-	-	-	-	-	-	-	813
	<i>Aphrodinae</i>											
814	<i>Anoscopus albifrons</i> (L.)*	●	●	●	●	●	-	-	●	●	●	814
815	<i>Anoscopus albiger</i> (GERM.)	-	-	-	-	-	-	-	●	●	●	815
816	<i>Anoscopus assimilis</i> (SIGN.)	-	-	-	-	-	-	-	-	-	-	816
817	<i>Anoscopus crassus</i> (SAR.)*	-	-	-	-	-	-	-	-	-	-	817
818	<i>Anoscopus duffieldi</i> (LE Q.)	-	-	-	-	-	-	-	-	-	-	818
819	<i>Anoscopus flavostriatus</i> (DON.)	●	●	●	●	●	●	●	●	●	●	819
820	<i>Anoscopus histrionicus</i> (F.)	●	●	●	●	●	●	●	●	●	●	820
821	<i>Anoscopus limicola</i> (EDW.)	-	-	-	-	-	-	-	●	●	●	821
822	<i>Anoscopus serratulae</i> (F.)	-	-	-	-	-	-	-	●	●	●	822
823	<i>Aphrodes aestuarina</i> (EDW.)	-	-	-	-	-	-	-	●	●	●	823
824	<i>Aphrodes astrachanica</i> EM.	-	-	-	-	-	-	-	●	●	●	824

792	● ● ● ● ● ● ●	Belgium
793	● ● ● ● ● ● ●	F. R. Germany
794	● ● ● ● ● ● ●	German D. R.
795	● ● ● ● ● ● ●	Poland
796	● ● ● ● ● ● ●	Czechoslovakia
797	● ● ● ● ● ● ●	Belorussia
798	● ● ● ● ● ● ●	m. Russia
799	● ● ● ● ● ● ●	France
800	● ● ● ● ● ● ●	Switzerland
801	● ● ● ● ● ● ●	Austria
802	● ● ● ● ● ● ●	Hungary
803	● ● ● ● ● ● ●	Ukraine
804	● ● ● ● ● ● ●	Moldavia
805	● ● ● ● ● ● ●	Romania
806	● ● ● ● ● ● ●	s. Russia
807	● ● ● ● ● ● ●	Portugal
808	● ● ● ● ● ● ●	Spain
809	● ● ● ● ● ● ●	Italy
810	● ● ● ● ● ● ●	Yugoslavia
811	● ● ● ● ● ● ●	Albania
812	● ● ● ● ● ● ●	Bulgaria
813	● ● ● ● ● ● ●	Greece
814	● ● ● ● ● ● ●	Eur. Turkey
815	● ● ● ● ● ● ●	
816	● ● ● ● ● ● ●	
817	● ● ● ● ● ● ●	
818	● ● ● ● ● ● ●	
819	● ● ● ● ● ● ●	
820	● ● ● ● ● ● ●	
821	● ● ● ● ● ● ●	
822	● ● ● ● ● ● ●	
823	● ● ● ● ● ● ●	
824	● ● ● ● ● ● ●	

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Netherlands	Belgium
860	<i>Alebra neglecta</i> WAGN.	—	—	—	—	—	—	●	—	—	—	—	—
861	<i>Alebra sorbi</i> WAGN.	●	—	—	—	—	—	—	—	—	—	—	—
862	<i>Alebra wahlbergi</i> (BOH.)	—	▲	—	—	—	—	—	—	—	—	—	—
	<i>Dikraneurini</i>												
863	" <i>Dicraneura (Notus)" festiva</i> R.	—	—	—	—	—	—	—	—	—	—	—	863
864	<i>Dikraneura aridella</i> (J. SHLB.)	●	—	●	—	—	—	—	—	—	—	—	864
865	<i>Dikraneura variata</i> HARDY	—	—	—	—	—	—	—	—	—	—	—	865
866	<i>Emelyanoviana contraria</i> (RIB.)	●	—	●	—	—	—	—	—	—	—	—	866
867	<i>Emelyanoviana mollicula</i> (BOH.)	—	▲	●	—	—	—	—	—	—	—	—	867
868	<i>Erythria alpina</i> (VID.)	—	—	—	—	—	—	—	—	—	—	—	868
869	<i>Erythria aureola</i> (FALL.)	●	—	●	—	—	—	—	—	—	—	—	869
870	<i>Erythria cisalpina</i> DWOR.	—	▲	●	—	—	—	—	—	—	—	—	870
871	<i>Erythria ferrarii</i> (PUT.)*	—	—	—	—	—	—	—	—	—	—	—	871
872	<i>Erythria hispanica</i> DLAB., JANK.	—	—	—	—	—	—	—	—	—	—	—	872
873	<i>Erythria jankovici</i> DLAB.*	—	—	—	—	—	—	—	—	—	—	—	873
874	<i>Erythria manderstjernii</i> (KBM.)	—	—	—	—	—	—	—	—	—	—	—	874
875	<i>Erythria montandoni</i> PUT.	—	—	—	—	—	—	—	—	—	—	—	875
876	<i>Erythria pedemontana</i> VID.	—	—	—	—	—	—	—	—	—	—	—	876
877	<i>Erythria seclusa</i> HORV.	—	—	—	—	—	—	—	—	—	—	—	877
878	<i>Forcipata citrinella</i> (ZETT.)	●	—	●	—	—	—	●	—	—	—	—	878
879	<i>Forcipata flava</i> VID.	—	—	●	—	—	—	●	—	—	—	—	879
880	<i>Forcipata forcipata</i> (FL.)	●	●	●	—	—	—	●	—	—	—	—	880
881	<i>Forcipata major</i> (WAGN.)	—	—	—	—	—	—	—	—	—	—	—	881
882	<i>Forcipata obtusa</i> VID.	—	—	—	—	—	—	—	—	—	—	—	882
883	<i>Liguropia juniperi</i> (LETH.)*	—	—	—	—	—	—	—	—	—	—	—	883
884	<i>Micantulina micantula</i> (ZETT.)	▲	●	●	—	—	—	●	—	—	—	—	884
885	<i>Micantulina pseudomicantula</i> (KNIGHT)	—	—	▲	—	—	—	—	●	—	—	—	885
886	<i>Micantulina stigmatipennis</i> (M., R.)	—	—	—	—	—	—	—	—	—	—	—	886
887	<i>Micantulina teucrii</i> (CER.)	—	—	—	—	—	—	—	—	—	—	—	887
888	<i>Notus flavipennis</i> (ZETT.)	●	—	●	—	—	—	●	—	—	—	—	888
889	<i>Notus italicus</i> WAGN.	—	—	—	—	—	—	●	—	—	—	—	889
890	" <i>Notus" genalis</i> FIEB.	—	—	—	—	—	—	—	—	—	—	—	890
891	" <i>Notus pavesii</i> " CARL.	—	—	—	—	—	—	—	—	—	—	—	891
892	<i>Wagneriala franzi</i> (WAGN.)	—	●	—	—	—	—	—	—	—	—	—	892
893	<i>Wagneriala incisa</i> (THEN)	—	—	—	—	—	—	—	—	—	—	—	893
894	<i>Wagneriala minima</i> (J. SHLB.)	●	—	●	—	—	—	●	—	—	—	—	894
895	<i>Wagneriala palustris</i> (RIB.)	—	▲	—	—	—	—	—	—	—	—	—	895
896	<i>Wagneriala sinuata</i> (THEN)	—	—	—	—	—	—	—	—	—	—	—	896
	<i>Empoascini</i>												
897	<i>Astroasca pontica</i> KIR.	—	—	—	—	—	—	—	—	—	—	—	897
898	<i>Astroasca vittata</i> (LETH.)	—	—	—	—	—	—	●	—	—	—	—	898

Netherlands

▲ Holotype or lectotype
 ■ Paratypes or syntypes
 ● Reliable data
 ○ Unreliable data
 ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark		Belgium	F. R. Germany	German D. R.
941	<i>Empoasca punjabensis</i> S.-P.*	-	-	-	-	-	-	-	-	-	-	941	-	-	-
942	<i>Empoasca serrata</i> VILB.*	-	-	-	-	-	-	-	-	-	-	942	-	-	-
943	<i>Empoasca vitis</i> (GÖTHE)*	-	●	-	-	-	-	-	-	-	-	943	-	-	-
944	<i>Jacobiasca lybica</i> (BG., ZAN.)*	-	-	●	-	-	-	-	-	-	-	944	-	-	-
945	<i>Kyboasca bipunctata</i> (OSH.)*	-	-	-	-	-	-	-	-	-	-	945	-	-	-
946	<i>Kyboasca zachvatkini</i> AN.	-	-	-	-	-	-	-	-	-	-	946	-	-	-
947	<i>Kybos abstrusus</i> (LNV.)	-	●	-	-	-	-	-	-	-	-	947	-	-	-
948	<i>Kybos aetnicola</i> WAGN.	-	-	▲	-	-	-	-	-	-	-	948	-	-	-
949	<i>Kybos austriacus</i> (WAGN.)	-	-	-	-	-	-	-	-	-	-	949	-	-	-
950	<i>Kybos butleri</i> (EDW.)*	-	●	-	-	-	-	-	-	-	-	950	-	-	-
951	<i>Kybos calyculus</i> (CER.)*	-	-	-	-	-	-	-	-	-	-	951	-	-	-
952	<i>Kybos candelabricus</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	952	-	-	-
953	<i>Kybos digitatus</i> (RIB.)	-	-	-	-	-	-	-	-	-	-	953	-	-	-
954	<i>Kybos ivanovi</i> LOGV.	-	-	-	-	-	-	-	-	-	-	954	-	-	-
955	<i>Kybos limpidus</i> (WAGN.)	-	-	-	-	-	-	-	-	-	-	955	-	-	-
956	<i>Kybos lindbergi</i> (LNV.)	-	●	-	-	-	-	-	-	-	-	956	-	-	-
957	<i>Kybos ludus</i> (DAV., DEL.)*	-	●	-	-	-	-	-	-	-	-	957	-	-	-
958	<i>Kybos mesasiaticus</i> ZACHV.*	-	-	-	-	-	-	-	-	-	-	958	-	-	-
959	<i>Kybos mucronatus</i> (RIB.)*	-	-	-	-	-	-	-	-	-	-	959	-	-	-
960	<i>Kybos oshanini</i> ZACHV.	-	-	-	-	-	-	-	-	-	-	960	-	-	-
961	<i>Kybos perplexus</i> (RIB.)	-	●	-	-	-	-	-	-	-	-	961	-	-	-
962	<i>Kybos populi</i> (EDW.)	-	●	-	-	-	-	-	-	-	-	962	-	-	-
963	<i>Kybos rufescens</i> MEL.	-	●	-	-	-	-	-	-	-	-	963	-	-	-
964	<i>Kybos smaragdulus</i> (FALL.)	-	▲	-	-	-	-	-	-	-	-	964	-	-	-
965	<i>Kybos sordidulus</i> (OSS.)	-	▲	-	-	-	-	-	-	-	-	965	-	-	-
966	<i>Kybos strigilifer</i> (OSS.)	-	▲	-	-	-	-	-	-	-	-	966	-	-	-
967	<i>Kybos strobli</i> (WAGN.)	-	-	-	-	-	-	-	-	-	-	967	-	-	-
968	<i>Kybos verbae</i> ZACHV.	-	-	-	-	-	-	-	-	-	-	968	-	-	-
969	<i>Kybos virgator</i> (RIB.)	-	-	-	-	-	-	-	-	-	-	969	-	-	-
970	<i>Kybos volgensis</i> VILB.	-	-	-	-	-	-	-	-	-	-	970	-	-	-
	<i>Typhlocybini</i>														
971	<i>Agurihana pictilis</i> (STÅL)	-	-	-	-	-	-	-	-	-	-	971	-	-	-
972	<i>Agurihana stellulata</i> (BURM.)	-	-	-	-	-	-	-	-	-	-	972	-	-	-
973	<i>Dryocyba carri</i> (EDW.)	-	-	-	-	-	-	-	-	-	-	973	-	-	-
974	<i>Edwardsiana alnicola</i> (EDW.)	-	-	-	-	-	-	-	-	-	-	974	-	-	-
975	<i>Edwardsiana ampliata</i> (WAGN.)	-	-	-	-	-	-	-	-	-	-	975	-	-	-
976	<i>Edwardsiana avellanae</i> (EDW.)	-	-	-	-	-	-	-	-	-	-	976	-	-	-
977	<i>Edwardsiana bergmani</i> (TULL.)	-	-	-	-	-	-	-	-	-	-	977	-	-	-
978	<i>Edwardsiana candidula</i> (KBM.)	-	-	-	-	-	-	-	-	-	-	978	-	-	-
979	<i>Edwardsiana crataegi</i> (DGL.)	-	-	-	-	-	-	-	-	-	-	979	-	-	-
980	<i>Edwardsiana cretica</i> DWOR.	-	-	-	-	-	-	-	-	-	-	980	-	-	-
981	<i>Edwardsiana diversa</i> (EDW.)	-	-	-	-	-	-	-	-	-	-	981	-	-	-

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

Netherlands

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

941	<i>Empoasca punjabensis</i> S.-P.*	—	—	—	—	—	—	—	—	—	—	941
942	<i>Empoasca serrata</i> VILB.*	—	—	—	—	—	—	—	—	—	—	942
943	<i>Empoasca vitis</i> (GÖTHE)*	●	●	●	●	●	●	●	●	●	●	943
944	<i>Jacobiasca lybica</i> (BG., ZAN.)*	—	—	—	—	—	—	—	—	—	—	944
945	<i>Kyboasca bipunctata</i> (OSH.)*	—	—	●	—	—	—	—	—	—	—	945
946	<i>Kyboasca zachvatkini</i> AN.	—	—	—	—	—	—	—	—	—	—	946
947	<i>Kybos abstrusus</i> (LNV.)	—	●	▲	—	—	—	●	—	—	—	947
948	<i>Kybos aetnicola</i> WAGN.	—	—	—	—	—	—	—	—	—	—	948
949	<i>Kybos austriacus</i> (WAGN.)	—	—	—	—	—	—	—	—	—	—	949
950	<i>Kybos butleri</i> (EDW.)*	●	●	●	●	●	●	●	—	▲	●	950
951	<i>Kybos calyculus</i> (CER.)*	—	—	—	—	—	—	●	—	—	—	951
952	<i>Kybos candelabrus</i> DLAB.*	—	—	—	—	—	—	—	—	—	—	952
953	<i>Kybos digitatus</i> (RIB.)	—	—	—	—	—	—	—	—	—	—	953
954	<i>Kybos ivanovi</i> LOGV.	—	—	—	—	—	—	—	—	—	—	954
955	<i>Kybos limpidus</i> (WAGN.)	—	—	—	—	○	○	—	—	●	—	955
956	<i>Kybos lindbergi</i> (LNV.)	●	●	▲	—	●	●	—	—	—	—	956
957	<i>Kybos ludus</i> (DAV., DEL.)*	●	●	—	—	—	—	●	—	●	●	957
958	<i>Kybos mesasiaticus</i> ZACHV.*	—	—	—	—	—	—	—	—	—	—	958
959	<i>Kybos mucronatus</i> (RIB.)*	—	—	—	—	—	—	—	—	—	—	959
960	<i>Kybos oshanini</i> ZACHV.	—	—	—	—	○	○	—	●	—	—	960
961	<i>Kybos perplexus</i> (RIB.)	—	—	—	—	—	—	—	—	●	—	961
962	<i>Kybos populi</i> (EDW.)	●	●	●	—	●	●	—	—	▲	●	962
963	<i>Kybos rufescens</i> MEL.	—	●	—	—	—	—	●	●	●	●	963
964	<i>Kybos smaragdulus</i> (FALL.)	●	▲	●	●	●	●	●	●	●	●	964
965	<i>Kybos sordidulus</i> (OSS.)	●	▲	●	●	—	—	—	—	—	—	965
966	<i>Kybos strigilifer</i> (OSS.)	●	▲	●	●	●	●	●	●	●	●	966
967	<i>Kybos strobli</i> (WAGN.)	—	—	—	—	—	—	—	—	—	—	967
968	<i>Kybos verbae</i> ZACHV.	—	—	—	—	●	●	—	—	—	—	968
969	<i>Kybos virgator</i> (RIB.)	●	●	●	—	●	●	●	●	●	●	969
970	<i>Kybos volgensis</i> VILB.	—	●	—	—	—	—	—	—	—	—	970
<i>Typhlocybini</i>												
971	<i>Aguriahana pictilis</i> (STÅL)	●	▲	●	●	●	●	●	●	●	●	971
972	<i>Aguriahana stellulata</i> (BURM.)	●	●	●	●	●	●	●	●	●	●	972
973	<i>Dryocyba carri</i> (EDW.)	●	●	●	—	—	—	—	—	▲	●	973
974	<i>Edwardsiana alnicola</i> (EDW.)	●	●	●	—	—	—	—	—	▲	●	974
975	<i>Edwardsiana ampliata</i> (WAGN.)	—	—	—	—	—	—	—	—	—	—	975
976	<i>Edwardsiana avellanae</i> (EDW.)	●	●	●	—	—	—	—	—	▲	●	976
977	<i>Edwardsiana bergmani</i> (TULL.)	▲	●	●	●	●	●	●	●	●	●	977
978	<i>Edwardsiana candidula</i> (KBM.)	—	●	●	●	—	—	—	—	●	●	978
979	<i>Edwardsiana crataegi</i> (DGL.)	●	●	●	●	—	—	—	—	▲	●	979
980	<i>Edwardsiana cretica</i> DWOR.	—	—	—	—	—	—	—	—	—	—	980
981	<i>Edwardsiana diversa</i> (EDW.)	—	—	—	—	—	—	—	—	▲	—	981

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

982	<i>Edwardsiana egregia</i> KIR.	—	—	—	—	—	—	—	—	—	—	—	—	982
983	<i>Edwardsiana flavescens</i> (F.)*	—	●	—	—	—	—	●	●	●	—	—	—	983
984	<i>Edwardsiana flexuosa</i> (RIB.)	—	—	—	—	—	—	—	—	—	—	—	—	984
985	<i>Edwardsiana frustrator</i> (EDW.)	●	●	●	●	—	—	●	●	▲	●	—	—	985
986	<i>Edwardsiana geometrica</i> (SCHRK.)	●	●	●	●	●	●	●	●	●	●	—	—	986
987	<i>Edwardsiana gratiosa</i> (BOH.)	—	▲	—	●	●	●	●	●	—	—	—	—	987
988	<i>Edwardsiana helva</i> ARZ.	—	—	—	—	—	—	—	—	—	—	—	—	988
989	<i>Edwardsiana hippocastani</i> (EDW.)	●	●	●	●	—	—	●	—	▲	●	—	—	989
990	<i>Edwardsiana iranicola</i> ZACHV.*	—	—	—	—	—	—	—	—	—	—	—	—	990
991	<i>Edwardsiana ishidae</i> (MATS.)*	●	●	●	●	—	—	—	●	●	●	—	—	991
992	<i>Edwardsiana kemneri</i> (Oss.)	—	▲	—	—	—	—	—	—	—	—	●	—	992
993	<i>Edwardsiana lamellaris</i> (RIB.)	—	—	—	—	—	—	—	—	○	—	●	—	993
994	<i>Edwardsiana lamellata</i> (LOGV.)	—	—	—	—	—	—	—	—	—	—	—	—	994
995	<i>Edwardsiana lethierryi</i> (EDW.)	●	●	—	—	—	—	●	—	▲	—	●	—	995
996	<i>Edwardsiana logvinenkoae</i> KIR.*	—	—	—	—	—	—	—	—	—	—	—	—	996
997	<i>Edwardsiana martigniaca</i> (CER.)	—	—	—	—	—	—	—	—	—	—	—	—	997
998	<i>Edwardsiana menzbieri</i> ZACHV.	●	●	●	—	—	●	●	—	—	—	—	—	998
999	<i>Edwardsiana mirjanae</i> JANK.	—	—	—	—	—	—	—	—	—	—	—	—	999
1000	<i>Edwardsiana nicolovae</i> DLAB.	—	—	—	—	—	—	—	—	—	—	—	—	1000
1001	<i>Edwardsiana nigriloba</i> (EDW.)	—	●	—	—	—	—	—	—	▲	—	—	—	1001
1002	<i>Edwardsiana platanicola</i> (VID.)	—	—	—	—	—	—	—	—	—	—	—	—	1002
1003	<i>Edwardsiana plebeja</i> (EDW.)	●	●	●	—	—	●	●	—	▲	●	—	—	1003
1004	<i>Edwardsiana prunicola</i> (EDW.)	●	●	●	●	—	●	●	—	▲	●	●	—	1004
1005	<i>Edwardsiana pseudoplatani</i> LOGV.	—	—	—	—	—	—	—	—	—	—	—	—	1005
1006	<i>Edwardsiana rhodophila</i> CER.	—	—	—	—	—	—	—	—	—	—	—	—	1006
1007	<i>Edwardsiana rosae</i> (L.)	●	▲	●	●	●	●	●	—	●	●	●	—	1007
1008	<i>Edwardsiana rosaesugans</i> (CER.)	—	—	—	—	—	—	—	—	—	—	—	—	1008
1009	<i>Edwardsiana ruthenica</i> ZACHV.	—	—	—	—	—	—	—	—	—	—	—	—	1009
1010	<i>Edwardsiana salicicola</i> (EDW.)	●	●	●	—	●	●	●	—	▲	●	●	—	1010
1011	<i>Edwardsiana sardoa</i> ARZ.	—	—	—	—	—	—	—	—	—	—	—	—	1011
1012	<i>Edwardsiana severtsovi</i> ZACHV.	—	—	—	—	—	—	—	—	—	—	—	—	1012
1013	<i>Edwardsiana smreczynskii</i> DWOR.*	—	—	—	—	—	—	—	—	—	—	—	—	1013
1014	<i>Edwardsiana sociabilis</i> (Oss.)	●	▲	●	—	—	—	—	—	—	●	○	—	1014
1015	<i>Edwardsiana soror</i> (LNV.)	●	●	●	▲	—	●	●	●	—	—	—	—	1015
1016	<i>Edwardsiana spinigera</i> (EDW.)	—	—	—	—	—	—	—	—	—	▲	●	—	1016
1017	<i>Edwardsiana staminata</i> (RIB.)	●	●	●	—	●	●	●	—	—	—	—	—	1017
1018	<i>Edwardsiana stehliki</i> LAUT.	—	—	—	○	—	—	—	—	—	—	—	—	1018
1019	<i>Edwardsiana tersa</i> (EDW.)	●	●	—	—	—	—	●	—	▲	●	●	—	1019
1020	<i>Edwardsiana trigonometrica</i> LOGV.	—	—	—	—	—	—	—	—	—	—	—	—	1020
1021	<i>Edwardsiana tshinari</i> ZACHV.*	—	—	—	—	—	—	—	—	—	—	—	—	1021
1022	<i>Edwardsiana verecunda</i> KIR.	—	—	—	—	—	—	—	—	—	—	—	—	1022
1023	<i>Eupterycyba jucunda</i> (H.-S.)	—	●	—	—	●	—	○	●	—	●	●	—	1023
1024	<i>Eupteryx adspersa</i> (H.-S.)	—	—	—	—	—	—	●	—	—	●	●	○	1024

1982	Belgium
1983	F. R. Germany
1984	German D. R.
1985	Poland
1986	Czechoslovakia
1987	Belorussia
1988	m. Russia
1989	France
1990	Switzerland
1991	Austria
1992	Hungary
1993	Ukraine
1994	Moldavia
1995	Romania
1996	s. Russia
1997	Portugal
1998	Spain
1999	Italy
2000	Yugoslavia
2001	Albania
2002	Bulgaria
2003	Greece
2004	Eur. Turkey

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Netherlands	Belgium	F. R. Germany	Germany D. P.
1025	<i>Eupteryx andalusiaca</i> FERR.	-	-	-	-	-	-	-	-	-	-	025	-	-	-
1026	<i>Eupteryx artemisiae</i> (KBM.)	-	-	-	-	-	-	-	-	-	-	1026	-	-	▲
1027	<i>Eupteryx assectator</i> LOGV.	-	-	-	-	-	-	-	-	-	-	1027	-	-	-
1028	<i>Eupteryx atropunctata</i> (GOEZE)*	-	-	-	-	-	-	-	-	-	-	1028	-	-	-
1029	<i>Eupteryx aurata</i> (L.)*	-	-	-	-	-	-	-	-	-	-	1029	-	-	-
1030	<i>Eupteryx austriaca</i> (METC.)	-	-	-	-	-	-	-	-	-	-	1030	-	-	-
1031	<i>Eupteryx calcarata</i> OSS.	-	-	-	-	-	-	-	-	-	-	1031	-	-	-
1032	<i>Eupteryx castelvecchica</i> DLAB.	-	-	-	-	-	-	-	-	-	-	1032	-	-	-
1033	<i>Eupteryx collina</i> (FL.)*	-	-	-	-	-	-	-	-	-	-	1033	-	-	-
1034	<i>Eupteryx contaminata</i> MEL.	-	-	-	-	-	-	-	-	-	-	1034	-	-	-
1035	<i>Eupteryx corsica</i> LETH.	-	-	-	-	-	-	-	-	-	-	1035	-	-	-
1036	<i>Eupteryx cyclops</i> MATS.*	-	-	-	-	-	-	-	-	-	-	1036	-	-	-
1037	<i>Eupteryx cypria</i> (RIB.)*	-	-	-	-	-	-	-	-	-	-	1037	-	-	-
1038	<i>Eupteryx decemnotata</i> R.	-	-	-	-	-	-	-	-	-	-	1038	-	-	-
1039	<i>Eupteryx falculata</i> RIB.	-	-	-	-	-	-	-	-	-	-	1039	-	-	-
1040	<i>Eupteryx filicum</i> (NEWM.)	-	-	-	-	-	-	-	-	-	-	1040	-	-	●
1041	<i>Eupteryx florida</i> RIB.*	-	-	-	-	-	-	-	-	-	-	1041	-	-	-
1042	<i>Eupteryx formaster</i> LOGV.	-	-	-	-	-	-	-	-	-	-	1042	-	-	-
1043	<i>Eupteryx genestieri</i> MEUSN.	-	-	-	-	-	-	-	-	-	-	1043	-	-	-
1044	<i>Eupteryx gravesteini</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	1044	-	-	-
1045	<i>Eupteryx gyaurdagica</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	1045	-	-	-
1046	<i>Eupteryx heydenii</i> (KBM.)	-	-	-	-	-	-	-	-	-	-	1046	-	-	-
1047	<i>Eupteryx immaculatifrons</i> (KBM.)	-	-	-	-	-	-	-	-	-	-	1047	-	-	-
1048	<i>Eupteryx insulana</i> (RIB.)*	-	-	-	-	-	-	-	-	-	-	1048	-	-	-
1049	<i>Eupteryx lelievrei</i> (LETH.)	-	-	-	-	-	-	-	-	-	-	1049	-	-	-
1050	<i>Eupteryx melissae</i> CURT.	-	-	-	-	-	-	-	-	-	-	1050	-	-	-
1051	<i>Eupteryx notata</i> CURT.	-	-	-	-	-	-	-	-	-	-	1051	-	-	-
1052	<i>Eupteryx origani</i> ZACHV.	-	-	-	-	-	-	-	-	-	-	1052	-	-	-
1053	<i>Eupteryx praestabilis</i> LOGV.	-	-	-	-	-	-	-	-	-	-	1053	-	-	-
1054	<i>Eupteryx ribauti</i> DWOR.	-	-	-	-	-	-	-	-	-	-	1054	-	-	-
1055	<i>Eupteryx rostrata</i> RIB.	-	-	-	-	-	-	-	-	-	-	1055	-	-	-
1056	<i>Eupteryx schuleri</i> RIB.	-	-	-	-	-	-	-	-	-	-	1056	-	-	-
1057	<i>Eupteryx semipunctata</i> (FIEB.)	-	-	-	-	-	-	-	-	-	-	1057	-	-	-
1058	<i>Eupteryx signatipennis</i> (BOH.)	-	-	-	-	-	-	-	-	-	-	1058	-	-	-
1059	<i>Eupteryx stachydearum</i> (HARDY)*	-	-	-	-	-	-	-	-	-	-	1059	-	-	-
1060	<i>Eupteryx stachydis</i> LOGV.	-	-	-	-	-	-	-	-	-	-	1060	-	-	-
1061	<i>Eupteryx taborskyi</i> DLAB.*	-	-	-	-	-	-	-	-	-	-	1061	-	-	-
1062	<i>Eupteryx tenella</i> (FALL.)	-	-	-	-	-	-	-	-	-	-	1062	-	-	-
1063	<i>Eupteryx thoulessi</i> EDW.	-	-	-	-	-	-	-	-	-	-	1063	-	-	-
1064	<i>Eupteryx urticae</i> (F.)	-	-	-	-	-	-	-	-	-	-	1064	-	-	-
1065	<i>Eupteryx vicaria</i> LNV.*	-	-	-	-	-	-	-	-	-	-	1065	-	-	-
1066	<i>Eupteryx vittata</i> (L.)*	-	-	-	-	-	-	-	-	-	-	1066	-	-	-
1067	<i>Eupteryx zelleri</i> (KBM.)*	-	-	-	-	-	-	-	-	-	-	1067	-	-	-

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

1068	" <i>Eupteryx</i> " <i>maculipennis</i> CURT.*	—	—	—	—	—	—	—	▲	—	1068	—	—
1069	" <i>Eupteryx</i> " <i>sexnotata</i> CURT.	—	—	—	—	—	—	—	▲	—	1069	—	—
1070	<i>Eurhadina concinna</i> (GERM.)*	●	●	●	—	●	●	●	●	●	1070	●	●
1071	<i>Eurhadina donata</i> LOGV.	—	—	—	—	—	—	—	—	—	1071	—	—
1072	<i>Eurhadina kirschbaumi</i> WAGN.	●	●	●	●	—	●	●	●	●	1072	—	▲
1073	<i>Eurhadina loewii</i> (THEN)*	—	●	—	—	—	—	—	—	—	1073	●	●
1074	<i>Eurhadina pulchella</i> (FALL.)	●	▲	●	●	●	●	●	●	●	1074	●	●
1075	<i>Eurhadina ribauti</i> WAGN.	●	●	●	●	—	—	—	—	—	1075	●	▲
1076	<i>Eurhadina saageri</i> WAGN.	—	—	—	—	—	●	●	—	—	1076	—	▲
1077	<i>Fagocyba alnisuga</i> ARZ.	—	—	—	—	—	—	—	—	—	1077	—	—
1078	<i>Fagocyba cerricola</i> LAUT.	—	—	—	—	—	—	—	—	—	1078	—	—
1079	<i>Fagocyba cruenta</i> (H.-S.)	—	●	—	—	●	●	●	●	●	1079	●	●
1080	<i>Fagocyba douglasii</i> (EDW.)*	●	●	●	—	—	—	—	▲	●	1080	—	●
1081	<i>Ficocyba ficaria</i> (HORV.)	—	—	—	—	—	—	—	—	—	1081	—	—
1082	<i>Lindbergina aurovittata</i> (DGL.)*	—	—	—	—	—	—	●	▲	—	1082	○	—
1083	<i>Lindbergina cretica</i> ASCHE	—	—	—	—	—	—	—	—	—	1083	—	—
1084	<i>Lindbergina jerseyensis</i> LE Q.*	—	—	—	—	—	—	—	▲	—	1084	—	—
1085	<i>Lindbergina loewi</i> (LETH.)*	—	—	—	—	—	—	—	—	—	1085	—	—
1086	<i>Linnauoriana decempunctata</i> (FALL.)	●	▲	●	●	●	●	—	●	●	1086	●	●
1087	<i>Linnauoriana sexmaculata</i> (HARDY)	●	●	●	●	●	●	●	●	●	1087	●	●
1088	<i>Ossiannilssonola callosa</i> (THEN)	—	●	—	—	—	—	—	●	●	1088	●	●
1089	<i>Ribautiana alces</i> (RIB.)	—	—	—	—	—	—	—	—	●	1089	—	—
1090	<i>Ribautiana cruciata</i> (RIB.)	—	—	—	—	—	—	—	●	—	1090	●	—
1091	<i>Ribautiana debilis</i> (DGL.)	—	—	—	—	—	—	●	▲	●	1091	—	—
1092	<i>Ribautiana ognevi</i> (ZACHV.)	—	—	—	—	—	—	—	—	—	1092	—	—
1093	<i>Ribautiana scalaris</i> (RIB.)	●	●	—	—	—	—	—	●	●	1093	—	●
1094	<i>Ribautiana tenerrima</i> (H.-S.)	●	●	●	—	●	—	—	●	●	1094	●	▲
1095	<i>Ribautiana ulmi</i> (L.)	●	●	▲	●	●	●	●	●	●	1095	●	●
1096	<i>Typhlocyba quercus</i> (F.)	●	●	●	—	●	●	●	●	●	1096	●	▲
1097	" <i>Typhlocyba</i> " <i>chobauti</i> RIB.	—	—	—	—	—	—	—	—	—	1097	—	—
1098	" <i>Typhlocyba</i> " <i>frontalis</i> FIEB.*	—	—	—	—	—	—	—	—	—	1098	—	—
1099	" <i>Typhlocyba</i> " <i>margineguttata</i> LETH.*	—	—	—	—	—	—	—	—	—	1099	—	—
1100	<i>Wagneripteryx germari</i> (ZETT.)	●	▲	●	●	●	●	●	●	●	1100	●	●
1101	<i>Zonocytba bifasciata</i> (BOH.)	—	▲	●	●	●	●	●	●	●	1101	●	●
<i>Zyginellini</i>													
1102	<i>Zyginella albifrons</i> HORV.	—	—	—	—	—	—	—	—	—	1102	—	—
1103	<i>Zyginella pulchra</i> LÖW	—	—	—	—	—	—	—	—	—	1103	—	●
<i>Erythroneurini</i>													
1104	<i>Alnetoidia alneti</i> (DHLB.)	●	▲	●	●	●	●	●	●	●	1104	●	●
1105	<i>Arboridia alpestris</i> (RIB.)	—	—	—	—	—	—	—	—	—	1105	—	—
1106	<i>Arboridia brevis</i> (RIB.)	—	—	—	—	—	—	—	—	—	1106	—	—

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

▲ Holotype or lectotype
 ■ Paratypes or syntypes
 ● Reliable data
 ○ Unreliable data
 ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Netherlands	Belgium	F. R. Germany	German D. R.
1150	<i>Zygina lunaris</i> (M., R.)	-	-	-	-	-	-	-	-	-	-	1150	-	-	-
1151	<i>Zygina luteipennis</i> R.	-	-	-	-	-	-	-	-	-	-	1151	-	-	-
1152	<i>Zygina nivea</i> (M., R.)	-	-	-	-	-	-	-	-	-	-	1152	-	-	-
1153	<i>Zygina ochroleuca</i> HORV.	-	-	-	-	-	-	-	-	-	-	1153	-	-	-
1154	<i>Zygina ordinaria</i> (RIB.)	-	-	-	-	-	-	-	-	-	-	1154	-	-	-
1155	<i>Zygina rhamni</i> FERR.	-	-	-	-	-	-	-	-	-	-	1155	-	-	-
1156	<i>Zygina rorida</i> (M., R.)	-	-	-	-	-	-	-	-	-	-	1156	-	-	-
1157	<i>Zygina roseipennis</i> (TOLL.)	-	-	-	-	-	-	-	-	-	-	1157	-	-	-
1158	<i>Zygina rosincola</i> (CER.)	-	-	-	-	-	-	-	-	-	-	1158	-	-	-
1159	<i>Zygina rubrovittata</i> (LETH.)*	-	-	-	-	-	-	-	-	-	-	1159	-	-	-
1160	<i>Zygina salicina</i> MIT.*	-	-	-	-	-	-	-	-	-	-	1160	-	-	-
1161	<i>Zygina schneideri</i> (H. GÜNTH.)*	-	-	-	-	-	-	-	-	-	-	1161	-	-	-
1162	<i>Zygina suavis</i> R.	-	-	-	-	-	-	-	-	-	-	1162	-	-	-
1163	<i>Zygina tiliiae</i> (FALL.)	-	-	-	-	-	-	-	-	-	-	1163	-	-	-
1164	<i>Zygina tithide</i> FERR.	-	-	-	-	-	-	-	-	-	-	1164	-	-	-
1165	<i>Zyginidia adamczewskii</i> DWOR.	-	-	-	-	-	-	-	-	-	-	1165	-	-	-
1166	<i>Zyginidia alpicola</i> (CER.)	-	-	-	-	-	-	-	-	-	-	1166	-	-	-
1167	<i>Zyginidia cornicula</i> MEUSN.	-	-	-	-	-	-	-	-	-	-	1167	-	-	-
1168	<i>Zyginidia eremita</i> ZACHV.	-	-	-	-	-	-	-	-	-	-	1168	-	-	-
1169	<i>Zyginidia italicica</i> (RIB.)	-	-	-	-	-	-	-	-	-	-	1169	-	-	-
1170	<i>Zyginidia lineata</i> (LDB.)*	-	-	-	-	-	-	-	-	-	-	1170	-	-	-
1171	<i>Zyginidia longicornis</i> VID.	-	-	-	-	-	-	-	-	-	-	1171	-	-	-
1172	<i>Zyginidia mocsaryi</i> (HORV.)	-	-	-	-	-	-	-	-	-	-	1172	-	-	-
1173	<i>Zyginidia pullula</i> (BOH.)	-	▲	-	-	-	-	-	-	-	-	1173	-	-	-
1174	<i>Zyginidia ribauti</i> DWOR.	-	-	-	-	-	-	-	-	-	-	1174	-	-	-
1175	<i>Zyginidia scutellaris</i> (H.-S.)	-	-	-	-	-	-	-	-	-	-	1175	-	-	-
1176	<i>Zyginidia serpentina</i> (MATS.)*	-	-	-	-	-	-	-	-	-	-	1176	-	-	-
1177	<i>Zyginidia servadeii</i> VID.	-	-	-	-	-	-	-	-	-	-	1177	-	-	-
1178	<i>Zyginidia sohrab</i> ZACHV.*	-	-	-	-	-	-	-	-	-	-	1178	-	-	-
1179	<i>Zyginidia viaduensis</i> (WAGN.)	-	-	-	-	-	-	-	-	-	-	1179	-	-	-
	<i>Deltocephalinae</i>														
1180	<i>Achaetica caspia</i> EM.*	-	-	-	-	-	-	-	-	-	-	1180	-	-	-
1181	<i>Achaetica pusilla</i> EM.*	-	-	-	-	-	-	-	-	-	-	1181	-	-	-
1182	<i>Achaetica vorobjevi</i> DLAB.	-	-	-	-	-	-	-	-	-	-	1182	-	-	-
1183	<i>Aconura hispana</i> PUT.	-	-	-	-	-	-	-	-	-	-	1183	-	-	-
1184	<i>Aconura jakowlefi</i> LETH.	-	-	-	-	-	-	-	-	-	-	1184	-	-	-
1185	<i>Aconura volgensis</i> LETH.	-	-	-	-	-	-	-	-	-	-	1185	-	-	-
1186	<i>Aconurella prolixa</i> (LETH.)	-	-	-	-	-	-	-	-	-	-	1186	-	-	-
1187	<i>Aconurella quadrum</i> (H.-S.)	-	-	-	-	-	-	-	-	-	-	1187	-	-	-
1188	<i>Adarrus beirae</i> LDB.	-	-	-	-	-	-	-	-	-	-	1188	-	-	-
1189	<i>Adarrus bellevoyei</i> (PUT.)*	-	-	-	-	-	-	-	-	-	-	1189	-	-	-
1190	<i>Adarrus calabricus</i> DLAB.	-	-	-	-	-	-	-	-	-	-	1190	-	-	-

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

Denmark

Norway

Sweden

Finland

Russia

Poland

Czechoslovakia

Belcrussia

m. Russia

France

Switzerland

Austria

Hungary

Ukraine

Moldavia

Romania

s. Russia

Portugal

Spain

Italy

Yugoslavia

Albania

Bulgaria

Greece

Eur. Turkey

1362

1363

1364

1365

1366

1367

1368

1369

1370

1371

1372

1373

1374

1375

1376

1377

1378

1379

1380

1381

1382

1383

1384

1385

1386

1387

1388

1389

1390

1391

1392

1393

1394

1395

1396

1397

1398

1399

1400

1401

1402

1403

1404

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Netherlands	Belgium	F. R. Germany
1448	<i>Handianus limonii</i> EM.*	-	-	-	-	-	-	-	-	1448	-	-	-	-
1449	<i>Handianus mediterraneus</i> LNV.*	-	-	-	-	-	-	-	-	1449	-	-	-	-
1450	<i>Handianus modestus</i> (MEL.)	-	-	-	-	-	-	-	-	1450	-	-	-	-
1451	<i>Handianus procerus</i> (H.-S.)*	-	-	-	-	-	-	-	-	1451	-	-	-	-
1452	<i>Handianus spiraeae</i> EM.*	-	-	-	-	-	-	-	-	1452	-	-	-	-
1453	<i>Handianus tauricus</i> LOGV.	-	-	-	-	-	-	-	-	1453	-	-	-	-
1454	<i>Handianus wagnerinus</i> DLAB.*	-	-	-	-	-	-	-	-	1454	-	-	-	-
1455	<i>Hardya alpina</i> WAGN.	-	-	-	-	-	-	-	-	1455	-	-	-	-
1456	<i>Hardya anatolica</i> ZACHV.*	-	-	-	-	-	-	-	-	1456	-	-	-	-
1457	<i>Hardya melanopsis</i> (HARDY)	-	-	-	-	-	-	-	-	1457	-	-	-	-
1458	<i>Hardya signifera</i> (THEN)	-	-	-	-	-	-	-	-	1458	-	-	-	-
1459	<i>Hardya tenuis</i> (GERM.)	-	-	-	-	-	-	-	-	1459	-	-	-	-
1460	<i>Heliotettix tangericus</i> (MATS.)*	-	-	-	-	-	-	-	-	1460	-	-	-	-
1461	<i>Henschia acuta</i> (LÖW)	-	-	-	▲	-	-	-	-	1461	-	-	-	-
1462	<i>Hesium domino</i> (REUT.)	-	-	-	-	-	-	-	-	1462	-	-	-	-
1463	<i>Histipagus stipaphagus</i> REM., ASCHE	-	-	-	-	-	-	-	-	1463	-	-	-	-
1464	<i>Ibadarrus gracilior</i> REM., ASCHE	-	-	-	-	-	-	-	-	1464	-	-	-	-
1465	<i>Ibadarrus haranicola</i> REM., ASCHE	-	-	-	-	-	-	-	-	1465	-	-	-	-
1466	<i>Idiodonus cruentatus</i> (PANZ.)	-	-	-	-	-	-	-	-	1466	-	-	-	-
1467	<i>Japananus hyalinus</i> (OSB.)*	-	-	-	-	-	-	-	-	1467	-	-	-	-
1468	<i>Japananus meridionalis</i> BONF.	-	-	-	-	-	-	-	-	1468	-	-	-	-
1469	<i>Jassargus allobrogicus</i> (RIB.)*	-	-	-	-	-	-	-	-	1469	-	-	-	-
1470a	<i>Jassargus alpinus</i> (THEN)	-	-	-	-	-	-	-	-	1470a	-	-	-	-
1470b	<i>Jassargus alpinus allemanicus</i> WAGN.	-	-	-	-	-	-	-	-	1470b	-	-	-	-
1470c	<i>Jassargus alpinus cebennicus</i> RIB.	-	-	-	-	-	-	-	-	1470c	-	-	-	-
1470d	<i>Jassargus alpinus neglectus</i> (THEN)	-	-	-	-	-	-	-	-	1470d	-	-	-	-
1471	<i>Jassargus avennicus</i> RIB.	-	-	-	-	-	-	-	-	1471	-	-	-	-
1472	<i>Jassargus bavaricus</i> (RIB.)	-	-	-	-	-	-	-	-	1472	-	-	-	-
1473	<i>Jassargus bicorniger</i> (THEN)	-	-	-	-	-	-	-	-	1473	-	-	-	-
1474	<i>Jassargus bispinatus</i> (THEN)	-	-	-	-	-	-	-	-	1474	-	-	-	-
1475	<i>Jassargus bisubulatus</i> (THEN)	-	-	-	-	-	-	-	-	1475	-	-	-	-
1476	<i>Jassargus caucasicus</i> LOGV.*	-	-	-	-	-	-	-	-	1476	-	-	-	-
1477	<i>Jassargus cordiger</i> (RIB.)	-	-	-	-	-	-	-	-	1477	-	-	-	-
1478	<i>Jassargus curvatus</i> RIB.	-	-	-	-	-	-	-	-	1478	-	-	-	-
1479	<i>Jassargus dentatus</i> D'URSO	-	-	-	-	-	-	-	-	1479	-	-	-	-
1480	<i>Jassargus distinguendus</i> (FL.)*	-	-	-	-	-	-	-	-	1480	-	-	-	-
1481	<i>Jassargus flori</i> (FIEB.)*	-	-	-	-	-	-	-	-	1481	-	-	-	-
1482	<i>Jassargus gerensis</i> LDB.	-	-	-	-	-	-	-	-	1482	-	-	-	-
1483	<i>Jassargus hartigi</i> (WAGN.)	-	-	-	-	-	-	-	-	1483	-	-	-	-
1484	<i>Jassargus lagrecai</i> D'URSO	-	-	-	-	-	-	-	-	1484	-	-	-	-
1485	<i>Jassargus latinus</i> (WAGN.)	-	-	-	-	-	-	-	-	1485	-	-	-	-
1486	<i>Jassargus lunaris</i> LOGV.	-	-	-	-	-	-	-	-	1486	-	-	-	-
1487	<i>Jassargus obtusivalvis</i> (KBM.)	-	-	-	-	-	-	-	-	1487	-	-	-	-

- ▲ Holotype or lectotype
 - Paratypes or syntypes
 - Reliable data
 - Unreliable data
 - ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

- ▲ Holotype or lectotype
 - Paratypes or syntypes
 - Reliable data
 - Unreliable data
 - ? Dubious data

▼ Holotype or lectotype
 ■ Paratypes or syntypes
 ● Reliable data
 ○ Unreliable data
 ? Dubious data

1488	<i>Jassargus refractus</i> LOGV.	Jassargus <i>refractus</i> (FIEB.).*	Jassargus <i>squamiferus</i> (THEN).*	Jassargus <i>squamiferus</i> (THEN).*	1490	<i>Jassargus striatus</i> LOGV.*	<i>Jassargus ukranicus</i> LOGV.*	<i>Jassargus ukranicus</i> LOGV.*	1491	<i>Jassargus</i> 1492	1493	1494	1495	1496	1497	1498	1499	1500	1501	1502	1503	1504	1505	1506	1507	1508	1509	1510	1511	1512	1513	1514	1515	1516	1517	1518	1519	1520	1521	1522	1523	1524	1525	1526	1527	1528	1529	1530
1489																																																
1490																																																
1491																																																
1492																																																
1493																																																
1494																																																
1495																																																
1496																																																
1497																																																
1498																																																
1499																																																
1500																																																
1501																																																
1502																																																
1503																																																
1504																																																
1505																																																
1506																																																
1507																																																
1508																																																
1509																																																
1510																																																
1511																																																
1512																																																
1513																																																
1514																																																
1515																																																
1516																																																
1517																																																
1518																																																
1519																																																
1520																																																
1521																																																
1522																																																
1523																																																
1524																																																
1525																																																
1526																																																
1527																																																
1528																																																
1529																																																
1530																																																

Great Britain

Ireland

Lithuania

Latvia

Estonia

n. Russia

Finland

Sweden

Norway

? Dubious data
 ○ Unreliable data
 ■ Paratypes or syntypes
 ● Reliable data
 ▼ Holotype or lectotype

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

	Great Britain	Denmark	
1617	●	●	Belgium
1618	●	●	F. R. Germany
1619	●	●	German D. R.
1620	●	●	Poland
1621	●	●	Czechoslovakia
1622	●	●	Belorussia
1623	●	●	m. Russia
1624	●	●	France
1625	●	●	Switzerland
1626	●	●	Austria
1627	●	●	Hungary
1628	●	●	Ukraine
1629	●	●	Moldavia
1630	●	●	Romania
1631	●	●	s. Russia
1632	●	●	Portugal
1633	●	●	Spain
1634	●	●	Italy
1635	●	●	Yugoslavia
1636	●	●	Albania
1637	●	●	Bulgaria
1638	●	●	Greece
1639	●	●	Eur. Turkey
1640	●	●	
1641	●	●	
1642	●	●	
1643	●	●	
1644	●	●	
1645	●	●	
1646	●	●	
1647	●	●	
1648	●	●	
1649	●	●	
1650	●	●	
1651	●	●	
1652	●	●	
1653	●	●	
1654	●	●	
1655	●	●	
1656	●	●	
1657	●	●	
1658	●	●	
1659	●	●	

- ▲ Holotype or lectotype
 - Paratypes or syntypes
 - Reliable data
 - Unreliable data
 - ? Dubious data

- ▲ Holotype or lectotype
- Paratypes or syntypes
- Reliable data
- Unreliable data
- ? Dubious data

		Norway	Sweden	Finland	n. Russia	Estonia	Latvia	Lithuania	Ireland	Great Britain	Denmark	Netherlands
1745	<i>Streptanus arctous</i> EM.*	—	—	—	■	—	—	—	—	—	—	1745
1746	<i>Streptanus confinis</i> (REUT.)	●	●	▲	—	●	●	●	—	—	●	1746
1747	<i>Streptanus josifovi</i> DLAB.	—	—	—	—	—	—	—	—	—	—	1747
1748	<i>Streptanus marginatus</i> (KBM.)	●	●	●	●	●	●	●	—	●	●	1748
1749	<i>Streptanus okaensis</i> ZACHV.	●	●	●	●	●	●	●	—	●	●	1749
1750	<i>Streptanus sordidus</i> (ZETT.)	●	▲	●	●	●	●	●	●	●	●	1750
1751	<i>Streptopyx durmitoricus</i> DLAB.	—	—	—	—	—	—	—	—	—	—	1751
1752	<i>Streptopyx tamaninii</i> LNV.	—	—	—	—	—	—	—	—	—	—	1752
1753	<i>Stymphalus rubrolineatus</i> (STÅL)*	—	—	—	—	—	—	—	—	—	—	1753
1754	<i>Synophropsis lauri</i> (HORV.)	—	—	—	—	—	—	—	—	—	—	1754
1755	<i>Taurotettix beckeri</i> (FIEB.)	—	—	—	—	—	—	—	—	—	—	1755
1756	<i>Tetartostylus illyricus</i> (KBM.)*	—	—	—	—	—	—	—	—	—	—	1756
1757	<i>Thamnotettix confinis</i> ZETT.	■	■	●	●	●	●	●	●	●	●	1757
1758	<i>Thamnotettix creticus</i> DLAB.*	—	—	●	—	—	—	—	—	—	—	1758
1759	<i>Thamnotettix dilutior</i> (KBM.)*	—	—	●	—	—	—	—	—	—	—	1759
1760	<i>Thamnotettix exemptus</i> MEL.	—	—	—	—	—	—	—	—	—	—	1760
1761	<i>Thamnotettix minoidis</i> DLAB.*	—	—	—	—	—	—	—	—	—	—	1761
1762	<i>Thamnotettix thrax</i> DLAB.	—	—	—	—	—	—	—	—	—	—	1762
1763	<i>Thamnotettix zelleri</i> (KBM.)	—	—	—	—	—	—	—	—	—	—	1763
1764	" <i>Thamnotettix</i> " <i>affinis</i> FIEB.	—	—	—	—	—	—	—	—	—	—	1764
1765	" <i>Thamnotettix</i> " <i>ghiliani</i> FERR.	—	—	—	—	—	—	—	—	—	—	1765
1766	" <i>Thamnotettix</i> " <i>hieroglyphicus</i> KUSN.	—	—	—	▲	—	—	—	—	—	—	1766
1767	" <i>Thamnotettix</i> " <i>pellucidus</i> FIEB.*	—	—	—	—	—	—	—	—	—	—	1767
1768	" <i>Thamnotettix</i> " <i>pulchellus</i> MEL.	—	—	—	—	—	—	—	—	—	—	1768
1769	" <i>Thamnotettix</i> " <i>tapinus</i> FIEB.*	—	—	—	—	—	—	—	—	—	—	1769
1770	" <i>Thamnotettix</i> " <i>warioni</i> BELL.	—	—	—	—	—	—	—	—	—	—	1770
1771	<i>Turritus socialis</i> (FL.)	●	●	●	●	●	▲	●	●	●	●	●

ANNOTATIONS

Below are given some taxonomical and distributional remarks provided with numbers corresponding with those in the Tables. The localities concerning the type-specimens from outside Europe are cited. The synonyms are quoted exceptionally. If the accepted synonymy of species is now other than it was given in my Check list (1972) — the differences have been considered in particular entries.

1. *Cixius admirabilis* LOGV. — Holotype from Azerbaijan.
2. *Cixius alpestris* WAGN. — Belongs to subg. *Acanthocixius* WAGN.
3. *Cixius armatus* RIB. — Belongs to subg. *Sciocixius* WAGN.
4. *Cixius beieri* WAGN. — Belongs to subg. *Orinocixius* WAGN.
5. *Cixius caledonicus* CHINA. — Belongs to subg. *Ceratocixius* WAGN.
6. *Cixius cambricus* CHINA. Belongs to subg. *Ceratocixius* WAGN. Some authors still regard *Cixius cambricus* CHINA (described from Great Britain) and *Cixius borussicus* WAGN. (described from northern Poland) as separate species.

7. *Ci*
8. *Ci*
9. *Ci*
- ca
- me
- 19
10. *Ci*
11. *Ci*
12. *Ci*
13. *Ci*
14. *Ci*
15. *Ci*
16. *Ci*
17. *Ci*

Netherlands

	Netherlands	Belgium	F. R. Germany	German D. R.	Poland	Czechoslovakia	Belorussia	m. Russia	France	Switzerland	Austria	Hungary	Ukraine	Moldavia	Romania	s. Russia	Portugal	Spain	Italy	Yugoslavia	Albania	Bulgaria	Greece	Eur. Turkey
1745	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1746	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1747	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1748	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1749	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1751	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1752	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1753	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1754	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1755	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1756	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1757	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1758	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1759	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1760	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1761	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1762	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1763	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1764	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1765	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1766	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1767	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1768	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1769	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1770	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1771	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

7. *Cixius carniolicus* WAGN. — Belongs to subg. *Acanthocixius* WAGN.
 8. *Cixius cunicularius* (L.). — Belongs to subg. *Ceratocixius* WAGN. No original locality given.
 9. *Cixius distinguendus* KBM. — Belongs to subg. *Paracixius* WAGN. Some authors, with an inexplicable pertinacity, do not accept the proved synonymy. *Cixius distinguendus* KBM. = *Cixius intermedius* SCOTT = *Cixius brachycranus* SCOTT, the last two described from Great Britain (see CHINA, 1942).
 10. *Cixius dubius* WAGN. — Belongs to subg. *Sciocixius* WAGN.
 11. *Cixius granulatus* HORV. — Belongs to subg. *Orinocixius* WAGN.
 12. *Cixius haupti* DLAB. — Belongs to subg. *Orinocixius* WAGN.
 13. *Cixius heydenii* KBM. — Belongs to subg. *Orinocixius* WAGN.
 14. *Cixius hispidus* LOGV. — Apparently a synonym of *Cixius wagneri* CHINA.
 15. *Cixius lineolatus* RIB. — Belongs to subg. *Tetricixius* RIB.
 16. *Cixius nervosus* (L.). — Described from Europe.
 17. *Cixius ochraceus* RIB. — Belongs to subg. *Ceratocixius* WAGN.

18. *Cixius pallipes* FIEB. — Belongs to subg. *Ceratocixius* WAGN.
19. *Cixius pascuorum* RIB. — Belongs to subg. *Orinocixius* WAGN.
20. *Cixius remotus* EDW. — Belongs to subg. *Ceratocixius* WAGN.
21. *Cixius rufofasciatus* LOGV. — Belongs to subg. *Ceratocixius* WAGN. Described from Georgia (holotype) and Azerbaijan.
22. *Cixius rufus* LOGV. — Belongs to subg. *Ceratocixius* WAGN.
23. *Cixius sibiricus* EM. — Belongs to subg. *Ceratocixius* WAGN. Described from Kazakhstan (holotype), m. Russia and east Siberia. The locality Spasskoe (NE of Orenburg) lies in Europe and not in w. Siberia as erroneously given before (J. NAST, 1982, Pal. Auch., 3: 292).
24. *Cixius similis* KBM. — Belongs to subg. *Sciocixius* WAGN. Here apparently belongs *Cixius sphagnotophilus* DLAB. described from Czechoslovakia.
25. *Cixius simplex* (H.-S.). — Belongs to subg. *Ceratocixius* WAGN. Described from Germany.
26. *Cixius sticticus* REY. — Belongs to subg. *Acanthocixius* WAGN.
27. *Cixius stigmaticus* (GERM.). — Belongs to subg. *Sciocixius* WAGN. Described from Germany.
28. *Cixius ukrainicus* LOGV. — Belongs to subg. *Ceratocixius* WAGN.
29. *Cixius wagneri* CHINA. — A distinct species described as *Cixius pallipes* ssp. *wagneri* CHINA. Syn.: = *Cixius intermedius*: auct., nec SCOTT.
30. "Cixius" *sanctangeli* O. COSTA. — A dubious species.
31. "Cixius" *variabilis* METC. — A dubious species. Syn.: = *Cicada varia* F. = *Cicada variegata* F. described from Germany.
33. *Hemitropis fasciata* HORV. — Described from Armenia.
34. *Hemitropis seticulosa* (LETH.). — Described from Algeria.
35. *Hemitropis tamaricis* (LETH.). — The author of the Homoptera species described in the paper of PUTON and LETHIERRY (1887) was LETHIERRY alone.
37. *Hemitropis viridula* HORV. — Described from Sicily.
40. *Hyalesthes mavromoustakisi* DLAB. — Holotype from Rodos I.
41. *Hyalesthes mlokosiewiczi* SIGN. — Described from Iran.
45. *Myndus musivus* (GERM.). — Described from Germany.
47. "Oliarus" *angustiformis* LNV. — Described from Israel. The record from Yugoslavia possibly concerns "Oliarus" *bourouensis* LNV.
50. "Oliarus" *elongatus* MATS. — Described from continental Greece and Scopelos and Rodos.
52. "Oliarus" *horridus* LNV. — Described from Israel.
57. "Oliarus" *minusculus* MEL. — Described also from Georgia and Armenia.
60. "Oliarus" *sordidus* FIEB. — Described from Naxos I.
63. "Oliarus" *venosus* (RAMB.). — Apparently belongs to *Reptalus* EM.
- 64b. *Pentastira major atrata* (DLAB.). — Described from Georgia.
65. *Pentastira rhodosica* DLAB. — Described from Rodos I.
69. *Pentastiridius dagestanicus* (KUSN.). — Syn.: = *Oliarus pygmaeus* VILB. described from s. Russia.
70. *Pentastiridius leporinus* (L.). — Here belongs *Flata pallens* GERM. = *Oliarus pallens*: auct., part. (cf. J. NAST, 1986, Ann. Zool., 40: 298).
71. *Pentastiridius nanus* (IV.). — Syn. = *Oliarus ropotamus* DLAB. described from Bulgaria.
72. *Pentastiridius obscurus* (SIGN.). — Syn. = *Oliarus signatus* FIEB. described from s. Russia. Synonymized by SIGORET in 1884.
73. *Pentastiridius suezensis* (MATS.). — Described from Egypt. Syn.: = *Oliarus pallens*: auct., part., nec GERM. (cf. J. NAST, 1986, Ann. Zool., 40: 298). Possibly occurring in south Europe but not confirmed on the ground of male genitalia. In Greece reported from Lesbos I. situated close to Anatolia.
74. *Pseudoliarus oblitteratus* (KUSN.). — Described from Armenia. A separate species and not synonym of *Pseudoliarus fuscofasciatus* (MEL.).
75. *Reptalus apiculatus* (FIEB.). — Described from south Europe, locality not given. Syn.: = *Oliarus fumatipennis* DLAB. described from Czechoslovakia.
77. *Reptalus cuspidatus* (FIEB.). — Described from Europe.

- Reptalus lindbergi* (DLAB.). — Described from Anatolia.
- Reptalus panzeri* (LÖW). — Syn.: = *Oliarus siculus* MATS. described from Sicily.
- Reptalus quinquecostatus* (DUF.). — Apparently described from France. *Oliarus quinquecostatus* var. *rufocarinatus* KUSN. is a distinct species.
- Reptalus rufocarinatus* (KUSN.). — Described from Crimea, the Caucasus, Central Asia and south-eastern Russia. Syn.: *Oliarus bistrinctus* DLAB. described from s. Russia and Uzbekistan.
- Reptalus vilbastei* LOGV. — Described also from the Caucasus and Transcaucasia.
- Tachycixius creticus* DLAB. — Described from Crete.
- Tachycixius longiceps* (LNV.). — Described from Morocco.
- Tachycixius pilosus* (OL.). — Here apparently belongs *Flata crambiformis* GERM. described from France.
11. *Tachycixius tigrinus* LOGV. — Described also from Azerbaijan, Georgia and Turkmenia.
12. *Tachycixius venustulus* (FIEB.). — Syn.: = *Cixius pinicola* FIEB. described from France.
13. *Anakelisia fasciata* (KBM.). — Syn.: = *Anakelisia amicorum* DLAB., MÜLL. described from Hungary (holotype) and Czechoslovakia.
- Syn.: 14. *Kelisia guttula* (GERM.). — Described from Germany.
15. *Kelisia pannonica* MATS. — Syn.: = *Kelisia sabulicola* WAGN. described from F. R. Germany and Poland.
16. *Kelisia ribauti* WAGN. — Original locality not given.
17. *Kelisia sima* RIB. — Treated by WAGNER (1961) as separate species, and not a subspecies of *Kelisia guttula* (GERM.).
18. *Kelisia yarkonensis* LNV. — Described from Israel.
19. *Stenocranus fuscovittatus* (STÅL). — Described from Siberia.
20. *Acanthodelphax spinosus* (FIEB.). — Described from Germany.
21. *Achorotile longicornis* (J. SHLB.). — Belongs to subg. *Laccoscytha* AN., EM.
22. *Changeondelphax velitchkovskyi* (MEL.). — The genus was erected in 1982 by KWON.
23. *Chloriona sicula* MATS. — A distinct species described from Sicily. Syn.: = *Chloriona flaveola* LDB. described from Canary Is. (cf.: J. NAST, 1984, Ann. Zool., 37: 393).
24. *Chloriona unicolor* (H.-S.). — Syn.: = *Chloriona oranensis* MATS. described from Algeria; = *Chloriona edwardsi* LE Q. described from Great Britain.
25. *Delphacellus putoni* (SCOTT). — Described from Algeria.
26. *Delphacissa uncinata* (FIEB.). — A dubious species. The generic name *Delphacissa* was established by KIRKALDY (1906).
27. *Delphacodes framarii* ASCHE, REM. — Described also from Morocco.
28. *Delphacodes linnauviorii* LE Q. — The name introduced for *Delphacodes mulsanti*: LNV., 1957, and DLAB., 1957, nec FIEB. Interpretation and distribution uncertain. Apparently distinct from *Delphacodes audrasi* RIB.
29. "Delphacodes" *flava* METC. — Substitute name for *Delphax flavescens* IV. (preoccupied). The type probably lost (LOGVINENKO 1975).
30. *Delphacoides anaxarchi* (MUIR). — Described from S. Africa. Syn.: = *Alatades trilineus* DLAE. described from Anatolia.
- Syno- 31. *Delphax armeniacus* AN. — Described from Armenia.
- part., 32. *Euides basilinea* (GERM.). — Syn.: = *Delphax speciosa* BOH.; = *Delphax asiracoides* FOREL (see: J. NAST, 1986, Ann. Zool., 40: 298).
- ut not 33. *Euidopsis truncata* RIB. — Described from Cyprus.
- use to 34. *Eurybregma porcus* (EM.). — Described also from Kazakhstan.
- onym 35. *Eurysa dimidiata* REY. — Probably a distinct species described from southern France, and not a variety of *Eurysa pyrenaea* FIEB.
- Oliarus* 36. *Eurysa duffelsi* DROS., ASCHE. — Described from Crete.
37. *Eurysa immunda* HORV. — Probably a synonym of *Eurysa douglasi* (SCOTT).
38. *Eurysa pyrenaea* FIEB. — In Great Britain reported from Jersey I.
39. *Eurysa rubripes* (MATS.). — Syn.: = *Eurysa laeticiae* DLAB. described from Italy.

225. *Eurysula lurida* (FIEB.). — Syn.: = *Ditropis pontica* LOGV. described from Ukraine.
227. *Flastena fumata* (LDB.). — Probably a synonym of *Flastena fumipennis* (FIEB.). Described from Cyprus.
230. *Florodelphax mourikisi* DROS. — Described from Ikaria I.
233. *Halmyra aeluropodis* (EM.). — Described from Kazakhstan.
237. *Iubsoda duffelsi* (DLAB.). — Holotype from Cyprus.
240. *Javesella alpina* (J. SHLB.). — A distinct species and not a synonym of *Javesella forcipata* (BOH.).
244. *Javesella forcipata* (BOH.). — From the synonyms delete *Liburnia alpina* J. SHLB. which is a distinct species.
246. *Javesella pellucida* (F.). — Described from Germany. Recorded also from Iceland.
249. *Javesella stali* (METC.). — Belongs to subg. *Hafnerianella* WAGN.
256. "Liburnia" *latifrons* FIEB. — Described from Germany.
258. "Liburnia" *marshalli* SCOTT. — Described from Corsica.
262. *Maculidelphax maculipennis* (LNV.). — Described from Israel.
263. *Matutinus putoni* (A. COSTA). — Syn.: = *Delphax nigrifrons* MATS. described from Sicily; = *Caligypora typhae* LDB. described from Canary Is.
270. *Megamelus leptus* FIEB. — A dubious species.
278. *Metropis ugamicus* MIT. — Described from Kazakhstan.
279. *Mirabella albifrons* (FIEB.). — The generic name *Mirabella* EM., 1982 has priority over *Lauterodelphax* ASCHE, REM., 1983.
281. *Muellerianella extrusa* (SCOTT). — A distinct species and not synonym of *Muellerianella fairmairei* (PERR.).
282. *Muellerianella fairmairei* (PERR.). — From the synonyms delete *Liburnia extrusa* SCOTT which is a distinct species.
291. *Pastiroma clypeata* (HORV.). — Syn.: = *Eurya odessana* DLAB. described from Ukraine.
292. *Perkinsiella rivularis* LNV. — Described from Israel.
293. *Pseudaraeopus bolivari* (MEL.). — It rightly belongs to *Bostoera* BALL.
300. *Ribautodelphax altaicus* VILB. — Described from Altai.
302. *Ribautodelphax bicolor* LOGV. — Probably belongs to *Ribautodelphax pallens* (STÅL).
305. *Ribautodelphax ochreatus* VILB. — Described from Altai.
308. *Scottianella dalei* (SCOTT). — Syn.: = *Liburnia guaramensis* SCOTT described from Spain (see: J. NAST, 1986, Ann. Zool., 40: 299); = *Delphacodes gravesteini* DLAB. described from Portugal (holotype) and Italy. The generic name *Scottianella* ANUFRIEV, 1980, has priority over *Lamprodelphax* FENNAH, 1982.
309. *Sogatella matsumurana* (METC.). — Syn.: = *Delphax furcata* MATS. described from Sicily.
310. *Sogatella vibix* (HPT.). — Described from Israel.
319. *Toya ibiturca* ASCHE. — Holotype from Anatolia.
322. *Toya simulans* (DLAB.). — Described from Georgia.
326. *Unkanodes latespinosus* (DLAB.). — Described from Afghanistan.
327. *Unkanodes tanasijevici* (DLAB.). — Syn.: = *Ribautodelphax notabilis* LOGV. described from Ukraine.
332. *Xanthodelphax xanthus* VILB. — Syn.: = *Xanthodelphax soosi* NAST described from Poland (holotype) and Kazakhstan.
333. *Meenoplus albosignatus* FIEB. — Described also from Anatolia.
334. *Nisia atrovenosa* (LETH.). — Described from Indonesia.
336. *Malenia sarmatica* AN. — Described also from Georgia and Azerbaijan.
338. *Cixidia advena* (SPIN.). — Described from Sardinia.
343. *Cixidia marginicollis* (SPIN.). — Described from Sicily.
346. *Dictyophara cyrnea* SPIN. — Described from Corsica.
348. *Dictyophara europaea* (L.). — Described from south Europe.
349. *Dictyophara lindbergi* METC. — Syn.: = *Fulgora acuminata*: LDB., nec F. described from Cyprus; = *Dictyophara acuminata hispanica* LNV. described from Spain.
356. *Raivuna striata* (OSH.). — Described from Turkestan.
362. *Bursinia elongatula* LNV. — Described from Tunisia.
32. *Iphicara globiceps*
33. *Parogeriooides all*
35. *Ranissus edirneus*
36. *Ranissus leptopus*
38. *Ranissus punctigera*
39. *Scirtophaca urale*
45. *Brachyceps brach*
46. *Brachyceps damry*
48. *Brachyceps sangu*
50. *Eurychila brunne*
51. *Eurychila decorata*
52. *Histrionia hexa*
57. *Tettigometra africana*
58. *Tettigometra angustata*
59. *Tettigometra beckeri*
15. *Tettigometra costata*
17. *Tettigometra distincta*
22. *Tettigometra helysi*
26. *Tettigometra oblique*
Moraviae, Brno, 1792, described a nomen oblitum whereas the reference economic importance
36. *Tettigometra venusta*
37. *Tettigometra viridula*
48. *Caliscelis dimidiata*
49. *Caliscelis tricolor*
50. *Caliscelis unicolor*
61. *Agalmatium costatum*
64. *Agalmatium flavum*
littimacula O. C.
Issus dufouri St. Sardinia; = *Hystrichophora*
66. *Bootheca taurica*
77. *Bubastia sakisi*
85. *Dalmatium pictum*
described from
86. *Falcidiopsis kirghisica*
88. *Falcidiopsis apterum*
97. *Hysterella coronata*
is the type-species
Quadrastylum S.
93. *Hysteropterum*
France; = *Hysteropterum*
98. "Hysteropterum"
99. "Hysteropterum"
116. *Issus coleoptratus*
21. *Kervillea placida*
23. *Latematium latum*
29. *Mycteroodus concolor*
was originally

12. *Iphicara globiceps* (LNV.) — Described from Sardinia.
13. *Parogeriooides alluaudi* (Bgv.). — Described from Morocco.
14. *Ranissus edirneus* (DLAB.). — Possibly synonym of *Ranissus leptopus* FIEB.
15. *Ranissus leptopus* FIEB. — Described from Anatolia.
16. *Ranissus punctiger* (HORV.). — Described from Anatolia.
17. *Scirtophaca uralensis* EM. — Described also from Kazakhstan.
18. *Brachyceps brachycephalus* (FIEB.). — Described from Sicily.
19. *Brachyceps damryi* (LETH.). — Described from Corsica.
20. *Brachyceps sanguineus* (LETH.). — Described from Corsica.
21. *Eurychila brunnea* (SIGN.). — Described from Algeria.
22. *Eurychila decorata* (SIGN.). — Described from Algeria.
23. *Histrigonia hexaspina* (KOL.). — Described from Transcaucasia.
24. *Tettigometra afra* KBM. — Described from Algeria.
25. *Tettigometra angulata* LDB. — Described also from Anatolia, Turkmenia, Uzbekistan and Iran.
26. *Tettigometra beckeri* HORV. — Described from Canary Is.
27. *Tettigometra costulata* FIEB. — Described also from "Euphrates".
28. *Tettigometra distincta* LUC. — Described from Algeria.
29. *Tettigometra helferi* FIEB. — Described from "Euphrates".
30. *Tettigometra obliqua* (PANZ.). — Described from Germany. According to DLABOLA (Acta Mus. Moraviae, Brno, 1972, 56-57: 207) the oldest name for this species is *Cicada leucophaea* PREYSSLER, 1792, described from Czechoslovakia. In my opinion the PREYSSLER's name should be treated as a nomen oblitum; for 180 years it has been mentioned in the literature (catalogues) only three times, whereas the references to *T. obliqua* (PANZ.), a very widely distributed common species having also economic importance, are numbered by more than 150.
31. *Tettigometra ventralis* SIGN. — Described from Algeria.
32. *Tettigometra virescens* (PANZ.). — Described from Germany.
33. *Caliscelis dimidiata* A. COSTA. — A dubious species.
34. *Caliscelis tricolor* (O. COSTA). — A dubious species.
35. *Caliscelis unicolor* (O. COSTA). — A dubious species.
36. *Agalmatium costale* (MATS.). — Syn.: = *Hysteropterum dubiosum* MATS. described from Spain.
37. *Agalmatium flavescens* (OL.). — Syn.: = *Cercopis grylloides* F. described from France; = *Issus liliimacula* O. COSTA described from Italy; = *Issus bifasciatus* O. COSTA described from Italy; = *Issus dufouri* SPIN. described from France; = *Hysteropterum euryproctum* KBM. described from Sardinia; = *Hysteropterum orientale* KUSN.
38. *Bootheca taurus* (OSH.). — Described from Azerbaijan.
39. *Bubastia sakisi* DLAB. — Belongs to subg. *Acrisia* DLAB.
40. *Dalmatrium pictifrons* (MEL.). — Described from Armenia. Syn.: = *Hysteropterum oertzeni* MATS. described from Greece.
41. *Falcidiopsis kirgisorum* KUSN. — Described from Kazakhstan.
42. *Falcidius apterus* (F.). — Described from "Barbaria".
43. *Hysterella coronata* LOGV. — DLABOLA (1984) referred *Hysterella coronata* LOGV., 1947 (which is the type-species of *Hysterella*) to the genus *Quadrastylum* DLAB., 1979. If it was not an error, *Quadrastylum* should be treated as synonym of *Hysterella*.
44. *Hysteropterum melanophleps* FIEB. — Syn.: = *Hysteropterum fuscovenosum* FIEB. described from France; = *Hysteropterum guadarramense* MEL. described from Spain.
45. "Hysteropterum" *algircum* (LUC.). — Described from Algeria.
46. "Hysteropterum" *nervosum* FIEB. — Described from south Europe.
47. *Issus coleoptratus* (F.). — Described from Germany.
48. *Kervillea placophora* (HORV.). — Described from Anatolia.
49. *Latematium latifrons* (FIEB.). — No original locality given.
50. *Mycterodus confusus* STÅL. — LOGVINENKO (1975) denies its occurrence in Ukraine, but the species was originally described from Crimea.

530. *Mycterodus cuniceps* MEL. — Syn.: = *Mycterodus longivertex* GRUEV described from Bulgaria.
531. *Mycterodus drosopouloosi* DLAB. — Described from Anatolia.
534. *Mycterodus intricatus* STÅL. — Syn.: = *Mycterodus jaltaicus* DLAB. described from Ukraine (Crimea).
535. *Mycterodus kobachidzei* DLAB. — Described from Georgia. Belongs to subg. *Aconosimus* DLAB.
537. *Mycterodus mutuus* LOGV. — Belongs to subg. *Camporodus* LOGV.
539. *Mycterodus orthocephalus* FERR. — Described from Tirol.
540. *Mycterodus ovifrons* PUT. — Belongs to subg. *Camporodus* LOGV.
545. *Mycterodus sidorskii* (LOGV.). — Belongs to subg. *Aconosimus* DLAB.
546. *Mycterodus sulcatus* FIEB. — Described from Sicily.
547. *Mycterodus wittmeri* DLAB. — Described from Crete.
550. *Quadrastylum conspurcatum* (SPIN.). — Described from "Rumelia". Syn.: = *Hysteropterum dohrni* KBM. described from Hungary.
552. *Quadrastylum scoleogramma* (FIEB.). — Syn.: = *Hysteropterum fallaciosum* MATS. described from Greece.
553. *Quadrastylum tekirdagicum* DLAB. — Described from Anatolia.
556. *Scorlupella discolor* (GERM.). — Described from Ukraine (Crimea) and not from Italy as given by METCALF.
565. *Tshurtshurnella zelleri* (KBM.). — Described from Sicily. Syn.: = *Hysteropterum pseudoarmatum* LNV. described from Italy.
569. *Metcalfa pruinosa* (SAY). — Introduced to Europe from America.
571. *Ricania hedenborgi* STÅL. — Described from Rodos I., reported from Crete, Anatolia, Armenia and Iran.
572. *Ricania japonica* MEL. — Described from Japan, introduced to Crimea and Georgia as pest of cultivated plants.
573. *Aestuansella aestuans* (F.). — Described from N. Africa.
- 574a. *Cicada barbara* (STÅL.). — Described from N. Africa. The European localities probably refer to *Cicada barbara* ssp. *lusitanica* BOUL.
576. *Cicadatra alhageos* (KOL.). — Described from Transcaucasia. Syn.: = *Cicada (Cicada) glycyrrhiza* KOL. described from Transcaucasia.
577. *Cicadatra atra* (OL.). — Synonymy not certain, anyhow *Cicada helianthemi* RAMB. belongs to *Cicadatra*, *tigetta* *argentata* (OL.), and *Cicada concinna* GERM. (originally described from Dalmatia) seem to be a distinct species.
578. *Cicadatra concinna* (GERM.). — A dubious species originally described from Dalmatia, referred by HAGEN (1856) to *Cicada atra*, and by BOULARD (1982) to the genus *Cicadetta*. HAGEN's statement (based on original material of GERMAR) that only specimens from Dalmatia (the types) presented the true *concinna*, and that specimen from Podolia cited by GERMAR in 1830 belongs to *Cicada adusta* HAG. (now *podolica*) is sufficient to treat *concinna* as a member of *Cicadatra*. The figure of *concinna* published by GERMAR (1827) is very poor and cannot serve to any discussion.
580. *Cicadatra persica* KIRK. — Described from Iran.
583. *Cicadetta caucasica* (KOL.). — Described also from the Caucasus.
586. *Cicadetta fangoana* BOUL. — Described from Corsica.
590. *Cicadetta montana* (SCOP.). — Described from "Carniola". *Cicada pygmaea* OL. is a distinct species. Recorded also from Luxembourg.
591. *Cicadetta podolica* (EICHW.). — Syn.: = *Cicada montana* var. *adusta* HAGEN, 1856. This species was recently referred by BOULARD (1982) to *Cicada concinna* GERMAR, 1821 (originally described only from Dalmatia) on the ground of a very inaccurate figure published by GERMAR in 1827. But HAGEN, when describing *adusta* (1856), did see the types of *concinna* in the Berlin Museum and referred the former to his species-group of *Cicada montana* (now *Cicadetta*), and the latter to the group of species belonging now to *Cicadatra*. Systematically both genera stay wide apart and belong to two distinct subfamilies. Moreover, basing on the original material of GERMAR, HAGEN

was able to state that the specimen quoted by GERMAR (in the paper of 1830) from Podolia belonged in reality to *adusta*, and not to *concinna*. A very good colour figure of *adusta* was published in 1857 by KOLENATI (Tab. VI, fig. 8).

592. *Cicadetta pygmea* (OL.). — A distinct species, not synonym of *Cicadetta montana* (SCOP.).
595. *Euryphara cantans* (F.). — Described from N. Africa.
598. *Hilaphura varipes* (WALTL). — Syn.: = *Cicada segetum* RAMB. described from Spain.
599. *Lyristes plebejus* (SCOP.). — Described from "Carniola".
602. *Pagiphora aschei* KART. — Described from Crete.
603. *Psalmocharias plagifera* (SCHUM.). — Described from Tunisia.
604. *Psalmocharias querula* (PALL.). — Described from Kazakhstan.
605. *Tettigetta argentata* (OL.). — Syn.: = *Cicada helianthemi* RAMB. described from Spain.
610. *Tettigetta prasina* (PALL.). — Described from Kazakhstan.
- 612a. *Tibicina cisticola* (HAG.). — Described from Sardinia.
613. *Tibicina corsica* (RAMB.). — Described from Corsica.
614. *Tibicina fairmairei* BOUL. — Syn.: = *Cicada cisticola* FAIRMAIRE, 1884, nec *Cicada cisticola* HABENSKI, 1855 (preoccupied).
616. *Tibicina haematodes* (SCOP.). — Described from "Carniola".
617. *Tibicina luctuosa* (A. COSTA). — Described from Sardinia.
618. *Tibicina nigronervosa* FIEB. — Described from Corsica.
619. *Tibicina picta* (F.) — Syn.: = *Cicada tomentosa* OLIVIER, 1790, nec *Cicada tomentosa* FABRICIUS, 1775.
620. *Tibicina quadrisignata* (HAG.). — Described from France, Spain and Portugal ("Algarvien" = Algarve, province in Portugal and not "Algeria" as given by METCALF, 1963).
622. *Tympanistalna gastrica* (STÅL). — Type-locality not given.
625. *Cercopis sabaudiana* LALL. — A dubious species.
626. *Cercopis sanguinolenta* (SCOP.). — Described from "Carniola".
629. *Triecphorella geniculata* (HORV.). — Described from Syria.
633. *Aphrophora costalis* MATS. — Described from Japan.
634. *Aphrophora salicina* (GOEZE). — Original locality not given.
635. *Aphrophora similis* LETH. — Described from Siberia.
636. *Aphrophora willemsi* LALL. — A dubious species.
637. *Lepyronia coleoptrata* (L.). — Described from Europe.
638. *Mesoptyelus petrovi* (GRIG.). — Described also from Azerbaijan.
644. *Neophilaenus lineatus* (L.). — Described from Europe.
645. *Neophilaenus longiceps* (PUT.). — Described also from Algeria.
648. *Neophilaenus pallidus* (HPT.). — Some authors consider it as an ecological form of *Neophilaenus lineatus* (L.).
651. *Philaenus signatus* MEL. — Described from Corfu I.
652. *Philaenus spumarius* (L.). — Described from Europe.
656. *Oxyrhachis capeneri* IZZ. — Syn.: = *Oxyrhachis delalandei*: auct., nec FAIRMAIRE. From Mediterranean Region.
657. *Stictocephala bisonia* KOPP, YONKE. — Introduced from America.
661. *Ulopa lugens* GERM. — Considered by OROSZ (1977) as a distinct species and not a form of *Ulopa trivittata* GERM.
662. *Ulopa reticulata* (F.). — Described from Europe.
667. *Ledra aurita* (L.). — Described from Germany.
670. *Hephatus unicolor* (LDB.). — Described from Turkmenia and Kirghizia. The data from Europe are dubious, may be they should be referred to *Macropsis elaeagni* EM.
671. *Macropsidius abrotani* EM. — Described from Kazakhstan.
675. *Macropsidius dispar* (FIEB.). — Syn.: = *Macropsidius hispanus* DLAB. described from Spain.
682. *Macropsis acrotirica* DLAB. — Holotype from Cyprus.
684. *Macropsis cerea* (GERM.). — Described from Europe.

685. *Macropsis elaeagni* EM. — Holotype from Kazakhstan. Probably introduced to Europe with its host plant, *Elaeagnus angustifolia* L.
693. *Macropsis heracleionica* DLAB. — Described from Crete.
697. *Macropsis megerlei* (FIEB.). — No original locality given, apparently described from Austria.
702. *Macropsis ocellata* PROV. — Described from Canada. According to HAMILTON (1983) here belong *Macropsis albae* WAGN. and its forms described from F. R. Germany, Poland, German D. R., and Czechoslovakia.
717. *Oncopsis tristis* (ZETT.). — Described from Lapland.
731. *Anaceratagallia aciculata* (HORV.). — Described from Georgia.
733. *Anaceratagallia camphorosmatis* (EM.). — Described from Kazakhstan.
735. *Anaceratagallia frisia* (WAGN.). — Probably a subspecies of *Anaceratagallia laevis* (RIB.).
736. *Anaceratagallia harraensis* (MEL.). — Described from Ethiopia.
- 737a. *Anaceratagallia laevis* (RIB.). — Described also from Morocco.
- 737b. *Anaceratagallia laevis acuteangulata* ZACHV. — Described from Princis Is. and Anatolia.
743. *Astroagallia avicula* (RIB.). — Described from France, Sardinia and Morocco.
750. *Melicharella decora* LDB. — Described from Turkmenia.
751. *Platyproctus tessellatus* LDB. — Described from Turkmenia.
752. *Sympypyga obsoleta* HPT. — Described from Uzbekistan.
753. *Sympypyga repetekia* KUSN. — Described from Turkmenia.
761. *Bugraia ocularis* (M., R.). — The genus *Bugraia* KOÇAK, 1981 = *Taeniocerus* DLABOLA, 1974 (preoccupied).
764. *Idiocerus litoratus* (FALL.). — Recorded also from Channel Is. (Jersey).
766. *Idiocerus stigmatical* LEW. — Recorded also from Channel Is. (Jersey).
768. "Idiocerus" *aaliensis* STRAND. — A dubious species.
771. "Idiocerus" *maculicollis* CURT. — A dubious species.
782. *Rhytidodus decimusquartus* (SCHRK.). — No original locality given.
787. *Sulamicerus stali* (FIEB.). — Described from Rodos I.
789. *Tremulicerus dimidiatus* (RIB.). — Described also from Morocco.
793. *Tremulicerus mesopyrrhus* (KBM.). — Described from Lagosta I. and Sicily.
801. *Batracomorphus viridulus* (MEL.). — Described from China.
805. *Penthimia nigra* (GOEZE). — No original locality given.
806. *Cephalius frontalis* SIGN. — Described from Algeria.
809. *Paradorydium paradoxum* (H.-S.). — The species seems to be extinct in F. R. Germany (vicinity of Nurnberg, HAUPT, 1935) and Bohemia (DLABOLA, 1977).
810. *Glossocratus foveolatus* FIEB. — Syn.: = *Hecalus kuthyi* TÓTH described from Hungary.
811. *Hecalus eximius* (KBM.). — Described from Sicily.
813. *Hecalus storai* (LDB.). — Described from Canary Is.
814. *Anoscopus albifrons* (L.). — Described from Europe. Synonymy uncertain, in any case *Cicada costata* PANZ. belongs elsewhere, and *Anoscopus limicola* (EDW.) seems to be a separate species.
817. *Anoscopus crassus* (SÁR.). — A dubious species.
825. *Aphrodes bicincta* (SCHRK.). — Syn.: = *Aphrodes bicincta* var. *diminutus* RIB. *Aphrodes makarovi* ZACHV. is a distinct species. Other synonymy is uncertain.
827. *Aphrodes carinata* (STÅL). — Described from Algeria.
836. *Planaphrodes furcillata* (SÁR.). — A dubious species based apparently on a teratological specimen.
837. *Planaphrodes laeva* (R.). — Syn.: = *Cicada trifasciata* FOURCR., nec *Cicada trifasciata* DE G.
842. *Planaphrodes uisamiana* (LOGV.). — Described from Azerbaijan.
843. *Planaphrodes vallicola* (LOGV.). — Described also from Georgia.
852. *Cicadella viridis* (L.). — Described from Europe. Reported also from Channel Is. (Jersey).
853. *Errhomenus brachypterus* FIEB. — Syn.: = *Errhomenellus flavopunctatus* MEL. described from Czechoslovakia.
854. *Evacanthus acuminatus* (F.). — Described from Germany.

- its host
ustria,
belon
R. an
).
74 (pre
(vicinity
cada co
pecies.
nakarow
al speci
DE G.
sey).
om Cze
35. *Evacanthus interruptus* (L.). — Described from Europe. Reported also from Channel Is. (Jersey).
36. *Evacanthus rostagnoi* (PICCO). — A dubious species.
37. *Graphocephala fennahi* YOUNG. — Described from North America (holotype and paratypes) and England (paratypes). The species has hitherto been recorded from Europe under an erroneous name *Graphocephala coccinea* (FORST.).
71. *Erythria ferrarii* (PUT.). — A montane species. MELICHAR (1896) reported the species also from "Carpathians" and "Bohemian Forest"; a revision of his collection made by DLABOLA (1951) listed the specimens only from France and northern Italy.
73. *Erythria jankovici* DLAB. — The records from Romania and Austria belonged to *Erythria mandersjernii* (KBM.).
883. *Liguropia juniperi* (LETH.). — Described from Algeria.
899. *Chlorita akdzhusani* (ZACHV.). — Belongs to subg. *Eremochlorita* ZACHV. Described also from Azerbaijan and Kazakhstan.
900. *Chlorita alticola* LOGV. — Belongs to subg. *Xerochlorita* ZACHV.
902. *Chlorita arenicola* ZACHV. — Belongs to subg. *Eremochlorita* ZACHV.
906. *Chlorita forcipigera* KIR. — Belongs to subg. *Eremochlorita* ZACHV.
908. *Chlorita hungarica* (RIB.). — Belongs to subg. *Eremochlorita* ZACHV.
909. *Chlorita korovini* ZACHV. — Described from Kazakhstan, Uzbekistan and Turkmenia. Belongs to subg. *Eremochlorita* ZACHV.
915. *Chlorita nervosa* FIEB. — Belongs to subg. *Artemisiella* ZACHV.
916. *Chlorita orientalis* (DLAB.). — Described also from Uzbekistan and Tadzhikistan. Belongs to subg. *Eremochlorita* ZACHV.
925. *Chlorita tesellata* LETH. — Belongs to subg. *Eremochlorita* ZACHV.
926. *Chlorita thracia* DLAB. — Belongs to subg. *Xerochlorita* ZACHV.
935. *Empoasca dealbata* CER. — Belongs to subg. *Asymmetrasca* DLAB.
936. *Empoasca decedens* PAOLI. — Belongs to subg. *Asymmetrasca* DLAB.
- 937a. *Empoasca decipiens* PAOLI. — From the synonyms delete *Empoasca decipiens meridiana* ZACHV. which belongs to *Empoasca punjabensis*.
940. *Empoasca pteridis* (DHLB.). — Identity of this species with *Eupteryx solani* CURT. is dubious.
941. *Empoasca punjabensis* S.-P. — Described from India. Syn.: = *Empoasca decipiens meridiana* ZACHV.
942. *Empoasca serrata* VILB. — Described from Altai.
943. *Empoasca vitis* (GÖTHE). — Described from Germany.
944. *Jacobiasca lybica* (BG., ZAN.). — Described from Libya.
945. *Kyboasca bipunctata* (OSH.). — Described from Central Asia.
950. *Kybos butleri* (EDW.). — Syn.: = *Kybos oshanini occidentalis* ZACHV. described from West Europe.
951. *Kybos calyculus* (CER.). — Syn.: = *Kybos studzinskii* DWOR. described from Poland.
952. *Kybos candelabricus* DLAB.. — Described from Georgia.
957. *Kybos ludus* (DAV., DEL.). — Described from North America. Syn.: (according to HAMILTON, 1983) = *Empoasca betulicola* WAGN. described from F. R. Germany.
958. *Kybos mesasiaticus* ZACHV. — Described from Uzbekistan.
959. *Kybos mucronatus* (RIB.). — Syn.: = *Kybos cracoviensis* DWOR. described from Poland.
983. *Edwardsiana flavescens* (F.). — Described from Germany.
990. *Edwardsiana iranicola* ZACHV. — Described from Iran. In Greece known from Crete.
991. *Edwardsiana ishidae* (MATS.). — Described from Japan. Syn.: = *Typhlocyba lanternae* WAGN. described from F. R. Germany (synonymy after DWORAKOWSKA, 1982).
996. *Edwardsiana logvinenkoae* KIR. — Described under an incorrect ending of the specific name (*logvinenkae*).
1013. *Edwardsiana smreczynskii* DWOR. — Syn.: *Edwardsiana guentarti* DLAB. described from France.
1021. *Edwardsiana tshinari* ZACHV. — Described from Uzbekistan.
1028. *Eupteryx atropunctata* (GOEZE). — No original locality given.
1029. *Eupteryx aurata* (L.). — Described from Europe.

1033. *Eupteryx collina* (FL.). — From the synonyms delete *Eupteryx collina florida* RIB. which is a separate species. Syn.: = *Eupteryx alticola* RIB. described from France.
1036. *Eupteryx cyclops* MATS. — Syn.: = *Eupteryx simplex* EDW. described from Great Britain.
1037. *Eupteryx cypria* (RIB.). — Described from Cyprus.
1041. *Eupteryx florida* RIB. — Syn.: *Eupteryx collina*: RIB., nec FLOR.
1044. *Eupteryx gravesteini* DLAB. — Holotype from Rodos I.
1045. *Eupteryx gyaurdagica* DLAB. — Described from Anatolia.
1048. *Eupteryx insulana* (RIB.). — Described from Cyprus.
1059. *Eupteryx stachydearum* (HARDY). — Syn.: = *Typhlocyba curtisii* FL. described from Latvia and Yugoslavia.
1061. *Eupteryx taborskyi* DLAB. — Described from Anatolia.
1065. *Eupteryx vicaria* LNV. — Described from Poros I.
1066. *Eupteryx vittata* (L.). — Described from Europe.
1067. *Eupteryx zelleri* (KBM.). — Syn.: = *Cicadella graeca* LNV. described from Greece.
1068. "Eupteryx" *maculipennis* CURT. — A dubious species.
1070. *Eurhadina concinna* (GERM.). — Described from Germany.
1073. *Eurhadina loewii* (THEN). — Described from Germany. Syn.: = *Eurhadina unica* DLAB. described from Mongolia.
1080. *Fagocyba douglasi* (EDW.). — Probably a distinct species, and not synonym of *Fagocyba cruenta* (H.-S.).
1082. *Lindbergina aurovittata* (DGL.). — Syn.: *Typhlocyba pandellei* LETH. described from France.
1084. *Lindbergina jerseyensis* LE Q. — Known only from Channel Is. (Jersey).
1085. *Lindbergina loewi* (LETH.). — Syn.: = *Typhlocyba exornata* HORV. described from Spain; = *Typhlocyba fiumensis* MATS. described from Yugoslavia.
1098. "Typhlocyba" *frontalis* FIEB. — A dubious species.
1099. "Typhlocyba" *margineguttata* LETH. — A dubious species.
1110. *Arboridia expansa* (ZACHV.). — Described from Anatolia.
1113. *Arboridia potentillae* (MOR.). — See entry 1116.
1116. *Arboridia simillima* (WAGN.). — The original figures published by MORAVKAYA (1948) for her *potentillae* are very similar to those of *Arboridia simillima* (WAGN.). On the other hand, the figures of *simillima* in the same paper possibly belong to an unknown, may be a new species. It is possible that *potentillae* is a synonym of *simillima*.
1119. *Arboridia vitisuga* (DLAB.). — Described as a subspecies of *Erythroneura (Arboridia) adanae* DLAB. from Anatolia.
- 1122 and 1123. Presumably the original spelling of the generic name *Frutiodia* ZACHVATKIN (1946) was incidentally formed incorrectly (printer's error); the same author in his next paper (1947) used, in conformity with the etymology, the name *Fruticidia* (the Latin name frutex, gen. fruticis = bush), and he was followed in that by METCALF (1968). The name *Fruticidia* was formed analogical to *Arboridia* (from arbor = tree).
1125. *Hauptidia distinguenda* (KBM.). — DWORAKOWSKA (1970) referred the specimen from Bulgaria to *Hauptidia distinguenda ecbalii* LNV. described from Israel. Original locality not given.
1128. *Hauptidia lapidicola* (VID.). — Holotype from Sicily; described also from Sardinia and n. Italy.
1129. *Hautidia maroccana* (MEL.). — Lectotype from Gibraltar (DWORAKOWSKA, 1970).
1133. *Kropka unipunctata* DLAB. — Syn.: = *Kropka vidanoi* DWOR. described from Bulgaria.
1136. *Tamaricella fasciolata* (LETH.). — Described from Algeria.
1137. *Tamaricella remanei* DWOR. — Described also from Anatolia.
1138. *Tamaricella ribauti* (ZACHV.). — Described from Iran.
1141. *Tamaricella tamaricis* (PUT.). — Syn.: = *Zygina bipunctata* MEL. described from Poros I.
1142. *Ziczacella heptapotamica* (KUSN.). — Described from Kazakhstan.
1146. *Zygina flammigera* (FOURCR.). — To the synonyms add = *Zygina pruni* EDW. described from Great Britain.

1. *Zygina hyper*
from Ukraine
2. *Zygina kruepe*
3. *Zygina rubro*
4. *Zygina salicin*
5. *Zygina schnei*
6. *Zyginidia line*
7. *Zyginidia serp*
8. *Zyginidia soh*
9. *Achaetica cas*
10. *Achaetica pus*
11. *Adarrus belle*
tzerland.
12. *Adarrus reduc*
13. *Adarrus sicula*
14. *Allygidius co*
15. *Allygus comm*
mixtus marge
16. *Allygus mixtu*
nia; = *Jassus*
described from
FERR. which is
destus SCOTT,
17. *Allygus modes*
18. *Allygus theryi*
19. *Anoplotettix c*
20. *Anoplotettix e*
21. *Anoplotettix g*
22. *Anoplotettix i*
23. *Anoplotettix m*
24. *Anoplotettix r*
25. *Anoplotettix s*
26. *Arocephalus*
27. *Arocephalus re*
28. *Balclutha chlo*
29. *Balclutha fro*
scribed from :
30. *Balclutha linea*
scribed from :
31. *Balclutha punc*
nana WAGN. d
Zool., 40: 30
32. *Balclutha salti*
from Sicily.
33. *Balclutha tric*
34. *Boreotettix bi*
serricauda KC
35. *Cechenotettix*
36. *Cechenotettix*
BASTE, 1976).

- Zygina hyperici* (H.-S.). — Described from Germany. Syn.: = *Zygina medvedevi* KIR. described from Ukraine (holotype) and s. Russia.
- Zygina krueperi* FIEB. — Syn.: = *Zygina dorsalis* HORV. described from Hungary and Yugoslavia.
- Zygina rubrovittata* (LETH.). — Syn.: = *Typhlocyba clavalis* MATS. described from German D. R.
- Zygina salicina* MIT. — Described from Kazakhstan.
- Zygina schneideri* (H. GÜNTH.). — Reported also from Channel I.
- Zyginidia lineata* (LDB.). — Described from Canary Is.
- Zyginidia serpentina* (MATS.). — Lectotype from Sicily.
- Zyginidia sohrab* ZACHV. — Described from Iran.
- Achaetica caspia* EM. — Described also from Kazakhstan.
- Achaetica pusilla* EM. — Holotype from Kazakhstan.
- Adarrus bellevoyei* (PUT.). — Syn.: = *Deltocephalus duodecimguttatus* CER. described from Switzerland.
- Adarrus reductus* (MEL.). — Syn.: = *Adarrus falcatus* LNV. described from Yugoslavia.
- Adarrus siculus* REM., ASCHE. — Described from Sicily.
- Allygidius commutatus* (FIEB.). — Described from Europe.
- Allygus communis* (FERR.). — A distinct species, not synonym of *Allygus mixtus* (F.). Syn.: = *Jassus mixtus margaritinus* FERR.
- Allygus mixtus* (F.). — Syn.: = *Jassus (Athysanus) pauperculus* FL. described from Latvia or Estonia; = *Jassus mixtus* var. *corisipennis* FERRARI described from Italy; = *Allygus alticola* HORV. described from Ukraine. From the synonyms delete the following: *Jassus mixtus* var. *communis* FERR. which is a distinct species and *Jassus mixtus* var. *juvenis* FERR. which belongs to *Allygus modestus* SCOTT, both described from Italy.
- Allygus modestus* SCOTT. — Syn.: = *Jassus mixtus* var. *juvenis* FERR. described from Italy.
- Allygus theryi* (HORV.). — Described from Algeria.
- Anoplotettix cruciatus* DLAB. — Described from Naxos I.
- Anoplotettix etnensis* WAGN. — Described from Sicily.
- Anoplotettix graecus* REM. — "Spain" in the paper by DLABOLA (1974) is apparently an error.
- Anoplotettix ibericus* REM. — "Greece" in the paper by DLABOLA (1974) is apparently an error.
- Anoplotettix malickyi* DLAB. — Described from Chios I.
- Anoplotettix rodosicus* DLAB. — Described from Rodos I.
- Anoplotettix scalaris* (HPT.). — Described from Sicily.
- Arocephalus punctum siculus* D'URSO. — Described from Sicily.
- Arocephalus rifipunctum* REM., ASCHE. — Holotype from Morocco.
- Balclutha chloris* (HORV.). — Described from Armenia.
- Balclutha frontalis* (FERR.). — A cosmopolitan species. Syn.: = *Gnathodus pallidulus* MATS. described from Sicily, Spain, Tunisia, Algeria and Morocco; = *Gnathodus roseus*: SCOTT, nec PROV., described from Corsica.
- Balclutha lineolata* (HORV.). — Described from Kazakhstan. Syn.: = *Balclutha boica* WAGN. described from F. R. Germany.
- Balclutha punctata* (F.). — Lectotype from German D. R. (BLOCKER 1967); Syn.: = *Balclutha rheinana* WAGN. described from F. R. Germany. Other synonyms not certain (Cf. J. NAST, 1986, Ann. Zool., 40: 300).
- Balclutha saltuella* (KBM.). — To the synonyms add: = *Gnathodus quadriguttatus* MATS. described from Sicily.
- Balclutha tricolor* (GMEL.). — For synonyms see: J. NAST, 1986, Ann. Zool., 40: 300.
- Boreotettix bidentatus* (DEL., DAV.). — Described from North America. Syn.: = *Cosmotettix serricauda* KONTK. described from Finland.
- Cechenotettix martini* (LETH.). — A distinct species.
- Cechenotettix nemourensis* (MATS.). — Lectotype from Algeria, paralectotype from Sicily (VILBASTE, 1976).

atropidicola EM., *Psammotettix* 622
atropidis EM., *Psammotettix* 622, 641
atropunctata (GOEZE), *Eupteryx* 592, 635
atrovenosa (LETH.), *Nisia* 556, 630
atrovirens O. COSTA, *Tettigometra* 560
attenuata (GERM.), *Mocydiopsis* 616, 640
aubei (PERR.), *Muirodelphax* 552
audrasi (RIB.), *Delphacodes* 548, 629
aurantiacus (FOREL), *Cosmotettix* 604
aurantipes (EDW.), *Cicadula* 604
aurata (L.), *Eupteryx* 592, 635
aureola (FALL.), *Erythria* 584
autrita (L.), *Ledra* 572, 633
aurovittata (DGL.), *Lindbergina* 594, 636
austriaca (METC.), *Eupteryx* 592
austriaca WAGN., *Anaceratagallia* 576
austriacus (WAGN.), *Kybos* 588
avellanae (EDW.), *Edwardsiana* 588
avellanae EDW., *Oncopsis* 576
avennicus RIB., *Jassargus* 612
avicula (RIB.), *Astroagallia* 576, 634
aviger EM., *Limotettix* 614, 640
axillaris J. SHLB., „*Liburnia*“ 552

baeri KOUCH., *Dorycephalus* 580
baetica (RAMB.), *Tibicina* 570
balcanicus (HORV.), *Balcanocerus* 578
balearicum DLAB., *Hysteropterum* 564
baranii (SIGN.), *Micrometrina* 560
barbara (STÅL), *Cicada* 568, 632
barbara lusitanica BOUL., *Cicada* 568
barbara subsp. *lusitanica* BOUL., *Cicada* 632
basilinea (GERM.), *Euides* 570, 629
bavaricus (RIB.), *Jassargus* 612
beckeri FIEB., *Dicranotropis* 548
beckeri (FIEB.), *Taurotettix* 626
beckeri HORV., *Tettigometra* 560, 631
beieri DLAB., *Chlòrita* 586
beieri WAGN., *Anoplotettix* 600
beieri WAGN., *Cixius* 540, 626
beieri (WAGN.), *Pentastiridius* 542
beirae LDB., *Adarrus* 598
bejbienkoi DLAB., *Handianus* 610, 639
bellevoyei (PUT.), *Adarrus* 598, 637
bensonii (CHINA), *Diplocolenus* 606, 638
bergmani (TULL.), *Edwardsiana* 588
betulicola WAGN., *Empoasca* 635
bicarinata (H.-S.), *Stiroma* 554
bicincta (SCHRK.), *Aphrodes* 582, 634
bicincta var. *diminutus* RIB., *Aphrodes* 634
bicolor LOGV., *Ribautodelphax* 554, 630
bicorniger (THEN), *Jassargus* 612

bicuspidatus (J. SHLB.), *Mongolojassus* 618
bidentatus (DEL., DAV.), *Boreotettix* 602, 637
bielawskii NAST, *Eurybregma* 550
biermani BLÖTE, „*Deltcephalus*“ 604
bifasciata (BOH.), *Zonocyba* 594
bifasciata (L.), *Planaphrodes* 582
bifasciatus O. COSTA, *Issus* 634
bijoveolata (SIGN.), *Eurychila* 558
bilobum (FIEB.), *Agalmatium* 562
binotatus FIEB., *Ommatissus* 558
binotatus (J. SHLB.), *Sonronius* 624
binotatus (SIGN.), *Pseudophlepsius* 624, 641
biokovensis DLAB., *Trirhacus* 544
bipunctata FIEB., *Hemitropis* 540
bipunctata MEL., *Zygina* 636
bipunctata (OSH.), *Kyboasca* 588, 635
bisignata (M., R.), *Fruticidia* 596
bisonia KOPP, YONKE, *Stictocephala* 572, 633
bispinatus (THEN), *Jassargus* 612
bisubulatus (THEN), *Jassargus* 612
bitinctus DLAB., *Oliarus* 629
bloetei DLAB., *Hysterodus* 564
bohemani (ZETT.), *Diplocolenus* 606
bohemica DLAB., *Fieberiella* 610
boica WAGN., *Balclutha* 637
boldi (SCOTT), *Gravesteiniella* 550
bolivari HORV., *Caliscelis* 560
bolivari (HORV.), *Parorgeriooides* 558
bolivari (MEL.), *Aphrodes* 582
bolivari (MEL.), *Goniagnathus* 610
bolivari (MEL.), *Pseudaraeopus* 554, 630
bolivari SIGN., *Stegelytra* 582
bonelli (LATR.), *Caliscelis* 562
borealis (J. SHLB.), *Criomorphus* 548
borussicus WAGN., *Cixius* 626
bosnica (HORV.), *Malenia* 556
bottnica HULD., *Javesella* 550
bourouensis LNV., „*Oliarus*“ 542, 628
brabantica WAGN., *Macropsis* 574
brachycephalus (FIEB.), *Brachyceps* 558, 631
brachycranus SCOTT, *Cixius* 627
brachynota FIEB., *Tettigometra* 560
brachyptera (BOH.), *Agallia* 586
brachypterus FIEB., *Errhomenus* 592, 644
breviceps HORV., *Bursinia* 566
brevilinea MATS., „*Oliarus*“ 552
brevipennis (BOH.), *Muellerianella* 562
brevis (H.-S.), *Goniagnathus* 620
brevis (RIB.), *Arboridia* 604
brucki FIEB., *Kelisia* 554
brullei FIEB., *Cicadetta* 578
brunnea MEL., *Eurysa* 560

- issus 618
 tix 602, 637
 604
 624, 641
 635
 illa 572, 633
 6
 58
)
 4, 630
 548
 628
 558, 631
 644
 562
 brunnea (SIGN.), *Eurychila* 568, 641
 brusinae (HORV.), *Balcanocerus* 588
 bulgaricus OSH., „*Deltoccephalus*“ 614
 butleri (EDW.). *Kybos* 598, 645
 calaber DLAB., *Macropsidius* 574
 calabricus DLAB., *Adarrus* 598
 calabricus DLAB., *Conomelus lorifer* 548
 calamagrostidis REM., *Lebradea* 614
 calamagrostis Oss., *Balclutha* 602
 calcarea Oss., *Eupteryx* 592
 caledonicus CHINA, *Cixius* 540, 626
 callosa (THEN), *Ossiannilssonola* 594
 calyculus (CER.), *Kybos* 588, 635
 cambricus CHINA, *Cixius* 540, 626
 campestris (FALL.), *Neophilacenus* 572
 camphorosmatis (EM.), *Anaceratagallia* 576, 634
 candelabricus DLAB., *Kybos* 588, 635
 candidatus EM., *Ranissus* 558
 candidula (KBM.), *Edwardsiana* 588
 cantans (F.), *Euryphara* 568, 633
 cantoreanica Dwor., *Arboridia* 596
 capeneri Izz., *Oxyrhachis* 572, 633
 capicola (STÅL), *Exitianus* 610, 639
 capitatus MATS., *Deltoccephalus* 641
 capnodes (SCOTT), *Delphacodes* 548
 carayoni BOUL., *Tettigetta* 570
 carinata HORV., *Bursinia* 556
 carinata (STÅL), *Aphrodes* 582, 634
 carneae WAGN., *Ulopa* 572
 carniolicus WAGN., *Cixius* 540, 627
 carpathica MEL., *Agallia* 576
 carpathicus LOGV., *Mycterodus* 566
 carpini (J. SHLB.), *Oncopsis* 576
 carri (EDW.), *Dryocyba* 588
 caspia EM., *Achaetica* 598, 637
 caspiana (DLAB.), *Euides* 570
 caspianus DLAB., *Goniagnathus* 610, 639
 caspica DLAB., *Chlorita* 586
 caspicus AN., *Rhytidodus* 578
 castelvecchica DLAB., *Eupteryx* 592
 caucasica (KOL.), *Cicadetta* 568, 632
 caucasicus EM., *Diplocolenus* 606, 638
 caucasicus LOGV., *Jassargus* 612, 639
 caudatu (FL.), *Cosmotettix* 604
 cebenniscus RIB., *Jassargus alpinus* 612
 ocedri DROS., *Remanodelphax* 554
 cencovica DLAB., *Macropsis impura* 574
 cephalotes (H.-S.), *Psammotettix* 622
 cerasi EM., *Handianus* 610, 639
 cerea (GERM.), *Macropsis* 574, 633

- cerricola LAUT., *Fagocyba* 594
 charazianus LOGV., *Macropsidius* 574
 chinai Oss., *Chloriona* 546
 chloris AN., *Chloroasca* 586
 chloris (HORV.), *Balclutha* 602, 637
 chloroticus FAIRM., *Centrotus* 572
 chloroticus (MEL.), *Nanosius* 618
 chobauti RIB., *Macrosteles* 614
 chobauti RIB., „*Typhlocyba*“ 594
 cinerascens EM., *Chelidinus* 604, 638
 cinereus (OL.), *Issus* 564
 cisalpina DWOR., *Erythria* 584
 ciscaucasicus EM., *Diplocolenus* 606, 638
 cisticola FAIRM., nec HAG., *Cicada* 633
 cisticola (HAG.), *Tibicina* 570, 633
 cisticola larestifi BOUL., *Tibicina* 570
 citrinella (ZETT.), *Forcipata* 584
 clavalis MATS., *Typhlocyba* 637
 clavata DLAB., *Chloriona* 546
 clavicornis (F.), *Asiraca* 544
 clypealis (J. SHLB.), *Paraliburnia* 554
 clypeata (HORV.), *Pastiroma* 554, 630
 coccinea (FORST.), *Graphocephala* 635
 coelatus (M., R.), *Conosimus* 564
 cognatus (FIEB.), *Ebarrius* 608
 coleoptrata (L.), *Lepyronia* 570, 633
 coleoptratus (F.), *Issus* 564, 631
 collina (FL.), *Eupteryx* 592, 636
 collina: RIB., *Eupteryx* 636
 collina florida RIB., *Eupteryx* 636
 collinus (BOH.), *Mocuellus* 616
 collinus (BOH.), *Ribautodelphax* 554
 comitans EM., *Psammotettix* 622, 641
 communis (FERR.), *Allygus* 600, 637
 communis FERR., *Jassus mixtus* var. 637
 commutatus (FIEB.), *Allygidius* 600, 637
 complicatus NAST., *Platymetopius* 620, 641
 concinna (GERM.), *Cicadatra* 568, 632
 concinna (GERM.), *Eurhadina* 594, 636
 concinnus HORV., *Ommatidiotus* 562
 concolor (FIEB.), *Reptalus* 542
 concolor FIEB., *Tettigometra* 560
 concors HORV., *Doratura* 608
 confinis (DHLB.), *Psammotettix* 622
 confinis (REUT.), *Streptanus* 626
 confinis (ZETT.), *Cixidia* 556
 confinis ZETT., *Thamnotettix* 626
 confusa LNV., *Kelisia* 544
 confusus (FL.), *Populicerus* 578
 confusus STÅL, *Mycterodus* 566, 631
 consobrina CURT., *Agallia* 576
 conspersus (H.-S.), *Selenocephalus* 624

conspurcatum (SPIN.), *Quadrastylum* 566, 632
conspurcatus (PERR.), *Chiasmus* 604
contaminata MEL., *Eupteryx* 592
contentei BOUL., *Euryphara* 568
contraria (RIB.), *Emelyanoviana* 584
convenarum (RIB.), *Diplocolenus* 606, 638
cookei GILL., *Stenometopiellus* 624, 641
coracina CSIKI, „*Liburnia*“ 552
cordiger (RIB.), *Jassargus* 612
coriaceus (FALL.), *Peuceptyelus* 572
corisipennis FERR., *Jassus mixtus* var. 637
cornicula (MARSH.), *Ophiola* 618
cornicula MEUSN., *Zyginidia* 598
corniculata (PUT.), *Bubastia* 562
cornutus (H.-S.), *Enanticephalus* 608
cornutus (L.), *Centrotus* 572
coronata LOGV., *Hysterella* 564, 631
coronifera (MARSH.), *Recilia* 624
corsica LETH., *Eupteryx* 592
corsica (RAMB.), *Tibicina* 570, 633
corsicum DLAB., *Agalmatium* 562
corsicus BONF., *Metagoldeus* 616, 640
corticea GERM., *Aphrophora* 570
corvina (HORV.), *Bobacella* 602
coryli LE Q., *Alebra* 582
costale (MATS.), *Agalmatium* 562, 631
costalis (FALL.), *Cosmotettix* 604
costalis MATS., *Aphrophora* 570, 633
costata PANZ., *Cicada* 634
costulata FIEB., *Tettigometra* 560, 634
cracoviensis DWOR., *Kybos* 635
crambiformis GERM., *Flata* 629
crassicornis (PANZ.), *Delphax* 548
crassipes (J. SHLB.), *Metidiocerus* 578
crassus (SÁR.), *Anoscopus* 580, 634
crataegi (DGL.), *Edwardsiana* 588
cretacea (MOR.), *Hauptidia* 596
cretica ASCHE, *Lindbergina* 594
cretica DWOR., *Edwardsiana* 588
creticola ASCHE, *Kelisia* 544
creticus DLAB., *Tachycixius* 544, 629
creticus DLAB., *Thamnotettix* 626, 642
cristatus (RIB.), *Macrosteles* 614
crocea (H.-S.), *Mocydia* 616, 640
cruciata (RIB.), *Ribautiana* 594
cruciatus DLAB., *Anoplotettix* 600, 637
cruentata (H.-S.), *Fagocyba* 594, 636
cruentatus (PANZ.), *Idiodonus* 612
cuniceps MEL., *Mycterodus* 566, 632
cunicularius (L.), *Cixius* 540, 627
curtisi FL., *Typhlocyba* 636
curtulum (MEL.), *Agalmatium* 562

curvatus DLAB., *Platymetopius* 620
curvatus (LOGV.), *Pentastiridius* 542
curvatus RIB., *Jassargus* 612
cuspidata (F.), *Eupelix* 580
cuspitatus (FIEB.), *Reptalus* 542, 628
cyane (BOH.), *Macrosteles* 614
cyclops MATS., *Eupteryx* 592, 636
cyclops (M., R.), *Phlogotettix* 620
cygnetis (FIEB.), *Falcidius* 564
cypria (RIB.), *Eupteryx* 592, 636
cypriacus LNB., *Opsius* 618, 640
cyrnea SPIN., *Dictyophara* 556, 630
cytisi ZACHV., *Handianus* 610, 639

daedaleus LOGV., *Adarrus* 600
dagestanicus DLAB., *Platymetopius* 620
dagestanicus (KUSN.), *Pentastiridius* 542, 628
dahlbomi (ZETT.), *Sonorinus* 624
dalei (SCOTT), *Scottianella* 554, 630
dalmatina WAGN., *Arboridia* 596
dalmatinus DLAB., *Quartausius* 624
dalmatinus HORV., *Pseudaraeopus* 554
damryi (LETH.), *Brachyceps* 558, 631
dealbata CER., *Empoasca* 586, 635
debilis (DGL.), *Ribautiana* 594
decedens PAOLI, *Empoasca* 586, 635
decempunctata (FALL.), *Linnauoriana* 594
decennotata R., *Eupteryx* 592
decimusquartus (SCHRK.), *Rhytidodus* 578, 634
decipiens PAOLI, *Empoasca* 586, 635
decipiens meridiana ZACHV., *Empoasca* 635
decipiens minutissima VILB., *Empoasca* 586
decora LDB., *Melicharella* 576, 634
decorata (SIGN.), *Eurychila* 560, 631
decoratus (HPT.), *Goniagnathus* 610, 639
decumana (KONTK.), *Ophiola* 618
dehneli NAST, *Conomelus lorifer* 548
delalandei: auct., *Oxyrhachis* 633
dentatus D'URSO, *Jassargus* 612
denticauda (BOH.), *Acanthodelphax* 546
depressa FIEB., *Tettigometra* 560
desertorum (FIEB.), *Tachycixius* 544
desertorum KUSN., *Batracomorphus* 580
detectus RIB., *Allygidius* 600
difforme (SPIN.), *Cyphopterum* 568
digitatus (RIB.), *Kybos* 588
dilatatus (FOURCR.), *Latissus* 566
dilutior (KBM.), *Thamnotettix* 626, 642
dimidiata A. COSTA, *Caliscelis* 562, 631
dimidiata R., *Eurysa* 550, 629
dimidiatus (RIB.), *Tremulicerus* 578, 634
diminuta (MATS.), *Micrometrina* 560

28

34

5

- eminutus* RIB., *Aphrodes bicinctu* var. 534
emissa (HAG.), *Cicadetta* 568
emorphus (MATS.), *Cemus* 546
excessus (HORV.), *Opsiush* 618, 640
escolor (BOH.), *Javesella* 550
escolor (GERM.), *Scorlupella* 566, 632
escolor HORV., *Bursinia* 556
escolor HORV., *Zygina* 596
escolor (J. SHLB.), *Ederranus* 608
escrepans FIEB., *Ranissus* 548
escrepans (FIEB.), *Trirhacus* 544
escrepans HPT., *Megamelus* 552
espar (FIEB.), *Macropsidius* 574, 633
essimilis (FALL.), *Ommatidiotus* 562
estincta (LUC.), *Tettigometra* 560, 631
estincta LNV., *Jubrinia* 614, 640
estincta MEL., *Dictyophara* 556
estincta (RAMB.), *Tympanistalna* 570
estinctus (FL.), *Nothodelphax* 552
estinctus (SIGN.), *Tachycixius* 544
estinguenda (KBM.), *Hauptidia* 596, 636
estinguenda ecalii LNV., *Hauptidia* 636
estinguendum (KBM.), *Agalmatium* 562
estinguendus (FL.), *Jassargus* 612, 639
estinguendus KBM., *Cixius* 540, 627
estinguendus (KBM.), *Euscelis* 608
estinguendus (KBM.), *Tremulicerus* 578
avaricata RIB., *Cicadula* 638
avergens KBM., *Dicranotropis* 548
avergens R., „*Deltcephalus*“ 606
aversa (EDW.), *Edwardsiana* 588
abolae RODR., *Selenocephalus* 624
abolai QUART., *Goldeus* 610
abolai WAGN., *Dryodurgades* 576
abrogica (CANT.), *Planaphrodes* 582
ahrni KBM., *Hysteropterum* 632
amino (REUT.), *Hesium* 612
anata LOGV., *Eurhadina* 594
orsalis HORV., *Zygina* 637
orsata EDW., *Chloriona* 546
orsatum (AHR.), *Haematoloma* 570
orsofenestratus DLAB., *Platymetopius* 620
orycnii RIB., „*Erythroneura*“ 596
ougiasi (EDW.), *Fagocyba* 594, 636
ougiasi (SCOTT), *Eurysha* 550, 629
rosopoulosi DLAB., *Mycterodus* 566, 632
ubia (KBM.), *Javesella* 550
ubia (RAMB.), *Cicadetta* 568
ubiosum MATS., *Hysteropterum* 631
ubiosus (MATS.), *Neoaliturus* 618, 640
ubiosus WAGN., *Trirhacus* 544
ubius Oss., *Psammotettix* 620

- dubius* WAGN., *Cixius* 540, 627
duffelsi DLAB., *Hauptidia* 596
duffelsi DLAB., *Hyalesthes* 540
duffelsi (DLAB.), *Iubsoda* 550, 630
duffelsi DROS., ASCHE, *Eurysha* 550, 629
duffelsi WAGN., *Fieberiella* 610
duffieldi (LE Q.), *Anoscopus* 580
dufouri SPIN., *Issus* 631
dumosa (RIB.), *Chlorita* 586
duodecimguttatus CER., *Deltcephalus* 637
durmitoricus DLAB., *Streptopyx* 626
- ecbalii* LNV., *Hauptidia distinguenda* 636
ecchelii FERR., „*Deltcephalus*“ 604
eburnea FIEB., *Zygina* 596
edirneus (DLAB.), *Ranissus* 558, 631
edwardsi LE Q., *Chloriona* 629
edwardsi (LDB.), *Cosmotettix* 604
esoriae (DLAB.), *Herbalima* 550
egregia KIR., *Edwardsiana* 590
elaeagni EM., *Macropsis* 574, 633, 634
elegans (FL.), *Metidiocerus* 578
elegantulus (BOH.), *Hyledelphax* 550
ellisi DLAB., *Adarrus* 600
ellisi DLAB., *Aphelonema* 560
elongata (LETH.), *Planaphrodes* 582
elongatula LNV., *Bursinia* 558, 630
elongatus MATS., „*Oliarus*“ 542, 628
elongatus WAGN., *Rhopalopyx* 624
emelianovi LOGV., *Latilica* 564
emelyanovi DWOR., *Elymana* 639
emmeae FIEB., *Trigonocranus* 544
empetri (OSS.), *Macrosteles* 614
ephedrae EM., *Handianus* 610, 639
erecta (RIB.), *Arboridia* 596
eremi LDB., *Tettigometra* 560
eremita ZACHV., *Zyginidia* 598
ergenensis (BECK.), *Rhissolepus* 566
ericae LDB., *Ericotettix* 608
erraticus LNV., *Psammotettix* 642
erythrocephala (FERR.), *Nesoclutha* 618, 640
estonica VILB., *Anaceratagallia* 576
estrellae BOUL., *Tettigetta* 570
etnensis WAGN., *Anoplottetix* 600, 637
etruscus DLAB., *Mycterodus* 566
eugeniae KUSN., *Tshurtshurnella* 566
europaea (L.), *Dictyophara* 556, 630
europiae EM., *Handianus* 610, 639
eurypoctum KBM., *Hysteropterum* 631
europaeus MEL., „*Deltcephalus*“ 606
euxinus DLAB., *Opsiush* 618
evanescens OSS., *Cosmotettix* 604

- excisa* (MEL.), *Unkanodes* 554
excisus (MATS.), *Psammotettix* 622, 641
exclamationis (THNBG.), *Neophilaenus* 572
exemptus MEL., *Thamnotettix* 626
exigua (BOH.), *Koswigianella* 552
exilis HORV., *Doratura* 608, 638
exilis WAGN., *Psammotettix* 641
eximius (KBM.), *Hecalus* 580, 634
exornata HORV., *Typhlocyba* 636
exornatus RIB., *Adarrus* 600
expansa (ZACHV.), *Arboridia* 596, 636
extrusa SCOTT, *Liburnia* 630
extrusa (SCOTT), *Muellerianella* 552, 630

faciepilosa DLAB., *Ordalonema* 566
fairmairei BOUL., *Tibicina* 570, 633
fairmairei (PERR.), *Muellerianella* 552, 630
falcatus LNV., *Adarrus* 637
falculata RIB., *Eupteryx* 592
fallaciosum MATS., *Hysteropterum* 632
fallax HORV., *Bursinia* 558
falleni STÅL, *Ommatidiotus* 562
fangoana BOUL., *Cicadetta* 568, 632
fascia (LDB.), *Delphacodes* 548
fasciata FERR., *Thamnotettix fenestratus* var. 640
fasciata HORV., *Hemitropis* 540, 628
fasciata (KBM.), *Anakelisia* 544, 629
fasciata (RAMB.), *Tettigometra* 560
fasciatus (FIEB.), *Tremulicerus* 578
fascifrons (STÅL.), *Macrosteles* 614, 640
fasciolata (LETH.), *Tamaricella* 596, 636
fasciolatus (MEL.), *Exitianus* 610, 639
fenestrata A. COSTA, *Trypetimorpha* 558
fenestrata var. *transversalis* PUT., *Thamnotettix* 640
fenestratus (H.-S.), *Neoaliturus* 618, 640
fenestratus var. *fasciata* FERR., *Thamnotettix* 640
fennahi YOUNG, *Graphocephala* 582, 635
fernandesii RODR., *Heliotettix* 639
ferrarii HPT., *Platymetopius* 620
ferrarii (PUT.), *Erythria* 584, 635
festiva R., „*Dicranatura* (*Notus*)” 584
festucarius LOGV., *Stenometopiellus* 641
ficaria (HORV.), *Ficocyba* 594
fieberi (EDW.), *Macrosteles* 614
filicum (NEWM.), *Eupteryx* 592
filigranus (SCOTT), *Platymetopius* 620
fissala FIEB., *Issus* 564
fiumensis MATS., *Typhlocyba* 636
flammigera (FOURCR.), *Zygina* 596, 636
flava (LÖW), *Chlorionidea* 546
flava METC., „*Delphacodes*” 548, 629
flava VID., *Forcipata* 584

flaveola (BOH.), *Paluda* 618
flaveola (BR.), *Cicadetta* 568
flaveola LDB., *Chloriona* 629
flaveola MATS., *Cicadula* 640
flaveolus (FL.), *Xanthodelphax* 554
flavescens (F.), *Edwardsiana* 590, 635
flavescens IV., *Delphax* 629
flavescens (OL.), *Agalmatium* 562, 631
flavicans IV., „*Athysanus*” 602
flaviceps (FIEB.), *Pseudodelphacodes* 564
flavicollis (L.), *Oncopsis* 576
flavipennis SCOTT, „*Deltacephalus*” 606
flavipennis (ZETT.), *Notus* 584
flavipes (SIGN.), *Ditropsis* 550
flavobrunnea (DLAB.), *Euryxa* 550
flavopunctatus MEL., *Errhomenellus* 634
flavostriatus (DON.), *Anoscopus* 580
flavovarius (H.-S.), *Handianus* 610, 639
flavovirens (GILL., BAK.), *Lebradea* 614, 640
flavus FIEB., „*Deltacephalus*” 606
flebilis FIEB., „*Deltacephalus*” 606
flexuosa (RIB.), *Edwardsiana* 590
flori (FIEB.), *Jassargus* 612, 639
flori (J. SHLB.), *Cicadula* 604
florida RIB., *Eupteryx* 592, 636
florida RIB., *Eupteryx collina* 636
florii (STÅL), *Fieberiella* 610
forcipata (BOH.), *Javesella* 550, 630
forcipata (FL.), *Forcipata* 584
forcipigera KIR., *Chlorita* 586, 635
forficula (HORV.), *Euryxa* 550
forficula (RIB.), *Macrosteles* 614
forguja REM., ASCHE, *Euryxa* 550
foribera REM., ASCHE, *Euryxa* 550
formaster LOGV., *Eupteryx* 592
formosissimus A. COSTA, *Trirhacus* 544
formosus (BOH.), *Metalimnus* 616
fornasta ASCHE, DROS., HOCH, *Euryxa* 550
forsicula ASCHE, DROS., HOCH, *Euryxa* 550
foveolatus FIEB., *Glossocratus* 580, 634
framarii ASCHE, REM., *Delphacodes* 548, 629
franzi (WAGN.), *Wagneriala* 584
fraudulenta (HORV.), *Eohardya* 608
frauenseldi (FIEB.), *Diplocolenus* 606
frauenseldi LETH., *Zygina* 596
freyi (FIEB.), *Hephathus* 572
friesei DLAB., *Macropsidius* 574
frigidus (BOH.), *Psammotettix* 622
frisia (WAGN.), *Anaceratagallia* 576, 634
frontalis (FERR.), *Balclutha* 602, 637
frontalis FIEB., „*Typhlocyba*” 594, 636
frontalis (H.-S.), *Cicadula* 604, 638

- 640 *ontalis* (SCOTT), *Macrosteles* 614
ontalis SIGN., *Cephalius* 580, 634
ustrator (EDW.), *Edwardsiana* 590
uchsii (KBM.), *Tremulicerus* 578
lgidus (F.), *Populicerus* 578
mata (LDB.), *Flastena* 550, 630
natipennis DLAB., *Oliarus* 628
mpennis (FIEB.), *Flastena* 550, 630
rcata MATS., *Delphax* 630
rcatus (FERR.), *Allygidius* 600
rcillata (SÁR.), *Planaphrodes* 582, 634
asca FIEB., *Tettigometra* 560
scifrons FIEB., „*Liburnia*“ 552
scinervis (BOH.), *Macropsis* 574
scofasciatus (MEL.), *Pseudolarus* 628
scovenosum FIEB., *Hysteropterum* 631
scovenosus (FERR.), *Anoplotettix* 600
scovitatus (STÅL), *Stenocranus* 546, 629
scula (ZETT.), *Macropsis* 574

alberti RIB., *Euscelis* 608
argano REM., ASCHE, *Kelisia* 544
arraser REM., ASCHE, *Sestrelicola* 624
arricola BOUL., *Tibicina* 570
astrica (STÅL), *Tympanistalna* 570, 633
avoyi RIB., *Stegelytra* 582
enalis FIEB., „*Notus*“ 584
enei (DUF.), *Bursinia* 558
enei (SPIN.), *Cixidia* 556
enestieri MEUSN., *Eupteryx* 592
eniculata (HORV.), *Triecphorella* 570, 633
eniculatus RIB., *Adarrus* 600
enistae (F.), *Gargara* 572
enisticola REM., *Euscelis* 608
geometrica (SCHRK.), *Edwardsiana* 590
gerensis LDB., *Jassargus* 612
ermari (ZETT.), *Wagneripteryx* 594
hilianii FERR., „*Thamnotettix*“ 626
ialovus ASCHE, HOCH, *Stenocranus* 546
ilveolus KBM., „*Delphax*“ 548
giustinai BONF., *Pseudaraldus* 622
glandacea (FIEB.), *Macropsis* 574
glanvillei DALE, „*Cicadula*“ 604, 638
glaucescens FIEB., *Chloriona* 546
glaucescens (FIEB.), *Hecalus* 580
globiceps (LNV.), *Iphicara* 558, 631
globuliferus (WAGN.), *Trirhacus* 544
glycyrrhizae KOL., *Cicada* (*Cicadatra*) 632
raciliior REM., ASCHE, *Ibadarrus* 612
raeca LNV., *Cicadella* 636
raecanarus REM., ASCHE, *Pseupalus* 624, 641

graecicum DLAB., *Latematium* 564
graecornatus REM., ASCHE, *Adarrus* 600
graecus REM., *Anoplotettix* 600, 637
graminea (F.), *Macropsis* 574
grandii SERV., *Arocephalus* 602
granulatus HORV., *Cixius* 540, 627
gratiosa (BOH.), *Edwardsiana* 590
gravesteini DLAB., *Delphacodes* 630
gravesteini DLAB., *Eupteryx* 592, 636
gravesteini DLAB., *Hysteropterum* 564
gravesteini DLAB., *Placotettix* 620
gravesteini RIB., *Tachycixius* 544
gravesteini WAGN., *Macropsis* 574
gravesteinicus DLAB., *Macropsidius* 574
grisea WALK., *Ulopa* 572
griseola FIEB., *Tettigometra* 560
griseola HORV., *Bursinia* 558
grisescens (ZETT.), *Maestus* 616
grylloides F., *Cercopis* 631
guadarramense MEL., *Hysteropterum* 631
guadarramensis FERR., *Ulopa* 572
guaramensis SCOTT, *Liburnia* 630
guentarti DLAB., *Edwardsiana* 635
guttatus FIEB., *Platymetopius* 620
guttula (GERM.), *Kelisia* 544, 629
guttulifera (KBM.), *Kelisia* 544
guttulinervis (KBM.), *Goniagnathus* 610, 639
gyaurdagica DLAB., *Eupteryx* 592, 636
gyllehalpii (FALL.), *Coryphaelus* 604

haematoceps (M., R.), *Neoaliturus* 618
haematodes (SCOP.), *Tibicina* 570, 633
haglundi (J. SHLB.), *Megadelphax* 552
halophilus (HORV.), *Macrosteles* 614
hamata (BOH.), *Dicranotropis* 548
hamatus THEN, „*Deltacephalus*“ 606
handlirschi (MATS.), *Handianus* 614
haranicola REM., ASCHE, *Ibadarrus* 612
hardei DLAB., *Biluscelis* 602
hardei DLAB., *Diplocolenus* 606, 638
harpago (RIB.), *Goldeus* 610
harrarensis (MEL.), *Anacertagallia* 576, 634
harrisoni WAGN., *Macropsis* 574
hartigi (WAGN.), *Jassargus* 612
haupti DLAB., *Cixius* 540, 627
haupti WAGN., *Kelisia* 544
haupti WAGN., *Macropsis* 574
hedenborgi STÅL, *Ricania* 568, 632
helenicus DLAB., *Goldeus* 610, 639
helferi FIEB., *Tettigometra* 560, 631
helianthemi RAMB., *Cicada* 632, 633

helichrysi VID., *Chlorita* 586
hellas ASCHE, *Xanthodelphax* 554
helleri DLAB., *Chelidinus* 604
helva ARZ., *Edwardsiana* 590
helvolus (KBM.), *Psammotettix* 622
hemiptera (O. COSTA), *Bursinia* 558
henribauti DLAB., *Platymetopius* 620
henschii HORV., *Kelisia* 544
heptapotamica (KUSN.), *Ziczacella* 596, 636
heracleionica DLAB., *Macropsis* 574, 634
heros (MEL.), *Doraturopsis* 608, 639
herrickii KBM., *Idiocerus* 578
heterophyla HORV., *Doratura* 608
hexaspina (KOL.), *Histrionia* 560, 631
heydenii (KBM.), *Acericerus* 578
heydenii KBM., *Cixius* 540, 627
heydenii (KBM.), *Eupteryx* 592
hieroglyphicus KUSN., „*Thamnotettix*“ 626
hippocastani (EDW.), *Edwardsiana* 590
hispana PUT., *Aconura* 598
hispaniae (YOUNG, FRAZ.), *Neoaliturus* 618
hispanica DLAB., JANK., *Erythria* 584
hispanica HORV., „*Agallia*“ 576
hispanica LNV., *Dicyophara acuminata* 630
hispanica REM., ASCHE, *Mogangella* 616
hispanicus DLAB., *Goldeus* 610
hispanicus MATS., „*Oliarus*“ 542
hispanus DLAB., *Macropsidius* 633
hispidus LOGV., *Cixius* 540, 627
hispijimena ASCHE, *Toya* 554
histrionicus (F.), *Anoscopus* 580
hofferi (DLAB.), *Praganus* 620
homeyeri KBM., „*Jassus (Thamnotettix)*“ 614, 640
homophyla (FL.), *Doratura* 608
horaki DLAB., *Selenocephalus* 624
horridus LNV., „*Oliarus*“ 542, 628
horvathi METC., *Anoplotettix* 600
horvathi Soós, *Sphenidius* 566
horvathi (THEN), *Recilia* 624
horvathi WAGN., *Doratura* 608
horvathi (WAGN.), *Macrosteles* 614, 640
humilis HORV., *Idiocerus* 578
hungarica (RIB.), *Chlorita* 586, 635
hungaricus OROSZ, *Psammotettix* 622
hyalina (F.), *Cicadatra* 568
hyalinus FIEB., „*Deltocephalus*“ 606, 638
hyalinus FIEB., „*Oliarus*“ 542
hyalinus (OSB.) *Japananus* 612, 639
hyperici (H.-S.), *Zygina* 596, 637
hypochlorus (FIEB.), *Rhoananus* 624
ibericus REM., *Anoplotettix* 600, 637

ibericus REM., *Psammotettix* 622
ibiturca ASCHE, *Toya* 554, 630
iblea D'URSO, *Doratura* 608, 638
icarus OSS., *Lebradea* 640
ida DLAB., *Fieberiella* 610
ikumae MATS., *Thamnotettix* 639
ignoscus FIEB., *Deltcephalus* 639
ignoscus FIEB., „*Deltcephalus*“ 606
ignoscus (MEL.), *Handianus* 610, 639
illyricus (KBM.), *Tetartostylus* 626, 641
imitans (RIB.), *Ribautodelphax* 554
immaculatifrons (KBM.), *Eupteryx* 592
immaculatus (F.), *Mycterodus* 566
immunda HORV., *Euryxa* 550, 629
immundus MATS., „*Deltocephalus*“ 606
impictifrons (BOH.), *Laburrus* 614
impressifrons (KBM.), *Tremulicerus* 580
impressifrons M., R., *Tettigometra* 560
impressopunctata DUF., *Tettigometra* 560
impressum (FIEB.), *Fieberium* 564
impudica HORV., *Doratura* 608
impura (BOH.), *Macropsis* 574
impura cencovica DLAB., *Macropsis* 574
incertum LDB., *Cyphopterum* 568
incisa (THEN.), *Wagneriala* 584
incisus (KBM.), *Euscelis* 608
inconspicua (VID.), *Hauptidia* 596
inconspicuus STÅL, *Ommatidiotus* 562
inermis RIB., *Delphax* 548
inermis WAGN., *Metropis* 552
inexpectatus DLAB., *Paralimnus* 618, 641
inexpectatus REM., *Psammotettix* 622
infumatus (HPT.), *Neophilaenus* 572
infuscata (J. SHLB.), *Macropsis* 574
inscriptus (HPT.), *Neoaliturus* 618, 640
instabilis (RIB.), *Doratulina* 606, 638
insulana (RIB.), *Eupteryx* 592, 636
insulanum DLAB., *Quadrastylum* 566
intermedia (BOH.), *Cicadula* 604, 638
intermedia KBM., *Cercopis* 570
intermedia REM., *Mocydiopsis* 616
intermedius: auct., *Cixius* 628
intermedius EM., *Diplocolenus* 606, 638
intermedius SCOTT, *Cixius* 627
interruptus (L.), *Evanthus* 582, 635
interstinctus (FIEB.), *Ebarrius* 608
interstitialis (GERM.), *Artianus* 602
intricatus (H.-S.), *Phlepsius* 620
intricatus STÅL, *Mycterodus* 566, 632
involutus DLAB., *Macropsidius* 574
iranicola ZACHV., *Edwardsiana* 590, 635
irregularata HPT., *Kelisia* 544

- toratus* LEW., *Batracomorphus* 580
tidae (MATS.), *Edwardsiana* 590, 635
alica (RIB.), *Zyginidia* 598
alica (WAGN.), *Cixidia* 556
alicus WAGN., *Notus* 584
anoffi (LETH.), *Anoterostemma* 602
anovi KUSN., *Doratura* 608
anovi LOGV., *Kybos* 588
akowlefi LETH., *Aconura* 598
altaicus DLAB., *Mycterodus* 632
ankovici DLAB., *Bubastia* 562
ankovici DLAB., *Erythria* 584, 635
aponica MEL., *Ricania* 568, 632
assargiforma DLAB., *Philaia* 620
enjouristi (ZACHV.), *Psammotettix* 622
erseyensis LE Q., *Lindbergina* 594, 636
sei BOUL., *Tettigetta* 570
nisovi DLAB., *Bubastia* 562
nisovi DLAB., *Streptanus* 626
ncunda (H.-S.), *Eupterycyba* 590
ncundus (LETH.), *Opsiushispidus* 618, 640
niperi (LETH.), *Liguropia* 584, 635
venis FERR., *Jassus mixtus* var. 637
saloneroi ASCHE, *Rhytidostylus* 624
semneri (Oss.), *Edwardsiana* 590
virgisorum KUSN., *Falcidiopsis* 654, 631
irschbaumi WAGN., *Eurhadina* 594
nichti DLAB., *Fieberiella* 610
obachidzei DLAB., *Mycterodus* 566, 632
oeleriae ZACHV., *Psammotettix* 622, 641
olosvarensis (MATS.), *Psammotettix* 622
ontkaneni Oss., *Empoasca* 586
orovini ZACHV., *Chlorita* 586, 635
ozhevnikovi (ZACHV.), *Elymana* 608, 639
rasheninnikovi ZACHV., *Chlorita* 586
ratochvili (LANG), *Arboridia* 596
rueperi (FIEB.), *Callodictya* 556
rueperi FIEB., *Zygina* 596, 637
uthyi TÓTH, *Glossocratus* 634
usnezovi VILB., *Doratura* 608
uznetsovi EM., *Laburrus* 614
xiniatus (THEN), *Rosenus* 624, 641
steinervis (KBM.), *Mimallygus* 616
etiae DLAB., *Eurysa* 629
etiae SERV., *Diplocolenus* 606, 638
etus (H.-S.), *Brachyceps* 558
teva (R.), *Planaphrodes* 582, 634
tevis LETH., „*Athysanus*“ 602
tevis (RIB.), *Anaceratagallia* 576, 634
tevis (RIB.), *Macrosteles* 614, 640
laevis acuteangulata ZACHV., *Anaceratagallia* 576,
634
lagrecai D'URSO, *Jassargus* 612
lakonicus DLAB., *Arocephalus* 602
lambertiei MEL., „*Idiocerus*“ 578
lamellaris (RIB.), *Edwardsiana* 590
lamellata (LOGV.), *Edwardsiana* 590
lamii DESC., *Agenia* 562
laminatus (FL.), *Populicerus* 578
lanceolata DLAB., *Chlorita* 586
languidus (FL.), *Arocephalus* 602
lanio (L.), *Iassus* 580
lanternae WAGN., *Typhlocyba* 635
lapidicola (VID.), *Hauptidia* 596, 636
lapponica (ZETT.), *Cixidia* 556
lapponicus (OSS.), *Psammotettix* 622
larestifi BOUL., *Tibicina cisticola* 570
larvatus (H.-S.), *Balcanocerus* 578
lasiocarpe OSS., *Cicadella* 582
latespinosa (DLAB.), *Unkanodes* 554, 630
latifrons (FIEB.), *Latematium* 564, 631
latifrons FIEB., „*Liburnia*“ 552, 630
latifrons (KBM.), *Metropis* 552
latinus LNV., *Metropis* 552
latinus (WAGN.), *Jassargus* 612
latipes HORV., *Bursinia* 558
lauri AHR., *Issus* 564
lauri (HORV.), *Synophropsis* 626
lavicus D'URSO, *Rhytidostylus proceps* 624
lelievrei (LETH.), *Eupteryx* 592
lepidus (BOH.), *Euconomelus* 550
leporinus (L.), *Pentastiridius* 542, 628
leptopus FIEB., *Ranissus* 558, 631
leptosoma (FL.), *Florodelphax* 550
leptus FIEB., *Megamelus* 552, 630
lequesnei WAGN., *Megamelodes* 552
lethierryi (EDW.), *Edwardsiana* 590
lethierryi (M., R.), *Pseudaraeopus* 554
lethierryi SCOTT, „*Liburnia*“ 552
lethierryi WAGN., *Opsiushispidus* 618, 640
leucophaea PREYSSL., *Cicada* 631
leucophaeus KBM., „*Jassus (Deltoccephalus)*“ 614
ligustinus WAGN., *Tachycixius* 544
liliimacula O. COSTA, *Issus* 631
limbata KBM., *Agallia* 576
limbatellus (ZETT.), *Diplocolenus* 606, 638
limbatus FIEB., „*Oliarus*“ 542
limbatus (SIGN.), *Trirhacus* 544
limicola (EDW.), *Anoscopus* 580, 634
limonii EM., *Handianus* 612, 639
limpidus (WAGN.), *Kybos* 588
limpidus (WAGN.), *Neophilaenus* 572

lindbergi (DLAB.), *Reptalus* 542, 629
lindbergi (LNV.), *Kybos* 588
lindbergi METC., *Dictyophara* 556, 630
lineata FIEB., *Paropolopha* 572
lineata (LDB.), *Zyginidia* 598, 637
lineata (PERR.), *Eurysa* 570
lineaticollis (DIST.), *Paramesodes* 641
lineatopunctata (MATS.), *Cicadula* 604, 638
lineatus (L.), *Neophilaenus* 572, 633
lineolata (HORV.) *Balclutha* 602, 637
lineolatus BR., *Euscelis* 608
lineolatus RIB., *Cixius* 540, 627
lingi VILB., *Mocuellus* 616
linnavuorii LE Q., *Delphacodes* 548, 629
linnavuorii QUART., *Agallia* 576
lithuanica VILB., *Anaceratagallia* 576
litoralis (REUT.), *Paradelphacodes* 552
litoralis BALL, *Scaphoideus* 641
littoralis KUNTZE, *Doratura* 608
lituratus (FALL.), *Idiocerus* 578, 634
livens (ZETT.), *Stroggylocephalus* 582
lividus (EDW.), *Macrosteles* 614
lobulata FIEB., *Cicadetta* 568
loewi (HORV.), *Anoplotettix* 600
loewi (LETH.), *Lindbergina* 594, 636
loewii (THEN), *Eurhadina* 594, 636
logvinenkoae EM., *Diplocolenus* 606, 638
logvinenkoae KIR., *Edwardsiana* 590, 635
longicauda REM., *Mocydiopsis* 616
longiceps (KBM.), *Arocephalus* 602
longiceps (LNV.), *Tachycixius* 544, 629
longiceps (PUT.), *Neophilaenus* 572, 633
longiceps PUT., *Ommatidiotus* 562
longicornis (J. SHLB.), *Achorotile* 546, 629
longicornis (SIGN.), *Micrometrina* 560
longicornis VID., *Zyginidia* 598
longicornis VILB., *Mocuellus* 616
longipennis (CURT.), *Stenocranus* 546
longipes (DUF.), *Almana* 556
longirostris WALK., *Dictyophara* 556
longiventris (J. SHLB.), *Cicadula* 604, 638
longiventris J. SHLB., *Limotettix* 638
longivertex GRUEV, *Mycterodus* 632
lorifer RIB., *Conomelus lorifer* 548
lorifer lorifer RIB., *Conomelus* 548
lorifer dehneli NAST, *Conomelus* 548
lorifer calabricus DLAB., *Conomelus* 548
lucaniae (DLAB.), *Paramesodes* 618, 641
luctuosa (A. COSTA), *Tibicina* 570, 633
ludus (DAV., DEL.), *Kybos* 588, 635
ludviki DLAB., *Bubastia* 562

lugens GERM., *Ulopa* 572, 633
lugubrina (BOH.), *Struebingianella* 554
lugubris EM., *Fieberiella* 610
lugubris FIEB., „*Oliarus*“ 542
lugubris MEL., „*Athysanus*“ 602
lugubris (SIGN.), *Jassidaeus* 550
lukia DLAB., *Bubastia* 562
lunaris LOGV., *Jassargus* 612
lunaris (M., R.), *Zygina* 598
lunulatus (ZETT.), *Doliotettix* 606
lurida (FIEB.), *Eurysula* 550, 630
luridus FERR., „*Athysanus*“ 602
lusitanica BOUL., *Cicada barbara* 568
lusitanica (RODR.), *Planaphrodes* 582
lusitanicus SIGN., *Selenocephalus* 624
luteipennis R., *Zygina* 598
luteipes FIEB., *Hyalesthes* 540
lutescens FIEB., „*Oliarus*“ 542
luteus M., R., „*Deltocephalus*“ 606
lybica (BG., ZAN.), *Jacobiasca* 588, 635
lyncea HORV., *Tettigometra* 560

macrocephalus (FIEB.), *Mitricephalus* 560
macroptera O. COSTA, „*Delphax*“ 548
maculatus RIB., *Allygus* 600
maculiceps BOH., *Deltoccephalus* 604
maculiceps (HORV.), *Stiromoides* 554
maculicollis CURT., „*Idiocerus*“ 578, 634
maculifrons M., R., *Hysteropterum* 564
maculipennis CURT., „*Eupteryx*“ 594, 636
maculipennis (LNV.), *Maculidelphax* 552, 630
maculipes (MEL.), *Dalmatrium* 564
maculosus (THEN), *Macrosteles* 614
major HPT., *Paramesus* 620, 641
major KBM., *Pentastira* 542
major (KBM.), *Platymetopius* 620
major (KBM.), *Stenocranus* 546
major (WAGN.), *Forcipata* 584
major atrata (DLAB.), *Pentastira* 542, 628
majusculus LNV., *Psammotettix* 622, 641
makarovi MOR., *Psammotettix* 622
makarovi ZACHV., *Aphrodes* 582, 634
malagense (MATS.), *Fieberium* 564
malagensis MATS., *Mesoliarius* 542
malickyi DLAB., *Anoplotettix* 600, 637
mallorcae DLAB., *Macrosteles* 614, 640
manderstjernii (KBM.), *Artianus* 602
manderstjernii (KBM.), *Erythria* 584, 635
mannerheimi KONTK., *Cicadula* 640
margaritae DLAB., *Kazachstanicus* 614, 640
margaritinus FERR., *Jassus mixtus* var. 637

- marginata (H.-S.), *Macropsis* 574
 marginatus (KBM.), *Streptanus* 626
 margineguttata LETH., „*Typhlocyba*“ 594, 636
 marginicollis (SPIN.), *Cixidia* 556, 630
 maritima (RIB.), *Chlorita* 586
 maritimus (PERR.), *Psammotettix* 622
 armoratus (FL.), *Metalimnus* 616
 marocana (MEL.), *Hauptidia* 596, 636
 marshalli SCOTT, „*Liburnia*“ 552, 630
 martigniaca (CER.), *Edwardsiana* 590
 martini (LETH.), *Cechenotettix* 602, 637
 martini LETH., *Thamnotettix* 638
 matsumurana (METC.), *Sogatella* 554, 630
 matsumuri (METC.), *Melillaia* 616, 640
 maura FIEB., *Metropis* 552
 navromoustakisi DLAB., *Hyalesthes* 540, 628
 mayri FIEB., *Metropis* 552
 mayri (KBM.), *Allygidius* 600
 medea LOGV., *Scorlupella* 566
 mediterranea FIEB., *Cicadetta* 568
 mediterraneus LNV., *Handianus* 612, 639
 medioides (M., R.), *Emelianovianus* 608
 medvedevi KIR., *Zygina* 637
 medvedevi LOGV., *Doratura* 608
 megerlei (FIEB.), *Macropsis* 574, 634
 megataurus REM., ASCHE, *Adarrus* 600
 melanocephala FIEB., „*Liburnia*“ 552
 melanochaetus (FIEB.), *Reptalus* 542
 melanophleps FIEB., *Hysteropterum* 564, 631
 melanops FIEB., *Kelisia* 544
 melanopsis (HARDY), *Hardya* 612
 melichari (HORV.), *Aphelonema* 562
 melissae CURT., *Eupteryx* 592
 mellae FERR., „*Deltocephalus*“ 606
 mendax (FIEB.), *Macropsis* 574
 mendax (RIB.), *Chlorita* 586
 menzbieri ZACHV., *Edwardsiana* 590
 meridiana ZACHV., *Empoasca decipiens* 635
 meridionalis BONF., *Japananus* 612
 meridionalis (HPT.), *Delphax* 548
 mesasiaticus ZACHV., *Kybos* 588, 635
 mesomelas (BOH.), *Delphacinus* 548
 mesopyrrhus (KBM.), *Tremulicerus* 580, 634
 messinicus DLAB., *Adarrus* 600
 metrius (FL.), *Mocuellus* 616
 micantula (ZETT.), *Micantulina* 584
 michalki (WAGN.), *Trirhacus* 544
 minima (J. SHLB.), *Wagneriala* 584
 minima RIB., *Kelisia* 544
 minitaurus REM., ASCHE, *Adarrus* 600
 minoidis DLAB., *Thamnotettix* 626, 642
 minor (KBM.), *Neophilaenus* 572
 minor KUSN., *Goniagnathus* 610
 minuscula (HORV.) *Falcotoya* 550
 minusculus MEL., „*Oliarus*“ 542, 628
 minuta MEL., *Agallia* 576
 minutior (DLAB.), *Reptalus* 542
 minutissima VILB., *Empoasca decipiens* 586
 minutus (F.), *Stenocranus* 546
 minutus KUPKA, „*Athysanus*“ 602
 mirabilis OROSZ, *Iassus* 580
 mirjanae JANK., *Edwardsiana* 590
 mixtus (F.), *Allygus* 600, 637
 mixtus var. *communis* FERR., *Jassus* 637
 mixtus var. *corispennis* FERR., *Jassus* 637
 mixtus var. *juvenis* FERR., *Jassus* 637
 mixtus var. *margaritinus* FERR., *Jassus* 637
 mlokosiewiczi SIGN., *Hyalesthes* 540, 628
 mocsaryi (HORV.), *Zyginidia* 598
 modesta FIEB., „*Delphax*“ 548
 modestus (HPT.), *Neophilaenus* 572
 modestus (MEL.), *Handianus* 612
 modestus SCOTT, *Allygus* 600, 637
 modica (LOGV.), *Planaphrodes* 582
 moestus (BOH.), *Criomorphus* 548
 mollicula (BOH.), *Emelyanoviana* 584
 molops LETH., „*Chlorita*“ 586
 monoceros RIB., *Kelisia* 546
 montana (BECK.), *Scorlupella* 566
 montana (HORV.), *Dicranotropis* 548
 montana (SCOP.), *Cicadetta* 568, 632, 633
 montana var. *adusta* HAG., *Cicada* 632
 montandoni (HORV.), *Ranissus* 558
 montandoni (PUT.), *Erythria* 584
 montandonica DLAB., *Bubastia* 562
 monticola (LNV.), *Diplocolenus* 606, 638
 monticola (LOGV.), *Planaphrodes* 582
 monticola REM., *Mocydiopsis* 616, 640
 morbillosus (MEL.), *Colobotettix* 604
 moreana DLAB., *Tshurtshurnella* 566
 moreanus DLAB., *Selenocephalus* 624
 morulus LOGV., *Mycteroodus* 566
 mourikisi DROS., *Florodelphax* 550, 630
 mucronatus (RIB.), *Kybos* 588, 635
 mulsanti (FIEB.), *Delphacodes* 548
 mulsanti (FIEB.), *Macropsis* 574
 mulsanti: LNV., *Delphacodes* 629
 multinervia VID., *Chlorita* 586
 multinotatus (BOH.), *Adarrus* 600
 multireticulata M., R., *Dictyophara* 556
 mundus (HPT.), *Euscelidius* 608, 639
 muscaeformis (SCHRK.), *Issus* 564

musivus (GERM.), *Myndus* 542, 628
mutilla RIB., *Cicadula* 604
mutuus LOGV., *Mycterodus* 566, 632

najas NAST, *Macropsis* 574
nanus (H.-S.), *Hephathus* 574
nanus (IV.), *Pentastiridius* 542, 628
narbonensis RIB., *Delphax* 548
nardeti REM., *Psammotettix* 622
narsikulovi DLAB., *Psammotettix* 622, 641
nastasi ASCHE, REM., *Delphacodes* 548
nasutus (H.-S.), *Mycterodus* 666
nebulosa (BALL), *Endria* 608, 639
neglecta WAGN., *Alebra* 584
neglectus (THEN), *Jassargus alpinus* 612
nemourensis (MATS.), *Cechenotettix* 602, 637
nemourensis (MATS.), *Psammotettix* 622, 641
nervosa FIEB., *Chlorita* 586, 635
nervosa VILB., *Kelisia* 546
nervosum FIEB., „*Hysteropterum*“ 564, 631
nervosus (L.), *Cixius* 540, 627
nevadense LNV., *Hysteropterum* 564
nicolasi (LETH.), *Balclutha* 602
nicolovae DLAB., *Edwardsiana* 590
nigra (GOEZE), *Penthimia* 580, 634
nigricans (KBM.), *Diplocolenus* 606, 638
nigricornis (J. SHLB.), *Cicadula* 604, 638
nigricornis J. SHLB., *Limotettix* 638
nigrifrons (KBM.), *Diplocolenus* 606, 638
nigrifrons MATS., *Delphax* 630
nigriloba (EDW.), *Edwardsiana* 590
nigrita (KBM.), *Planaphrodes* 582
nigrolineata REM., *Mocydiopsis* 640
nigrolineata SCOTT, *Eurybregma* 550
nigronervosa FIEB., *Tibicina* 570, 633
niphanticus LOGV., *Adarrus* 600
nitidissimus (H.-S.), *Populicerus* 578
nitidulus (F.), *Lamprotettix* 614
nitidus (YOUNG, FRAZ.), *Neoaliturus* 618
nivea (M., R.), *Zygina* 598
nobilis (FIEB.), *Rhytidodus* 578
nobilis DLAB., *Achorotile* 546
nodosus (RIB.), *Psammotettix* 622, 641
notabilis LOGV., *Ribautodelphax* 630
notata CURT., *Eupteryx* 592
notata LOGV., *Stiromella* 554
notata (PROH.), *Macropsis* 574
notatus FIEB., *Platymetopius* 620
notatus (MEL.), *Psammotettix* 632
notatus (M., R.), *Paraphilaenus* 572
notula (GERM.), *Megamelus* 552

noualhieri (MEL.), *Bilusius* 602
novaki DLAB., *Issus* 564
novaki WAGN., *Anoplotettix* 600
novaki (WAGN.), *Falcidius* 564
novalis (LOGV.), *Bubastia* 562
nubila Oss., *Cicadula* 640
nubilus (Oss.), *Macrosteles* 616, 640
numanni (BLÖTE), *Parorgerioides* 558

obliqua (PANZ.), *Tettigometra* 560, 631
obliqua (WAGN.), *Stiromella* 554
obliteratus FIEB., „*Deltacephalus*“ 696
obliteratus (KUSN.), *Pseudoliarus* 542, 628
obscurella (BOH.), *Javesella* 552
obscurus (SIGN.), *Pentastiridius* 542, 628
obsoleta FIEB., „*Agallia*“ 576
obsoleta (FIEB.), *Bubastia* 562
obsoleta HPT., *Sympphyga* 578, 634
obsoletus (GERM.), *Selenocephalus* 634
obsoletus (KBM.), *Conosanus* 604
obsoletus SIGN., *Hyalesthes* 540
obsoletus (SIGN.), *Platymetopius* 620, 641
obtusa VID., *Forcipata* 584
obtusangula (LNV.), *Toya* 554
obtusifrons (STÅL), *Paramesus* 620, 641
obtusivalvis (KBM.), *Jassargus* 612
obtusus EM., *Metalimnus* 616, 640
occidentalis ZACHV., *Kybos oshanini* 635
ocellaris (FALL.), *Errastunus* 608, 639
ocellaris (LETH.), *Ophiola* 618
ocellaris subsp. *tatraensis* HELL., *Errastunus* 639
ocellata PROV., *Macropsis* 574, 634
ochraceus RIB., *Cixius* 540, 627
ochreatus VILB., *Ribautodelphax* 554, 630
ochrifrons VILB., *Limotetix* 614
ochroleuca HORV., *Zygina* 598
ocularis (M., R.), *Bugraia* 578, 634
oculatus (LNV.), *Falcidius* 564
odessana DLAB., *Eurysa* 630
odrysius DLAB., *Conomelus* 548
oertzeni MATS., *Dictyophara* 556
oertzeni MATS., *Hysteropterum* 631
ognevi (ZACHV.), *Ribautiana* 594
ohausi WAGN., *Euscelis* 608, 639
okaensis ZACHV., *Streptanus* 626
olorinus (DLAB.), *Cantoreanus* 546
olympica DLAB., *Bubastia* 562
ononidis REM., *Euscelis* 610, 639
optimus LOGV., *Xanthodelphax* 554
oranensis MATS., *Chloriona* 629
oranensis (MATS.), *Mocydiopsis* 616, 640
ordinaria (RIB.), *Zygina* 598

- entale* KUSN., *Hysteropterum* 631
entalis (AN.), *Perotettix* 620, 641
entalis (DLAB.), *Chlorita* 586, 635
entalis (RIB.), *Diplocolenus* 606, 638
ani ZACHV., *Eupteryx* 592
ata (H.-S.), *Aglena* 600
ata (MEL.), *Cicadula* 604, 638
aticeps (HORV.), *Psammotettix* 622
atus (PERR.), *Phlepsius* 620
l., *Cicada* 568
ocephalus FERR., *Mycterodus* 566, 632
llai DLAB., *Siculus* 544
ticus EM., *Diplocolenus* 606, 638
anini RAZV., *Macrosteles* 616
anini ZACHV., *Kybos* 588
anini occidentalis ZACHV., *Kybos* 635
annilssonii LDB., *Macrosteles* 616, 640
annilssonii NUORT., *Empoasca* 586
frons PUT., *Mycterodus* 566, 632

 628
 628
 +
 41
 5
 istunus 639
 30
)
lasi (LETH.), *Opsius* 618
lens: auct., *Oliarus* 628
lens GERM., *Flata* 628
lens STÅL, *Mycterodus* 566
lens (STÅL), *Ribautodelphax* 564, 630
liatus (LETH.), *Goniagnathus* 610, 639
liceps (HORV.), *Horvathianella* 550
lidellum (MATS.), *Fieberium* 564
lidinervis (DHLB.), *Psammotettix* 622
ludula (BOH.), *Kelisia* 546
ludulus MATS., *Gnathodus* 637
ludus DLAB., *Dudanus* 608
ludus (HPT.), *Neophilaenus* 572, 633
ludus KBM., *Selenocephalus* 624
lifrons (HORV.), *Doratulina* 606
lipes FIEB., *Cixius* 540, 628
lipes var. *wagneri* CHINA, *Cixius* 628
ludosa (BOH.), *Ophiola* 618
ludosa MEL., *Doratura* 608
ludosus (FL.), *Paradelphacodes* 554
ludosus RIB., *Paramesus* 620
lustris (RIB.), *Wagneriala* 584
lellei LETH., *Typhlocyba* 636
monica (GERM.), *Dictyophara* 556
monica MATS., *Kelisia* 546, 629
neri (FL.), *Cosmotettix* 604
neri (LÖW), *Reptalus* 542, 629
olii (OSS.), *Chlorita* 586
adoxia LNV., *Ophiola* 618, 640
adoxum (H.-S.), *Paradyridium* 580, 634
canicus DLAB., *Diplocolenus* 606, 638

parnassia (STÅL), *Cixidia* 556
parvicauda RIB., *Mocydiopsis* 616
parvipennis REM., *Psammotettix* 622
parvula (BOH.), *Arboridia* 596
parvula HORV., *Bursinia* 558
parvus RIB., *Macropsidius* 574
paryphantha LETH., *Thamnotettix* 641
paryphasma (FL.), *Florodelphax* 550
pascuellus (FALL.), *Arthaldeus* 602
pascuorum RIB., *Cixius* 540, 628
pauperculus FL., *Jassus (Athysanus)* 637
pallasi (LETH.), *Opsius* 618
pallidulus MATS., *Gnathodus* 637
pauxillus (FIEB.), *Mendrausus* 616
pavesii CARL., „*Notus*“ 584
pedemontana VID., *Erythria* 584
pellax (HORV.), *Laburrus* 614, 640
pellucida (F.), *Javesella* 552, 630
pellucidus MEL., *Athysanus* 641
pellucidus FIEB., „*Thamnotettix*“ 626, 642
pelioetaenia FIEB., *Tettigometra* 560
peloponica DLAB., *Tshurtshurnella* 566
penelopae DLAB., *Latilica* 566
penthopitta (FIEB.), *Diplocolenus* 606
perarmata DLAB., *Anaceratagallia* 576
perexiguus (LNV.), *Stenometopiellus* 624
perezii (BOL., CHIC.), *Parorgerioides* 558
perminutus DLAB., „*Oliarus*“ 542
perpictus LOGV., *Psammotettix* 622, 641
perplexus (RIB.), *Kybos* 588
perrieri RIB., *Kelisia* 546
persica KIRK., *Cicadatra* 568, 632
persimilis (EDW.), *Cicadula* 604
perspicillata (BOH.), *Anakelisia* 544
petrovi (GRIG.), *Mesoptyelus* 572, 633
phaleopheps FIEB., „*Hysteropterum*“ 564
phragmitis (BOH.), *Paralimnus* 618
picea KBM., *Tettigometra* 560
piceus (PUT.), *Pseudohemisphaerius* 566
picta (F.), *Tibicina* 570, 633
picta FIEB., *Tettigometra* 560
pictifrons (MEL.), *Dalmatrium* 564, 631
pictilis (STÅL), *Agurahana* 588
pictipennis (KBM.), *Psammotettix* 622
picturatus (C. SHLB.), *Stictocoris* 624
picturatus HPT., *Paralimnus* 618, 641
pictus (LETH.), *Perotettix* 620
pilosa HORV., *Trypetimorpha* 558
pilosus (OL.), *Tachycixius* 544, 629
pinicola FIEB., *Cixius* 629
pistacina O. COSTA, *Tettigometra* 560
pithyusa EM., *Bursinia* 558

- placida* (HORV.), *Cicadula* 614
placophora (HORV.), *Kervillea* 564, 631
plagifera (SCHUM.), *Psalmocharias* 570, 633
planiscuta (THOMS.), *Oncopsis* 576
platanicola (VID.), *Edwardsiana* 590
platypus (FIEB.), *Parorgerius* 558
plebeja (EDW.), *Edwardsiana* 590
plebejus (SCOP.), *Lyristes* 568, 633
plutonius UHL., *Jassus* 640
podolicu (EICHW.), *Cicadetta* 568, 632
poecilus (FL.), *Psammotettix* 622
poecilus (H.-S.), *Stenidiocerus* 578
pollinicola REM., ASCHE, *Adarrus* 600
pontica KIR., *Astroasca* 584
pontica LOGV., *Ditropis* 630
ponticana ASCHE, *Chloriona* 546
ponticus EM., *Platymetopius* 620
populi (EDW.), *Kybos* 588
populi (L.), *Populicerus* 578
porcus (EM.), *Eurybregma* 550, 629
potentillae (MOR.), *Arboridia* 596, 636
praecox HPT., *Kelisia* 546
praestabilis LOGV., *Eupteryx* 592
prasina (BOH.), *Macropsis* 574
prasina FIEB., *Chlorita* 586
prasina (PALL.), *Tettigetta* 570, 633
preyssleri (H.-S.), *Rhopalopyx* 624
proceps (KBM.), *Rhytistylus* 624
proceps lavicus D'URSO, *Rhytistylus* 624
procerus (H.-S.), *Handianus* 612, 639
productus (FIEB.), *Sphenocratus* 558
prolixa (LETH.), *Aconurella* 598
propinqua (FIEB.), *Toya* 554
propinquus (FIEB.), *Araldus* 602
provincialis (FERR.), *Allygus* 600
provincialis (RIB.), *Hauptidia* 596
provincialis (RIB.), *Psammotettix* 622
pruinosa (SAY), *Metcalfa* 568, 632
pruni EDW., *Zygina* 636
pruni (RIB.), *Balcanocerus* 578
prunicola (EDW.), *Edwardsiana* 590
pseudoarmatum LNV., *Hysteropterum* 632
pseudomicantula (KNIGHT), *Micantulina* 584
pseudoplatani LOGV., *Edwardsiana* 590
pteridis (DHLB.), *Empoasca* 586, 635
pteridis (SPIN.), *Ditropis* 548
pulchella (FALL.), *Eurhadina* 594
pulchellum IV., „*Hysteropterum*” 564
pulchellus (CURT.), *Delphax* 548
pulchellus MEL., „*Thamnotettix*” 626
pulchellus (R.), *Paralimnus* 618
pulchra DLAB., *Aphrodes* 582
pulchra Löw, *Zyginella* 594
pulchripennis ASCHE, *Litemixia* 552
pulicaris (FALL.), *Deltcephalus* 604
pullula (BOH.), *Zyginidia* 598
pullulus (BOH.), *Oncodelphax* 552
punctata (F.), *Balclutha* 602, 637
puncticollis (H.-S.), *Grypotes* 610
punctifrons (FALL.), *Sagatus* 624
punctifrons (HORV.), *Aphelonema* 562
punctiger (HORV.), *Ranissus* 558, 631
punctigera (HORV.), *Ciudadrea* 596
punctinervis HPT., „*Euscelis*” 610, 639
punctulatum (RAMB.), *Hysteropterum* 564
punctulum (KBM.), *Kelisia* 546
punctum (FL.), *Arocephalus* 602
punctum LETH., „*Chlorita*” 586
punctum siculus D'URSO, *Arocephalus* 602, 637
pungens (RIB.), *Ribautodelphax* 554
punjabensis S.-P., *Empoasca* 588, 635
pusilla EM., *Achaetica* 598, 637
pusilla MATS., *Chlorita* 586
pusilla (RIB.), *Arboridia* 596
putoni (A. COSTA), *Matutinus* 552, 630
putoni M., R., *Stegelytra* 582
putoni RIB., *Anoplotettix* 600
putoni (SCOTT), *Delphacellus* 548, 629
putoni SIGN., „*Oliarus*” 542
putoni (THEN), *Psammotettix* 622
pygmæum VILB., „*Hysteropterum*” 564
pygmæus (HORV.), *Pleargus* 620
pygmæus VILB., *Macrosteles* 616
pygmæus VILB., *Oliarus* 628
pygmea (OL.), *Cicadetta* 568, 632, 633
pyrenaæa FIEB., *Eurysa* 550, 629
pyrenaicus (FIEB.), *Tachycixius* 544
pyreneica DLAB., *Agallia* 576
pythia DLAB., *Tshurtshurnella* 566
quadracuta DLAB., *Bubastia* 562
quadratus (FOR.), *Laburus* 614
quadricornis DLAB., *Mocuellus* 616
quadricornis RIB., *Diplocolenus* 606, 638
quadriguttatus MATS., *Gnathodus* 637
quadrillum R., „*Athysanus*” 602
quadrimaculatus (SIGN.), *Megamelodes* 552
quadrinotata (F.), *Cicadula* 604, 638
quadrinotatus (M., R.), *Cechenotettix* 604, 638
quadripunctulatus (KBM.), *Macrosteles* 616
quadrisignata (HAG.), *Tibicina* 570, 633
quadrivirgatus (HORV.), *Diplocolenus* 606, 638
quadrivittata (FIEB.), *Aphelonema* 562
quadrum BOH., *Athysanus* 602

- quadrum (H.-S.), *Aconurella* 598
 ercus (F.), *Typhlocyba* 594
 erula (PALL.), *Psalmocharias* 570, 633
 inquecostatus (DUF.), *Reptalus* 542, 629
inquecostatus var. *rufocrainatus* KUSN., *Oliarus*
 629
inquenotata (BOH.), *Cicadula* 604, 638

 diata O. COSTA, „*Delphax*“ 548
 agusai (MEL.), *Doratulina* 606
 mosus RIB., *Macrosteles* 616, 640
 uniformis (M., R.), *Aphelonema* 562
 ductus (MEL.), *Adarrus* 600, 637
 fractus LOGV., *Jassargus* 614
 manei DWOR., *Tamaricella* 596, 636
 manei STRÜB., *Euscelis* 610
 emotus EDW., *Cixius* 540, 628
 petekia KUSN., *Sympyga* 578, 634
 pletus (FIEB.), *Jassargus* 614, 639
 eticulata (F.), *Ulopa* 572, 633
 eticulatum (H.-S.), *Hysteropterum* 564
 eticulatus (HORV.), *Parapotes* 620
 eticulatus (H.-S.), *Dryodurgades* 576
 eticulatus SIGN., *Phlepsius* 620
 euteri J. SHLB., *Bathysmatophorus* 582
 eyi (FIEB.), *Calligypona* 546
 hamni FERR., *Zygina* 598
 henana WAGN., *Balclutha* 637
 hodophila CER., *Edwardsiana* 590
 hodosica DLAB., *Pentastira* 542, 628
 hynchophysis LOGV., *Mycterus* 566
 ibauti DWOR., *Eupteryx* 592
 ibauti DWOR., *Zygindia* 598
 ibauti (Oss.), *Anaceratagallia* 576
 ibauti (Oss.), *Arboridia* 596
 ibauti WAGN., *Dryodurgades* 576
 ibauti WAGN., *Eurhadina* 594
 ibauti WAGN., *Kelisia* 546, 629
 ibauti (ZACHV.), *Tamaricella* 596, 636
 ibautianus ASCHE, DROS., *Delphax* 548
 ifipunctum REM., ASCHE, *Arocephalus* 602, 637
 iularis LNV., *Perkinsiella* 554, 630
 odosicus DLAB., *Anoplotettix* 602, 637
 opotamus DLAB., *Oliarus* 628
 orida (FIEB.), *Pentastira* 542
 orida (M., R.), *Zygina* 598
 osae (L.), *Edwardsiana* 590
 osaesugans (CER.), *Edwardsiana* 590
 osaeipennis (TOLL.), *Zygina* 598
 osaeus: SCOTT, *Gnathodus* 637
 osincola (CER.), *Zygina* 598
 ossicus ZACHV., *Selenocephalus* 624

 rostagnoi (PICCO), *Evacanthus* 582, 635
 rostrata RIB., *Eupteryx* 592
 rostratus (H.-S.), *Platymetopius* 620
 rotundiceps (LETH.), *Paralimnus* 618
 rotundifrons (KBM.), *Acericerus* 578
 rubripes (MATS.), *Euryza* 550, 629
 rubrivenosus (SCOTT), *Neoaliturus* 618, 640
 rubroflava LNV., *Cicadula* 638
 rubrolineatus (STÅL), *Stymphalus* 626, 641
 rubrovittata (LETH.), *Zygina* 598, 637
 rufescens MEL., *Kybos* 588
 rufocarinatus (KUSN.), *Reptalus* 542, 629
rufocarinatus KUSN., *Oliarus quinquecostatus* var.
 629
 rufofasciatus LOGV., *Cixius* 540, 628
 rufus LOGV., *Cixius* 540, 628
 rugosa EM., *Bursinia* 558
 rugulosus (HPT.), *Goniagnathus* 610, 639
 rupicola LOGV., *Psammotettix* 622
 russeola (FALL.), *Ophiola* 618, 640
 ruthenica ZACHV., *Edwardsiana* 590
 ruthenicus EM., *Mocuellus* 616
 rutilans (KBM.), *Tremulicerus* 580
 rysakovi KUSN., *Mesorgerius* 558

 saageri WAGN., *Eurhadina* 594
 sabaudiana LALL., *Cercopis* 570, 633
 sabulicola (CURT.), *Psammotettix* 622
 sabulicola WAGN., *Kelisia* 629
 sacarraoi QUART., *Lusitanoccephalus* 614
 sacarraoi RODR., *Selenocephalus* 624
 sachalinensis (MATS.), *Ederranus* 608, 639
 sagittarius RIB., *Arocephalus* 602
 sagittifer REM., ASCHE, *Conomelus* 548
 sahlbergi (FL.), *Macropsidius* 574
 sakisi DLAB., *Bubastia* 562, 631
 salacia DLAB., *Fieberiella* 610
 salgiris KUSN., „*Idiocerus*“, 578
 salicicola (EDW.), *Edwardsiana* 590
 salicicola (FL.), *Sahlbergotettix* 578
 salicina (GOEZE), *Aphrophora* 570, 633
 salicina MIT., *Zygina* 598, 637
 salina (HPT.), *Javesella* 552
 salina HORV., *Doratura* 608
 salsolae (PUT.), *Macrosteles* 616
 salsuginosus LOGV., *Psammotettix* 622
 saltuella (KBM.), *Balclutha* 602, 637
 salus MATS., *Thamnotettix* 640
 samurica TSCHM., *Aphrodes* 582
 sanctangeli O. COSTA, „*Cixius*“ 540, 628
 sanguineus (LETH.), *Brachyceps* 568, 631
 sanguinolenta (SCOP.), *Cercopis* 570, 633

- sanguinosa* (R.), *Fruticidia* 596
santolinae (RIB.), *Chlorita* 586
sardoa ARZ., *Edwardsiana* 590
sardus RIB., *Macrosteles* 616
sarmatica AN., *Malenia* 556, 630
sarmaticus LOGV., *Mycterus* 566
saskia DLAB., *Bubastia* 562
saturata (EDW.), *Cicadula* 604
scabripennis EDW., *Megophthalmus* 572
scalaris (HPT.), *Anoplotettix* 602, 637
scalaris (RIB.), *Ribautiana* 594
scanicus (FALL.), *Megophthalmus* 572
schaefferi METC., *Hysteropterum* 564
schenckii (KBM.), *Euscelidius* 608, 639
schinias ASCHE, REM., *Delphacodes* 548
schmidtgeni (WAGN.), *Recilia* 624
schmidti (WAGN.), *Sorrhonus* 624
schneideri (H. GÜNTH.), *Zygina* 598, 637
schuleri RIB., *Eupteryx* 592
scoleogramma (FIEB.), *Quadrastylum* 566, 632
scotti EDW., *Macropsis* 574
scotti FERR., *Hyalesthes* 542
scutellaris (FIEB.), *Issus* 580
scutellaris (H.-S.), *Zyginidia* 598
scutellata (BOH.), *Macropsis* 574
scytha (OSH.), *Ranissus* 558
seclusa HORV., *Erythria* 584
secundaria DLAB., *Mogangella* 616, 640
segetum RAMB., *Cicada* 633
seladonica MEL., *Dictyophara* 556
semipunctata (FIEB.), *Eupteryx* 592
septemnotatus (FALL.), *Macrosteles* 616
septentrionalis WAGN., *Fieberiella* 610, 639
serbicus DLAB., *Mycterus* 566
serpentina (MATS.), *Zyginidia* 598, 637
serrata VILB., *Empoasca* 588, 635
serratulae (F.), *Anoscopus* 580
serratus LOGV., *Macropsidius* 574
serratus RIB., *Bilusius* 602
serratus (RIB.), *Mendreus* 616
serricauda KONTK., *Cosmotettix* 637
serrifer REM., *Conomelus* 548
servadeii VID., *Zyginidia* 598
servadeinus DLAB., *Adarrus* 600
seticulosa (LETH.), *Hemitropis* 540, 628
setulosus FIEB., *Trirhacus* 544
severtsovi ZACHV., *Edwardsiana* 590
sexmaculata (HARDY), *Linnauvoria* 594
sexnotata CURT., „*Eupteryx*“ 594
sexnotatus (FALL.), *Macrosteles* 616, 640
sibiricus EM., *Cixius* 540, 628
sibiricus (HORV.), *Mongoljassus* 618, 640
siciliensis MATS., *Thamnotettix* 638
sicula EM., *Bursinia* 558
sicula HPT., *Malenia* 556
sicula MATS., *Chloriona* 546, 629
siculus D'URSO, *Arocephalus punctum* 602, 637
siculus MATS., *Oliarus* 629
siculus REM., ASCHE, *Adarrus* 600, 637
sidorskii (LOGV.), *Mycterus* 656, 632
sierraenevadae DLAB., *Psammotettix* 632
signatipennis (BOH.), *Eupteryx* 592
signatus FIEB., *Oliarus* 628
signatus MEL., *Philaenus* 572, 633
signifera (THEN), *Hardya* 612
signoreti (LETH.), *Kropka* 596
signoreti METC., nec WAGN., *Platymetopius* 641
sima RIB., *Kelisia* 546, 629
similis KBM., *Cixius* 540, 628
similis KBM., *Idiocerus* 578
similis LETH., *Aphrophora* 570, 633
similis WAGN., *Dryodurgades* 576
simillima (LNV.), *Javesella* 552
simillima (WAGN.), *Arboridia* 596, 636
simplex EDW., *Eupteryx* 636
simplex (H.-S.), *Cixius* 540, 628
simplicipenis REM., ASCHE, *Metagoldeus* 616, 640
simulans (DLAB.), *Toya* 554, 630
singeri WAGN., *Euscelis* 639
sinuata (M., R.), *Austroagallia* 576
sinuata (THEN), *Wagneriala* 584
siquadristriatus REM., *Euscelis* 610
siracuseae (MATS.), *Aphrodes* 582
slovacus DLAB., *Psammotettix* 632
smaragdinus EM., *Opsioides* 618
smaragdula (STÅL), *Chloriona* 546
smaragdulus (FALL.), *Kybos* 588
smreczynskii DWOR., *Edwardsiana* 590, 635
sociabilis (OSS.), *Edwardsiana* 590
socialis (FL.), *Turrutus* 626
sohrab ZACHV., *Zyginidia* 598, 637
solani CURT., *Eupteryx* 635
soosi (DLAB.), *Hauptidia* 596
soosi NAST, *Xanthodelphax* 630
sorbi WAGN., *Alebra* 584
sordida FIEB., *Tettigometra* 560
sordidipennis (STÅL), *Macrosteles* 616, 640
sordidulus (OSS.), *Kybos* 588
sordidulus (STÅL), *Megadelphax* 572
sordidus FIEB., „*Oliarus*“ 542, 628
sordidus (ZETT.), *Streptanus* 626
soror (LNV.), *Edwardsiana* 590
sororeula HORV., *Tettigometra* 560
spathulatus LOGV., *Euscelidius* 608

- partica* DLAB., *Bubastia*
speciosa BOH., *Delphax*
sphagneticus EM., *Lima*
sphagnetophilus DLAB.,
spinigera (EDW.), *Edw*
spinosus (FIEB.), *Acanti*
spinulosus GIUST., *Ops*
spinulosus WAGN., *Phle*
spiraeae EM., *Handiani*
splendidulus FIEB., „*O*
spumarius (L.), *Philae*
stachydearum (HARDY),
stachydis LOGV., *Eupt*
stactogalus FIEB., *Opsi*
stali (FIEB.), *Sulanice*
stali (METC.), *Javesella*
staminata (RIB.), *Edw*
stastics (ZACHV.), *Tan*
staurus IV., *Grypotes*
stehliki DLAB., *Mocue*
stehliki LAUT., *Edward*
steini (FIEB.), *Metalim*
stellulata (BURM.), *Ag*
stenoptera (FL.), *Chlo*
stepposa LOGV., *Tettig*
sticticus R., *Cixius* 54
stigma R., „*Deltaepl*
stigmatica (MEL.), *Iul*
stigmatical CURT., „*stigmatis*
stigmatialis LEW., *Id*
stigmaticus (GERM.), *C*
stigmatipennis (M., R.)
stipaphagus REM., *As*
storai (LDB.), *Hecalus*
straminea DLAB., *Mo*
stramineus (STÅL), *Xa*
striata (OSH.), *Raiun*
striatellus (FALL.), *Le*
striatulellus EDW., *Tl*
striatus (L.), *Psammo*
strigatus GERM., „*Jas*
strigilifer (OSS.), *Kybo*
striifrons (KBM.), *Artl*
striola (FALL.), *Limo*
strobl (WAGN.) *Kybo*
studzinskii DWOR., *K*
stylata (BOH.), *Dorati*
tuavis R., *Zygina* 59
subangulare R., „*Hys*
subangulata (J. SHLB.)
subfuscus (FALL.), *z*
subpunctata (VILB.), *T*

138

- spartica* DLAB., *Bubastia* 562
speciosa BOH., *Delphax* 629
sphagneticus EM., *Limotettix* 614
sphagnetophilus DLAB., *Cixius* 628
spinigera (EDW.), *Edwardsiana* 590
spinosus (FIEB.), *Acanthodelphax* 546, 629
spinulosus GIUST., *Opsius* 618, 640
spinulosus WAGN., *Phlepsius* 620
spiraeae EM., *Handianus* 612, 639
splendidulus FIEB., „*Oliarus*“ 542
spumarius (L.), *Philaenus* 572, 633
stachydearum (HARDY), *Eupteryx* 592, 636
stachydis LOGV., *Eupteryx* 592
stactogalus FIEB., *Opsius* 618
stali (FIEB.), *Sulamicerus* 578, 634
stali (METC.), *Javesella* 552, 630
staminata (RIB.), *Edwardsiana* 590
stazines (ZACHV.), *Tamaricella* 596
staurus IV., *Grypotes* 610
stehliki DLAB., *Mocuellus* 616
stehliki LAUT., *Edwardsiana* 590
steini (FIEB.), *Metalimnus* 616
stellulata (BURM.), *Aguriahana* 588
stenoptera (FL.), *Chloriona* 546
stepposa LOGV., *Tettigometra* 560
sticticus R., *Cixius* 540, 628
stigma R., „*Deltoccephalus*“ 606
stigmatica (MEL.), *Iubsoda* 550
stigmatical CURT., „*Delphax*“ 548
stigmatialis LEW., *Idiocerus* 578, 634
stigmaticus (GERM.), *Cixius* 540, 628
stigmatipennis (M., R.), *Micantulina* 584
stipaphagus REM., ASCHE, *Histipagus* 612
storai (LDB.), *Hecalus* 580, 634
straminea DLAB., *Mogangella* 616, 640
stramineus (STÅL), *Xanthodelphax* 556
striata (OSH.), *Raivuna* 556, 630
striatellus (FALL.), *Laodelphax* 552
striatulellus EDW., *Thamnotettix* 640
striatus (L.), *Psanumotettix* 622, 641
trigatus GERM., „*Jassus*“ 614
strigilifer (Oss.), *Kybos* 588
striifrons (KBM.), *Arthaldeus* 602
striola (FALL.), *Limotettix* 614
stroblii (WAGN.) *Kybos* 588
studzinskii DWOR., *Kybos* 635
stylata (BOH.), *Doratura* 608
suavis R., *Zygina* 598
subangulare R., „*Hysteropterum*“ 564
subangulata (J. SHLB.), *Oncopsis* 576
subfusculus (FALL.), *Speudotettix* 624
subpunctata (VILB.), *Tamaricella* 596

ctum 602, 637

, 637

5, 632

ttix 632

2

tymetopius 641

3

636

zoldeus 616, 640

5

)

2

;

590, 635

)

516, 640

72

- subquadrata* (H.-S.), *Phantia* 568
subsymmetricus LOGV., *Megadelphax* 552
subulata (Rib.), *Chlorita* 586
sudeticus (KOL.), *Diplocolenus* 606, 638
suezensis (MATS.), *Pentastiridius* 542, 628
sułcata RIB., *Kelisia* 546
sulcatus FIEB., *Mycterodus* 566, 632
sulphurea M., R., *Tettigometra* 560
sulphurella (ZETT.), *Elymana* 608
superpunctum REM., ASCHE, *Arocephalus* 602
sursumflexus (THEN), *Jassargus* 614, 640
suturalis (FIEB.), *Bubastia* 562
szelenica DLAB., *Chlorita* 586
tabor斯基 DLAB., *Eupteryx* 592, 636
taeniaticeps (KBM.), *Exitianus* 610, 639
taeniaticeps KBM., *Jassus (Thamnotettix)* 639
taeniatifrons (KBM.), *Placotettix* 620, 641
taeniatus (HORV.), *Calamotettix* 602
tamaninii LNV., *Streptopyx* 626
tamaninii WAGN., *Chlorita* 586
tamaricis (LETH.), *Hemitropis* 540, 628
tamaricis (PUT.), *Tamaricella* 596, 636
tanasićevići (DLAB.), *Unkanodes* 554, 630
tangericus (MATS.), *Heliotettix* 612, 638
tapinus FIEB., „*Delphax*“ 548
tapinus FIEB., „*Thamnotettix*“ 626, 642
tarragonica DLAB., *Chlorita* 586
tatraensis HELL., *Errastunus ocellaris* ssp. 639
taurica (KUSN.), *Bubastia* 562
tauricus LOGV., *Handianus* 612
taurus (OSH.), *Bootheca* 562, 631
taurus (RIB.), *Adarrus* 600
tealcui DLAB., *Falcidius* 564
tekirdagicum DLAB., *Quadrastylum* 566, 632
temperei RIB., *Diplocolenus* 606
tendinosa (SPIN.), *Latilica* 566
tenella (FALL.), *Eupteryx* 592
tenellus (BAK.), *Neoaliturus* 618, 640
tenerrima (H.-S.), *Ribautiana* 594
tenuis (GERM.), *Hardya* 612
tersa (EDW.), *Edwardsiana* 590
tessellata LETH., *Chlorita* 586, 635
tessellatus LDB., *Platyproctus* 578, 634
teucrii (CER.), *Micantulina* 584
thenii (LÖW), *Sotanus* 624
theryi (HORV.), *Allygus* 600, 637
thessalica DLAB., *Bubastia* 564
thoulessi EDW., *Eupteryx* 592
thracia DLAB., *Chlorita* 586, 635
thrax DLAB., *Thamnotettix* 626
tibialis (PNZ.), *Cicadivetta* 568

- tigrinus* LOGV., *Tachycixius* 544, 629
tigripes (LETH.), *Opsiush* 618
tiliae (FALL.), *Zygina* 598
tiliae (GERM.), *Pediopsis* 576
tirolensis COBB., *Adarrus* 600
titanus BALL, *Scaphoideus* 624, 641
tithide FERR., *Zygina* 598
tkalcui DLAB., *Goldeus* 610, 639
tomentosa F., *Cicada* 633
tomentosa OL., *Cicada* 633
torneellus (ZETT.), *Colladonus* 604
translucidus (M., R.), *Chiasmus* 604
transversa (FALL.), *Ophiola* 618
transversalis (MATS.), *Exitianus* 610, 639
transversalis PUT., *Thamnotettix fenestrata* var. 640
transversus (BLÖTE), *Parorgeriooides* 558
transylvanica FIEB., *Cicadetta* 568
tremulae (ESTL.), *Tremulicerus* 580
trichophorus MEL., *Trirhacus* 544
tricolor (GMEL.), *Balclutha* 602, 637
tricolor (O. COSTA), *Caliscelis* 562, 631
trifasciata FOUCR., *Cicada* 634
trifasciata DE G., *Cicada* 634
trigonometrica LOGV., *Edwardsiana* 590
trilineus DLAB., *Alatades* 629
tristis FIEB., „*Oliarus*“ 542
tristis (ZETT.), *Oncopsis* 576, 634
trivia GERM., *Ulopa* 572, 633
truncata RIB., *Euidopsis* 550, 629
truncatipennis (RAMB.), *Phycotettix* 620, 641
truncatula RAMB., *Tettigonia* 641
truncatus (MEL.), *Miraldus* 616
tshinari ZACHV., *Edwardsiana* 590, 635
tuberipennis (M., R.), *Tropidocephala* 554
turkestanicus KUSN., *Goniagnathus* 610, 639
typhae LDB., *Calligypona* 630
- ugamicus* MIT., *Metropis* 552, 630
uisamiana (LOGV.), *Planaphrodes* 582, 634
ukrainicus LOGV., *Cixius* 540, 628
ukrainicus LOGV., *Jassargus* 614, 640
ulicis RIB., *Euscelis* 610
ulmi (L.), *Ribautiana* 594
unciger RIB., *Psammotettix* 622
uncigera (RIB.), *Anaceratagallia* 576
uncinata (FIEB.), *Delphacissa* 548, 629
uncitaurus REM., *Asche*, *Adarrus* 600
undatus (DE G.), *Platymetopius* 620
undulata (WALTL.), *Euryphara* 568
unicolor (H.-S.), *Chloriona* 546, 629
unicolor (LDB.), *Hephathlus* 574, 633
unicolor (O. COSTA), *Caliscelis* 562, 631
- unipunctata* (DLAB.), *Kropka* 596, 636
untica DLAB., *Eurhadina* 636
uraleusis EM., *Scirtophaca* 558, 631
urticae (F.), *Eupteryx* 592
usnus (BEIRNE, *Coulinus* 604, 638
ustulatus (M., R.), *Viridicerus* 580
- vaginatus* KBM., „*Jassus (Deltoccephalus)*“ 614
validicornis (STÅL), *Dictyophara* 556
validinervis FIEB., „*Chlorita*“ 586
vallicola (LOGV.), *Planaphrodes* 582, 634
varia F., *Cicada* 628
varia FIEB., *Tettigometra* 560
variabilis METC., „*Cixius*“ 540, 628
variata HARDY, *Dikraneura* 584
variatus (FALL.), *Macrosteles* 616
variegata F., *Cicada* 628
variegatus EM., *Cleptochiton* 604, 638
variegatus (KBM.), *Euscelidius* 608
varipennis H.-S., „*Jassus*“ 614
varipes (WÄRTL.), *Hilaphura* 568, 633
vasconica RIB., *Chloriona* 546
velata (RIB.), *Arboridia* 596
velitchkovskyi (MEL.), *Changeondelphax* 546, 629
veneta DLAB., *Doratura* 608
venosa (FALL.), *Anaceratagallia* 576
venosus (GERM.), *Delphacodes* 548
venosus (KBM.), *Euscelis* 610
venosus RAMB., „*Oliarus*“ 542, 628
ventralis (FALL.), *Graphocraerus* 610
ventralis SIGN., *Tettigometra* 560, 631
venustulus (FIEB.), *Tachycixius* 544, 629
verbae AN., ZHILTZ., *Macropsis* 574
verbae ZACHV., *Kybos* 588
verecunda KIR., *Edwardsiana* 590
versuta (MEL.), *Arboridia* 596
vestita RIB., *Macropsis* 574
vestitus BONF., *Paralimnus* 618
viaduensis (WAGN.), *Zyginidia* 598
vibix (HPT.), *Sogatella* 554, 630
vicaria LNV., *Eupteryx* 592, 636
vicina (HORV.), *Macropsis* 574
vicinus MEL., *Idiocerus* 578
vidanoi DWOR., *Kropka* 636
vilbastei LOGV., *Reptalus* 542, 629
viperinus DLAB., *Tachycixius* 544
virescens (PANZ.), *Tettigometra* 560, 631
virgator (RIB.), *Kybos* 588
viridiconfinis REM., *Psammotettix* 622
viridigriseus (EDW.), *Macrosteles* 616
viridinervis KBM., *Jassus (Thamnotettix)* 641
viridinervis (KBM.), *Oxytettigella* 618, 641

ridinervis WAGN.
ridinervis: SIGN.
ridis (L.), Cicada
ridissima DLAB.
ridula (FALL.),
ridula HORV.,
ridulus (MEL.),
ritellina FIEB.,
ritis (GÖTHE), Eup.
ritisuga (DLAB.),
ritshaensis DLA.
ritreus (F.), Tre.
ritripennis (FL.),
rittata (L.), Eup.
rittata (LETH.),
rittifrons (IV.),
rittifrons (KBM.).
rittipennis (J. SI.
volgensis (FIEB.).
volgensis LETH.,
volgensis PRID.,
volgensis VILB.,
vorobjevi DLAB..
vulnerata ROSSI,

wagneri CHINA,
wagneri CHINA,

Tytuł: Auch

Praca za
tabelarycznie
do niektórych

Заглавие: A

Работа с
ный в виде
ны замечани

6, 636	<i>miridinervis</i> WAGN., <i>Macropsis</i> 574	wagneri DLAB., <i>Rhytidodus</i> 578
31	<i>miridinervis</i> : SIGN., <i>Phlepsius</i> 641	wagneri LOGV., <i>Allygidius</i> 600
8	<i>miridis</i> (L.), <i>Cicadella</i> 582, 634	wagneri REM., <i>Psammotettix</i> 641
80	<i>miridissima</i> DLAB., <i>Hemitropis</i> 540	wagnerianus NAST, <i>Trirhacus</i> 544
ephalus)" 614	<i>miridula</i> (FALL.), <i>Chlorita</i> 586	wagnerinus DLAB., <i>Handianus</i> 612, 639
556	<i>miridula</i> HORV., <i>Hemitropis</i> 540, 628	wahlbergi (BOH.), <i>Alebra</i> 584
6	<i>miridulus</i> (MEL.), <i>Batracomorphus</i> 580, 634	wallengreni (STÅL), <i>Caliscelis</i> 562
582, 634	<i>mirellina</i> FIEB., <i>Tettigometra</i> 560	warioni BELL., „ <i>Thamnotettix</i> " 626
628	<i>miritis</i> (GÖTHE), <i>Empoasca</i> 588, 635	warioni LETH., „ <i>Cicadula</i> " 604, 638
16	<i>mirituga</i> (DLAB.), <i>Arboridia</i> 596, 636	wilhelmwagneri DLAB., <i>Platymetopius</i> 620
, 638	<i>mirishaensis</i> DLAB., <i>Stiromeurysa</i> 554	willemsi LALL., <i>Aphrophora</i> 570, 633
08	<i>mirreus</i> (F.), <i>Tremulicerus</i> 580	williamsi CHINA, <i>Criomorphus</i> 548
633	<i>mirripennis</i> (FL.), <i>Rhopalopyx</i> 624	wittmeri DLAB., <i>Mycterodus</i> 566, 632
576	<i>mittata</i> (L.), <i>Eupteryx</i> 592, 636	
48	<i>mittata</i> (LETH.), <i>Astroasca</i> 584	
528	<i>mittifrons</i> (IV.), <i>Alloscelis</i> 560	
610	<i>mittifrons</i> (KBM.), <i>Acericerus</i> 578	
, 631	<i>mittipennis</i> (J. SHLB.), <i>Kelisia</i> 546	
44, 629	<i>volgensis</i> (FIEB.), <i>Kazachstanicus</i> 614	
574	<i>volgensis</i> LETH., <i>Aconura</i> 598	
18	<i>volgensis</i> PRID., <i>Psammotettix</i> 622	
	<i>volgensis</i> VILB., <i>Kybos</i> 588	
	<i>vorobjevi</i> DLAB., <i>Achaetica</i> 598	
	<i>vulnerata</i> ROSSI, <i>Cercopis</i> 570	
	<i>wagneri</i> CHINA, <i>Cixius</i> 540, 627, 628	
	<i>wagneri</i> CHINA, <i>Cixius pallipes</i> ssp. 628	
		xanthoneurus (FIEB.), <i>Sorrhoanus</i> 624
		xanthus FIEB., „ <i>Deltocephalus</i> " 606, 638
		xanthus VILB., <i>Xanthodelphax</i> 556, 630
		xavieri LDB., <i>Agallia</i> 576
		yarkonensis LNV., <i>Kelisia</i> 546, 629
		zachvatkini AN., <i>Kyboasca</i> 588
		zachvatkini EM., <i>Condylotes</i> 604, 638
		zachvatkini EM., <i>Paralimnus</i> 618
		zelleri (KBM.), <i>Eupteryx</i> 592, 636
		zelleri (KBM.), <i>Thamnotettix</i> 624
		zelleri (KBM.), <i>Tshurtshurnella</i> 566, 632

STRESZCZENIE

[Tytuł: *Auchenorrhyncha (Homoptera) Europa*]

Praca zawiera wykaz 1771 europejskich gatunków *Auchenorrhyncha* zestawionych tabelarycznie z podaniem ich rozmieszczenia. Po tabelach zamieszczone są przypisy do niektórych gatunków oraz alfabetyczny indeks nazw.

РЕЗЮМЕ

[Заглавие: *Auchenorrhyncha (Homoptera) Европы*]

Работа содержит перечень 1771 европейских видов *Auchenorrhyncha*, составленный в виде таблиц, в которых приводится их размещение. За таблицами замещены замечания к некоторым видам и алфавитный указатель названий.