

1
Ag 84 Te
Cop. 6

5

ANNOTATED CHECKLIST OF NEW WORLD INSECTS ASSOCIATED WITH *PROSOPIS* (MESQUITE)

Technical Bulletin No. 1557

PROCUREMENT SERVICE
BUREAU OF ENTOMOLOGY
WASHINGTON, D.C. 20250

DEC 15 '77

U.S. DEPT. OF AGRICULTURE
NAT'L AGRIC. LIBRARY
BETHESDA, MD

Agricultural Research Service
UNITED STATES DEPARTMENT OF AGRICULTURE

**ANNOTATED CHECKLIST
OF NEW WORLD INSECTS
ASSOCIATED WITH *PROSOPIS* (MESQUITE)**

By C. R. WARD, C. W. O'BRIEN, L. B. O'BRIEN, D. E. FOSTER, and E. W. HUDDLESTON
Texas Tech University

Technical Bulletin No. 1557

**Agricultural Research Service
UNITED STATES DEPARTMENT OF AGRICULTURE**

ABSTRACT

ANNOTATED CHECKLIST OF NEW WORLD INSECTS ASSOCIATED WITH *PROSOPIS* (MESQUITE). C. R. Ward, C. W. O'Brien, L. B. O'Brien, D. E. Foster, and E. W. Huddleston. U.S. Dep. Agric. Tech. Bull. No. 1557, 115 pp.

The insects that have been collected on or reared from *Prosopis* in the New World are listed alphabetically by orders and families. Specific host records, ecological notes, alternate hosts, synonyms, distribution data, and information sources are given. The insects are indexed by host plant and insect species name. *Address communications to D. E. Foster, Entomology Department, Texas Tech University, Lubbock, Tex. 79409.*

ACKNOWLEDGMENTS

Many people made significant contributions to this study. Reece I. Sailer, former chief of the Insect Identification and Parasite Introduction Branch, Agricultural Research Service, played an important role in obtaining specific determinations for a large percentage of the specimens we collected. Kenith L. Polk and Thomas M. Hills, former graduate research assistants, Texas Tech University, made collections and assisted in the literature search.

Special thanks are extended to the following for allowing us to make use of the institutional or private collections under their care: Floyd G. Werner, University of Arizona, Tucson; Horace R. Burke, Texas A&M University, College Station; and S. I. Frommer, P. H. Timberlake, and John D. Pinto, University of California at Riverside.

Many taxonomic specialists kindly identified material or furnished additional species records and additional host records. These contributors are D. M. Anderson (Coleoptera), P. D. Ashlock (Hemiptera : Coreidae, Lygaeidae), W. F. Barr (Coleoptera : Buprestidae), E. C. Becker (Coleoptera : Elateridae), D. B. Burks (Hymenoptera), R. W. Carlson (Hymenoptera : Braconidae, Ichneumonidae), W. A. Connell (Coleoptera : Nitidulidae), D. R. Davis (Lepidoptera : Acrolaphidae), W. R. Enns (Coleoptera : Meloidae), T. L. Erwin (Coleoptera : Carabidae), D. O. Ferguson (Lepidoptera : Geometridae, Pyralidae), O. S. Flint (Neuroptera : Chrysopidae), R. C. Froeschner (Hemiptera; Homoptera), R. J. Gagne (Diptera), R. D. Gordon (Coleoptera), A. B. Gurney (Orthoptera), A. R. Hardy (Coleoptera : Scarabaeidae), J. L. Herring (Hemiptera), C. D. Johnson (Coleoptera : Bruchidae), J. B. Karren (Coleoptera : Chrysomelidae), J. M. Kingsolver (Coleoptera), J. F. Knull (Coleoptera : Buprestidae), L. V. Knutson (Diptera), D. D. Kopp (Homoptera : Membracidae), J. P. Kramer (Homoptera), R. J. Lavigne (Diptera : Asilidae), E. G. Linsley (Coleoptera : Buprestidae, Cerambycidae), P. M. Marsh (Hymenoptera), F. W. Mead (Homoptera : Cixiidae), A. S. Menke (Hymenoptera), C. F. W. Muesbeck (Hymenoptera : Braconidae), G. H. Nelson (Coleoptera : Buprestidae), K. O'Neil (Thysanoptera), F. D. Parker (Hymenoptera), D. E. Rich (Coleoptera : Cerambycidae), C. W. Sabrosky (Diptera), R. I. Sailer (Hemiptera), D. R. Smith (Hymenoptera : Formicidae), T. J. Spilman (Coleoptera), G. C. Steyskal (Diptera), A. Stone (Diptera), S. L. Szerlip (Hemiptera : Reduviidae), P. H. Timberlake (Hymenoptera), E. L. Todd (Lepidoptera : Noctuidae), C. A. Triplehorn (Coleoptera : Tenebrionidae), W. H. Tyson (Coleoptera : Cerambycidae), G. B. Vogt (Coleoptera), R. E. Warner (Coleoptera : Curculionidae), F. G. Werner (Coleoptera), R. E. White (Coleoptera : Chrysomelidae, Anobiidae), W. W. Wirth (Diptera : Ceratopogonidae, Stratiomyidae), T. R. Yonke (Hemiptera : Coreidae, Rhopalidae).

Special acknowledgment is given to the following for their contributions of host records and other data through personal communications with the authors: P. D. Ashlock, F. D. Bennett, G. D. Butler, L. E. Campos, Irma de Crouzel, C. D. Johnson, Carlos Klein, E. G. Linsley, J. A. Powell, C. E. Rogers, J. C. Schaffner, D. B. Thomas, and R. F. Wilkey.

CONTENTS

	Page
Abstract	iii
Acknowledgments	v
Introduction	1
ANNOTATED CHECKLIST	3
Coleoptera	3
Alleculidae, Anobiidae, Anthicidae, Bostrichidae, Bruchidae, Buprestidae, Cantharidae, Carabidae, Cerambycidae, Chrysomelidae, Cleridae, Coccinellidae, Curculionidae, Dermestidae, Elateridae, Endomychidae, Helodidae, Histeridae, Lathridiidae, Lycidae, Lyctidae, Meloidae, Melyridae, Mordellidae, Nitidulidae, Pedilidae, Phalacridae, Ptinidae, Rhipiphoridae, Scarabaeidae, Scolytidae, Tenebrionidae, Troglitidae	
Diptera	31
Agromyzidae, Anthomyiidae, Asilidae, Bombyliidae, Calliphoridae, Cecidomyiidae, Ceratopogonidae, Chamaemyiidae, Chloropidae, Dolichopodidae, Empididae, Ephydriidae, Lonchaeidae, Micropezidae, Milichiidae, Muscidae, Mycetophilidae, Neriidae, Otitidae, Phoridae, Pipunculidae, Platystomatidae, Richardiidae, Sarcophagidae, Scenopinidae, Sciaridae, Sepsidae, Stratiomyidae, Syrphidae, Tabanidae, Tachinidae, Tephritidae	
Hemiptera	36
Anthocoridae, Berytidae, Coreidae, Cydnidae, Largidae, Lygaeidae, Miridae, Nabidae, Pentatomidae, Phymatidae, Piesmidae, Pyrrhocoridae, Reduviidae, Rhopalidae	
Homoptera	42
Acanaloniidae, Aphididae, Cercopidae, Cicadellidae, Cicadidae, Cixiidae, Coccidae, Diaspididae, Flatidae, Fulgoridae, Issidae, Membracidae, Pseudococcidae, Psyllidae, Tachardiidae	
Hymenoptera	48
Andrenidae, Apidae, Bethylidae, Braconidae, Chalcedectidae, Chalcididae, Colletidae, Cynipidae, Encyrtidae, Eucharitidae, Eulophidae, Eupelmidae, Eurytomidae, Formicidae, Halictidae, Ichneumonidae, Megachilidae, Mutillidae, Platygasteridae, Pompilidae, Pteromalidae, Scelionidae, Sphecidae, Stephanidae, Tanaostigmatidae, Tiphiidae, Torymidae, Trichogrammatidae, Vespidae	
Isoptera	57
Kalotermitidae, Rhinotermitidae	

	Page
Lepidoptera	57
Acrolophidae, Aegeriidae, Gelechiidae, Geometridae, Lasiocampidae, Lycaenidae, Megalopygidae, Noctuidae, Olethreutidae, Phycitidae, Psychidae, Pyralidae, Saturniidae, Scythridae, Tineidae, Tortricidae, Washiidae	
Neuroptera	61
Chrysopidae, Hemerobiidae	
Orthoptera	61
Acrididae, Blattidae, Phasmatidae, Tettigoniidae	
Thysanoptera	63
Heterothripidae, Phlaeothripidae, Thripidae	
Literature cited	64
Insect species index	68
Host plant index	82
Appendix.—Old World insects recorded on <i>Prosopis</i>	115

This bulletin is contribution number T-10-104 from the College of Agricultural Sciences, Texas Tech University. The study was supported in part by funds appropriated by the Texas State Legislature for noxious brush and weed control research at Texas Tech University.

INTRODUCTION

Mesquite, *Prosopis glandulosa* Torr., and its relatives are widely distributed in both the New and Old World, but until recently the complex of insects associated with these plants had been almost completely ignored. Now, however, many people in North and South America have become interested in mesquite and other species of *Prosopis* for a variety of reasons. For those studying the possibilities of controlling mesquite by biological means, this list provides access to as much information as possible about insects found on *Prosopis*.

The data in this checklist represent not only a search of literature for records of insects collected on mesquite, but also several years of concentrated insect collecting and personal communications with a number of other workers who have collected insects from *Prosopis*. We also visited some major insect collections in search of additional species recorded on *Prosopis* and for further alternate host data. Although we made an effort to insure the completeness of this list, it is unlikely that we succeeded in collecting all recorded references to insects associated with *Prosopis*. Persons with information not herein reported are requested to make it available to the authors.

Species found to be associated with *Prosopis* are listed alphabetically by order and family, and each entry is arranged as follows:

Genus species Author, year : page of original description. Host—other ecological data (number denoting source of information in parentheses); alternate hosts (number denoting source).

Sources of data—catalogs, serial publications, museums, personal communications: Author's name Year : page of description. Museum collections — name abbreviated. [Numbers given to these citations are used to identify sources of data in every case.]

Synonyms, ordered chronologically: name, date : page of description.

Localities where insect found, from largest to smallest unit (number denoting source).

All data on hand at the date of publication are

included in the list. To prevent future changes in plant taxonomic interpretations from rendering the data less useful, host information was not changed, but is given exactly as it appears in the records from which it was taken. This will explain why, for example, records of *Prosopis juliflora* in Texas are given when *P. glandulosa*, *P. pubescens*, and *P. reptans* are the only species believed to occur in Texas (Rowell 1969). Some interpretations of this sort are indicated in the host index.

In the host plant listings, records of *Prosopis* are given first, followed by alternate host information. Records of *Prosopis* are listed beginning with specific species and ending with general classifications (*Prosopis glandulosa*, *P. sp.*, mesquite). When more than one species appears in a given source, the entries are listed alphabetically for that source once the main ordering principles have been satisfied. A listing might read: *Prosopis glandulosa*, *P. juliflora* (2); *Prosopis sp.* (1); *Acacia farnesiana*, *Bauhinia monandra*, *Tamarindus indicus* (3).

Abbreviated names of museum collections listed as sources of data are as follows:

TAMU	Texas A&M University	UAT	University of Arizona at Tucson
TTU	Texas Tech University	UCR	University of California at Riverside

Distribution records are based on collection records and catalog data when they were available, which explains the presence of locality records outside the distribution of *Prosopis*. Many locality records are incomplete, but are given as they appeared in the reference except where exact interpretations could be made, and this was only infrequently done. Records for North and South Dakota were not separated in some older references, for example, and in this list DAK has been used to indicate such lack of precision. Because of the interest in the possibilities of biological control in Texas, localities in that State have been recorded according to vegetation zones, which reflect the distinctive ecological regions of the

State (Gould 1975). The zones are abbreviated as follows:

BP	Blackland Prairie	PO	Post Oak Savannah
CTP	Cross Timbers and Prairie	PW	Pineywoods
EP	Edwards Plateau	RP	Rolling Plains
GP	Gulf Prairie and Marshes	STP	South Texas Plains
HP	High Plains	TP	Trans-Pecos

Aside from exceptions such as those noted above, State records are given with U.S. Postal Service two-letter abbreviations.

We have not included in the list species from *Prosopis* that we considered to be obviously incidental—e.g., Ephemeroptera and *Canthon*—but some incidental associations were no doubt overlooked.

A short list of insects and some references to Old World insects on *Prosopis* are included in the appendix. They were found during the literature search, and the list is certainly incomplete. The

host plant index is an alphabetical listing of each insect recorded on each plant type. In addition, all insect species included in the text appear in the species index in alphabetical order by species name, followed by the genus, order, and family to which each belongs.

The species names given are in almost every case the names returned to us from the various specialists listed in the acknowledgments section or exactly as they appeared in a published source. In some instances, however, changes in generic interpretations were published following the return of identified material or publication of the source consulted, and we may or may not have properly applied these changes to this material. Any lack of precision in these interpretations must be borne by the authors. Likewise, the correctness of interpretations of synonyms, distributional data, etc. must be borne by the authors, as only a few of the specialists had an opportunity to review the final manuscript before publication.

ANNOTATED CHECKLIST

COLEOPTERA

Alleculidae

Hymenorus sp. On mesquite (2).

1. Blackwelder 1945:507. 2. TTU. MEXICO (2).

Hymenorus indutus Csy., 1891:119. On mesquite (2).

1. Leng 1920:218. 2. TTU. AZ, TX (1), TX[RP] (2).

Lobopoda sp. On *Prosopis alba* (2).

1. Blackwelder 1945:505. 2. TTU. ARGENTINA (2).

Menoceus crassicornis Champ., 1888:444. On *Prosopis* (2).

1. Blackwelder 1945:507. 2. TTU. GUATEMALA (1), MEXICO (1, 2).

Anobiidae

Petalium sp. On *Prosopis*, mesquite (2).

1. Blackwelder 1945:404. 2. TTU. MEXICO (2).

Ptilinus ruficornis Say, 1823:186. In mesquite, beech, maple, oak, sycamore, probably other hardwoods (2).

1. Leng 1920:244. 2. Craighead 1949:226. SYN: *Ptilinus bicolor* Mels., 1846:308. CANADA, NEW ENGLAND, IN, DAK (1).

Trichodesma sp. On *Prosopis laevigata* (2).

1. Blackwelder 1945:402. 2. TTU. MEXICO (2).

Tricorynus spp. On *Prosopis*, mesquite (2).

1. Blackwelder 1945:405. 2. TTU. MEXICO, NM (2).

Tricorynus gibbulus (Fall), 1905:238. On mesquite (2).

1. Leng 1920:243. 2. TTU. SYN: *Catorama gibbulum* Fall. AZ, CA (1), NM, TX[STP] (2).

Tricorynus subrutiliceps (Pic), 1905:136. On *Prosopis nigra*—larvae bore in small branches (2); *Prosopis* sp. (3).

1. Blackwelder 1945:406. 2. Bosq 1942:18. 3. TTU.

SYN: *Catorama subrutiliceps* Pic.

ARGENTINA (1, 2, 3).

Tricorynus tumidum (Fall), 1905:243. On mesquite (2).

1. Leng 1920:243. 2. TTU.

SYN: *Catorama tumidum* Fall.

MEXICO (2), NM, TX (1).

Anthicidae

Anthicus sp. On *Prosopis* (2).

1. Blackwelder 1945:433. 2. TTU. ARGENTINA (2).

Thicanus sp. On mesquite (3).

1. Blackwelder 1945:433. 2. Leng 1920:163. 3. TTU. MEXICO, NM (3).

Bostrichidae

Amphicerus bicaudatus (Say), 1824:320. On mesquite (4).

1. Blackwelder 1945:399. 2. Blackwelder and Blackwelder 1948:30. 3. Leng 1920:245. 4. TTU. SYN: *Apate bicuadatus* Say; *A. serricollis* Germar, 1824:464; *A. aspericollis* Germar, 1824:465; *A. bicaudatus* Say, 1824:320; *Amphicerus gracilis* Casey, 1898:68.

CUBA (1, 2), FL, IN, KS (3), TX[RP] (4).

Amphicerus cornutus (Pallas), 1772:8. On *Prosopis juliflora*—bores in dead or dying wood (5); mesquite (4, 7); figs, grapes (6); oak (5); pomegranate, walnut (7).

1. Blackwelder 1945:399. 2. Blackwelder and Blackwelder 1948:30. 3. Leng 1920:245. 4. Essig 1913:681. 5. Essig 1934:435. 6. Herbert 1920:361. 7. P. H. Timberlake, pers. comm.

SYN: *Ligniperda cornutus* Pallas; *L. bicornutus* Latr., 1833:65; *Bostrichus peregrinus* Er., 1847:87; *Apate punctipennis* LeC., 1858:73; *Bostrichus migrator* Sharp, 1885:160; *Amphicerus maritimus* Casey, 1898:68.

SOUTH AMERICA (1, 3), TROPICAL AMERICA (1), MEXICO (1, 3, 4), AZ, CA (4), HI (1), FL (3), NM (4), TX (3, 4).

Amphicerus simplex (Horn), 1885:155. On mesquite (2).

1. Leng 1920 : 245. 2. TTU.
 SYN: *Sinoxylon simplex* Horn; *Amphicerus brevicollis* Casey, 1898 : 69; *A. grandicollis* Casey, 1898 : 69.
 MEXICO (1, 2), AZ, TX (1).
- Amphicerus teres* Horn**, 1878 : 548. In mesquite—bores into bud axil, killing twigs (2).
 1. Leng 1920 : 245. 2. Essig 1934 : 435.
 AZ (2), CA (1, 2).
- Apatides fortis* (LeC.)**, 1866 : 101. In mesquite (3, 4); in dead sapwood (4).
 1. Leng 1920 : 245. 2. Essig 1934 : 435. 3. Craighead and Hofer 1921 : 6. 4. Lebert 1931 : 64.
 SYN: *Amphicerus fortis* LeC.; *Apatides puncticeps* Casey, 1898 : 70; *A. pollens* Casey, 1914 : 359.
 AZ (1), CA (3), UT (1).
- Dendrobiella aspera* (LeC.)**, 1858 : 73. In mesquite (4).
 1. Blackwelder 1945 : 400. 2. Blackwelder and Blackwelder 1948 : 30. 3. Leng 1920 : 244. 4. F. G. Werner, pers. comm.
 SYN: *Sinoxylon asperum* LeC.; *S. sericans* Horn, 1878 : 542 (not LeC.).
 MEXICO, UNITED STATES (1), AZ (4).
- Dendrobiella sericans* (LeC.)**, 1858 : 73. In mesquite—larvae destructive in dead wood (4).
 1. Blackwelder 1945 : 400. 2. Blackwelder and Blackwelder 1948 : 30. 3. Leng 1920 : 244. 4. Essig 1934 : 435.
 SYN: *Sinoxylon sericans* LeC.; *Dendrobiella pubescens* Csy., 1898 : 67.
 GUATEMALA, HONDURAS, PANAMA (1), MEXICO (1, 2, 3, 4), AZ, CA (2, 3, 4), NM (4), TX (2, 3, 4).
- Polycaon femoralis* (Fabr.)**, 1792 : 664. In mesquite, *Casuarina* (2).
 1. Leng 1920 : 245. 2. Craighead 1949 : 227.
 SYN: *Apate femoralis* Fabr.; *A. gonagra* Fabr., 1798 : 156.
 CENTRAL AMERICA, TX (1).
- Xyloblaptus quadrispinosus* (LeC.)**, 1866 : 100. In mesquite (3).
 1. Blackwelder 1945 : 400. 2. Leng 1920 : 244. 3. F. G. Werner, pers. comm.
 SYN: *Sinoxylon quadrispinosa* LeC.
 GUATEMALA (1), MEXICO (1, 2), AZ (2, 3).
- Xylobiops* spp.** On *Prosopis glandulosa* (4); in mesquite—larvae destructive to dead wood (3).
 1. Blackwelder 1945 : 400. 2. Leng 1920 : 244. 3. Craighead and Hofer 1921 : 6. 4. TTU.
 ARGENTINA (4), SOUTHWESTERN UNITED STATES (3), TX[RP] (4).
- Xylobiops sextuberculatum* (LeC.)**, 1858 : 73. In *Prosopis* (3).
 1. Blackwelder 1945 : 400. 2. Leng 1920 : 244. 3. F. G. Werner, pers. comm.
 SYN: *Sinoxylon sextuberculatum* LeC.
 GUATEMALA, GRENADA (1), MEXICO (1, 2), AZ (2, 3), CA, TX (2).
- Xylobiops texanum* (Horn)**, 1878 : 543. On *Prosopis glandulosa*, *P. laevigata* (4); *P.* sp. (3, 4); mesquite—bores in small and medium sized dead branches (4).
 1. Blackwelder 1945 : 400. 2. Leng 1920 : 244. 3. Foster and Barr 1972 : 122. 4. TTU.
 SYN: *Sinoxylon texanum* Horn; *Xylobiops texana* (Horn), 1878 : 542.
 JAMAICA (1), MEXICO (4), FL, TX (2), TX[EP] (3), HP, RP (4)].
- Xyloprista hexacantha* (Fairm.)**, 1892 : 245. On *Prosopis* spp.—attacks many other species including caldén and eucalyptus (2).
 1. Blackwelder 1945 : 400. 2. Hayward 1958 : 5.
 SYN: *Xylopertha hexacantha* Fairm.
 SOUTH AMERICA (1), ARGENTINA (1, 2).

Bruchidae

- Acanthoscelides chiricahuae* (Fall)**, 1910 : 181. On mesquite (3); *Quercus undata*, *Gymnosperma gultinosum* (2).
 1. Leng 1920 : 305. 2. Moldenke 1971 : 107. 3. TTU.
 SYN: *Bruchus chiricahuae* Fall; *Mylabris chiricahuae* (Fall).
 MEXICO (2), AZ (1), NM, TX[HP] (3).
- Acanthoscelides ferrugineipennis* (Blanch.)**, 1851 : 294. In *Prosopis tamarugo* fruits (2).
 1. Blackwelder 1946 : 759. 2. Porter 1914 : 43.
 SYN: *Bruchus ferrugineipennis* Blanch.
 CHILE (1, 2).
- Acanthoscelides longescutus* (Pic)**, 1938 : 24. In *Prosopis strombulifera*—found in fruits (2).
 1. Blackwelder 1946 : 760. 2. Hayward 1958 : 6.
 SYN: *Bruchus longescutus* Pic.
 ARGENTINA (2), BOLIVIA (1).
- Acanthoscelides vagenotatus* (Pic)**, 1938 : 19. On *Prosopis alba*, *P. algarobilla*, *P. nigra*, *P. rusciifolia*—reared from branches (3); *P.* sp. (2).
 1. Blackwelder 1946 : 761. 2. Bosq 1942 : 18. 3. Hayward 1958 : 6.
 SYN: *Bruchus vagenotatus* Pic.
 ARGENTINA (2, 3), PERU (1).
- Algarobius* sp.** On mesquite (2, 3)—bean feeder

- causing considerable damage (2).
1. Blackwelder and Blackwelder 1948:45. 2. C. E. Rogers, pers. comm. 3. TTU. TX[RP] (2), STP (3)].
- Algarobius bottimeri** Kings., 1972:116. In *Prosopis glandulosa* (1, 2).
1. Kingsolver 1972:116. 2. TTU.
- SYN: *Bruchus prosopis* LeC., 1858:77 (of authors not LeC., 1858:77, especially records from TX and HI); *Algarobius prosopis* (of authors, in part).
- MEXICO (1, 2), HI, NM, TX (1), TX[HP, RP, TP] (2).
- Algarobius prosopis** (LeC.), 1858:77. On *Prosopis glandulosa* (3); *P. juliflora* (3, 4); *P. pubescens* (3); *P. velutina* (3, 5)—infests seeds of hosts, oviposits in green or dry pods (5); mesquite (5, 6, 8, 9, 10), *Vachellia farnesiana* (7); [detailed biologies including parasites (3, 6, 8)].
1. Blackwelder 1946:760. 2. Leng 1920:305.
 3. Bridwell 1917:475. 4. Bridwell 1919:17. 5. Bridwell 1920a:337. 6. Forister 1970:73. 7. Moldenke 1971:107. 8. Swezey 1928:675. 9. F. G. Werner, pers. comm. 10. TTU.
- SYN: *Bruchus prosopis* LeC., *B. uniformis* LeC., 1858:77; *B. desertorum* LeC., 1858:78; *Acanthoscelides prosopis* (LeC.); *Mylabris prosopis* (LeC.).
- SOUTH AMERICA (3), GUATEMALA (1), MEXICO (1, 2, 5, 7), AZ (2, 3, 8, 9), CA (2, 3), HI (2, 3, 4, 5, 7), NM (10), TX (3, 10), TX[HP] (10).
- Amblycerus** sp. On *Prosopis* (2).
1. Blackwelder and Blackwelder 1948:44. 2. R. F. Wilkey, pers. comm. CA (2).
- Amblycerus martorelli** Bridwell, 1943:133. In *Prosopis chilensis*—affects seeds, mesquite (2).
1. Blackwelder 1946:762. 2. Bridwell 1943:133.
- DOMINICAN REPUBLIC, HAITI (2), PUERTO RICO (1, 2).
- Amblycerus piurae** Pierce, 1915:8. On *Prosopis* (2).
1. Blackwelder 1946:763. 2. Bridwell 1943:135.
- PERU (1, 2).
- Bruchus brachialis** Fahr., 1939:79. On mesquite (2).
1. Blackwelder 1939:64. 2. TTU. CO (2), GA, NJ, OH (1), TX[HP] (2).
- Caryoborus gonagra** (Fabr.), 1798:159. On *Prosopis juliflora*—each larva destroys one or more mature seeds (1, 3, 4); *Acacia farnesiana*, *Bauhinia monandra*, *B. tomentosa*, *Caesalpinia pulcherrima*, *Cassia fistula*, *C. grandis*, *Tamaridus indicus* (1); *Cassia nodosa* (1, 2); [details of biology, including parasites (1, 5)].
1. Bridwell 1917:477. 2. Bridwell 1919:15. 3. Bridwell 1920a:339. 4. Bridwell 1920b:408. 5. Swezey 1928:675. 6. Kapur 1938:528.
- SYN: *Bruchus gonagra* Fabr.; *Pachymerus gonagra* (Fabr.).
- HI (1, 2, 3, 4).
- Mimosestes amicus** (Horn), 1873:331. On *Prosopis glandulosa* (6); *P. juliflora* (5); mesquite—also oviposits on *Cercidium floridum* (3); *Gymnosperma glutinosum*, *Hymenoclea salsola* (4); [detailed biology including parasites (3, 5)].
1. Blackwelder 1946:758. 2. Leng 1920:305.
 3. Forister 1970:72. 4. Moldenke 1971:108. 5. Swezey 1928:675. 6. TTU.
- SYN: *Bruchus amicus* Horn; *Mylabris amicus* (Horn); *Acanthoscelides amicus* (Horn).
- MEXICO (1, 5), PUERTO RICO (1), AZ (2, 3), HI (4), TX (2).
- Mimosestes protractus** (Horn), 1873:330. In *Prosopis juliflora* (5); on mesquite (4, 5); [detailed biology (3)].
1. Blackwelder 1946:760. 2. Leng 1920:305.
 3. Forister 1970:71. 4. F. G. Werner, pers. comm. 5. TTU.
- SYN: *Bruchus protractus* Horn; *B. longiventris* Sharp, 1885:473; *Mylabris protractus* (Horn), *Acanthoscelides protractus* (Horn).
- MEXICO (1, 2, 5), AZ (2, 3, 4), CA, TX (2).
- Mimosestes sallaei** (Sharp), 1885:475. In *Prosopis juliflora*—oviposits mostly on mature pods, 2-7 or more eggs in cluster (6); *P.* sp. (9); *Acacia farnesiana* (3, 4, 5); *A. amentacea*, *Gleditsia triacanthos* (4); *Mimosa hysterothorus*, *Parthenium hysterothorus*, *Quercus undata* (7); [detailed biology including parasites (1, 6, 8)].
1. Blackwelder 1946:761. 2. Blackwelder and Blackwelder 1948:45. 3. Leng 1920:305. 4. Bridwell 1919:15. 5. Bridwell 1920a:337. 6. Bridwell 1920b:403. 7. Moldenke 1971:108. 8. Swezey 1928:669. 9. TTU.
- SYN: *Pachymerus sallaei* Sharp; *Bruchus sallaei* (Sharp); *Acanthoscelides sallaei* (Sharp); *A. sallaei* Pic, 1913:47; *Mylabris sallaei* (Sharp).
- CENTRAL AMERICA (4), GUATEMALA (1), MEXICO (1, 3, 4, 7), PUERTO RICO (1), HI (4, 5, 6, 7), TX (1), TX[CTP] (9).
- Neltumius arizonensis** (Schffr.), 1904:229. In *Prosopis chilensis*, *P. juliflora*—seeds (4, 5); on

P. velutina (5); mesquite (6); *Chilopsis linearis*, *Covillea tridentata* (5); [detailed biology (4)].

1. Blackwelder and Blackwelder 1948:45. 2. Leng 1920:305. 3. Brandley 1946:36. 4. Forister 1970:67. 5. Kingsolver 1964:106. 6. F. G. Werner, pers. comm.

SYN: *Bruchus arizonensis* Schffr.; *Mylabris arizonensis* (Schffr.).

AZ (2, 4, 5, 6), CA, NV, TX (5).

***Neltumius gibbithorax* (Schffr.)**, 1904:230. In *Prosopis odorata*—reared from beans; on *P. pubescens*, *Pluchea sericea* (4); mesquite—may be numerous in seeds, always in restricted areas (5).

1. Blackwelder and Blackwelder 1948:45. 2. Leng 1920:305. 3. Bradley 1946:36. 4. Kingsolver 1964:106. 5. C. D. Johnson, pers. comm.

SYN: *Bruchus gibbithorax* Schffr.; *Mylabris gibbithorax* (Schffr.).

MEXICO (4), AZ, CA (2, 4), NV (4), TX (2), UT (4).

***Pectinibruchus longiscutus* Kings.**, 1967:324. On *Prosopis panta*, *P. sp.* (1).

1. Kingsolver 1967:324.

ARGENTINA (1).

***Rhipibruchus picturatus* (Fahr.)**, 1839:2. On *Prosopis alba*, *P. algarobilla*, *P. humilis*, *P. nigra* (2, 3); *P. chilensis*, *P. juliflora*, *P. nandubey*, *P. siliquastrum* (3).

1. Blackwelder 1946:758. 2. Hayward 1958:6. 3. Kingsolver 1967:320.

SYN: *Bruchus picturatus* Fahr.; *Megalorhipis leiboldi* Philippi, 1859:669; *M. leyboldi* Pic, 1913:12; *Rhipibruchus picturatus* Bridwell, 1932:105.

ARGENTINA (2, 3), CHILE (1, 3), COLOMBIA, URUGUAY (3).

***Rhipibruchus prosopis* Kings.**, 1967:322. On *Prosopis juliflora*, *P. nigra*, *P. strombulifera* (1).

1. Kingsolver 1967:322.

ARGENTINA, URUGUAY (1).

Scutobruchus sp. On *Prosopis caldenia* (1).

1. TTU.

ARGENTINA (1).

***Scutobruchus gastoi* Kings.**, 1968:285. On *Prosopis sp.* (1).

1. Kingsolver 1968:285.

CHILE (1).

Sennius sp. On *Prosopis* (2).

1. Blackwelder and Blackwelder 1948:45. 2. TTU.

ARGENTINA (2).

***Stator limbatus* (Horn)**, 1873:324. *Prosopis* (5); mesquite—prob. doesn't attack seeds except un-

der experimental conditions (4); *Albizia lebeck*, *Pithecolobium dulce*, *Samanea saman*—will infest *Acacia farnesiana* and *Prosopis juliflora* in the lab (3).

1. Blackwelder 1946:760. 2. Leng 1920:305. 3. Bridwell 1920b:406. 4. C. D. Johnson, pers. comm. 5. J. M. Kingsolver, pers. comm.

SYN: *Bruchus limbatus* Horn; *Mylabris limbatus* (Horn); *Acanthoscelides limbatus* (Horn).

MEXICO (1, 2, 3), AZ (2, 4), CA (2), HI (3), TX (2).

***Stator pruininus* (Horn)**, 1873:324. On *Prosopis juliflora* (4); *Prosopis* (6)—prob. doesn't infest seed naturally (5); *Acacia* spp., *Albizia saponaria*, *Desmanthus virgatus*—will infest several plant genera in lab (4).

1. Blackwelder 1946:760. 2. Blackwelder and Blackwelder 1948:45. 3. Leng 1920:305. 4. Bridwell 1917:468. 5. C. D. Johnson, pers. comm. 6. TTU.

SYN: *Bruchus pruininus* Horn; *Mylabris pruininus* (Horn); *Acanthoscelides pruininus* (Horn).

MEXICO (1, 5, 6), AZ (4, 5), CA (3), HI (4), TX (3).

Buprestidae

***Acmaeodera alacris* Horn**, 1878:25. On *Prosopis juliflora*, *Cercidium plurifoliolatum* (2).

1. Leng 1920:178. 2. Nelson 1967:23.

MEXICO (2), CA (1, 2).

***Acmaeodera bivulnera* Horn**, 1894:328. On *Prosopis* (4); mesquite (6); *Cercidium floridum*, *Hymenoclea salsola* (5).

1. Blackwelder 1944b:307. 2. Blackwelder and Blackwelder 1948:20. 3. Leng 1920:178. 4. Barr 1941b:63. 5. Nelson 1959:23. 6. W. F. Barr, pers. comm.

MEXICO (1, 2, 3), AZ (2, 3, 4), CA (5).

***Acmaeodera comata* LeC.**, 1858:70. On *Prosopis* (4).

1. Blackwelder 1944b:307. 2. Blackwelder and Blackwelder 1948:20. 3. Leng 1920:178. 4. UCR.

SYN: *Acmaeodera comata* LeC. 1863:43.

MEXICO (1, 4), AZ (2), CA (3).

***Acmaeodera gibbula* LeC.**, 1858:69. On *Prosopis chilensis* (5); *P. glandulosa* (5, 6)—found on wide variety of flowers (4, 5); *P. juliflora*, *Condalia obtusifolia*, *Leucophyllum texanum* (4).

1. Blackwelder 1944b:307. 2. Blackwelder and Blackwelder 1948:20. 3. Leng 1920:178. 4. Vogt 1949:194. 5. W. F. Barr, pers. comm. 6. TTU.

- SYN: *Acmaeodera delumbis* Horn, 1894:378. MEXICO (1, 2, 5), I. TIBURON (1), AZ, CA, NM (3, 4), TX (2), TX[RP] (6), STP (5, 6), TP (6)].
- Acmaeodera griffithi* Fall**, 1899:36. On mesquite (3); *Acacia greggii* (2).
1. Leng 1920:178. 2. Nelson 1964:37. 3. W. F. Barr, pers. comm.
AZ (1, 2).
- Acmaeodera hassayampae* Knull**, 1961:80. On *Prosopis* (1); *Acacia greggii*—reared from limbs (2).
1. Barr 1941b:63 (as *A. hulli*). 2. Nelson 1964:37. 3. W. F. Barr, pers. comm.
CA (1).
- Acmaeodera haulapaiana* Knull**, 1952:349. On mesquite (1).
1. W. F. Barr, pers. comm.
CA (1).
- Acmaeodera hulli* Knull**, 1928:315. On *Prosopis glandulosa* (4); mesquite (3).
1. Blackwelder and Blackwelder 1948:20. 2. Leng and Mutchler 1933:28. 3. W. F. Barr, pers. comm. 4. TTU.
MEXICO (1), AZ (1, 3), CA (1), NM (2), TX[RP] (4).
- Acmaeodera jaguarina* Knull**, 1938:135. On *Prosopis pubescens*, mesquite (4).
1. Blackwelder 1939:42. 2. Blackwelder and Blackwelder 1948:20. 3. Barr 1941b:63. 4. W. F. Barr, pers. comm.
AZ, CA (1, 2, 3).
- Acmaeodera junki* Théry**, 1929:115. In *Prosopis*—reared from branches (6); mesquite (5); reared from *Acacia greggii* (4).
1. Blackwelder 1944b:307. 2. Blackwelder and Blackwelder 1948:20. 3. Leng and Mutchler 1933:29. 4. Nelson 1964:37. 5. W. F. Barr, pers. comm. 6. F. G. Werner, pers. comm.
SYN: *Acmaeodera squamosa* Van D., 1919:186 (not Théry).
MEXICO (1), AZ (2, 4, 5, 6), CA, TX (2), TX[TP] (5).
- Acmaeodera latiflava latiflava* Fall**, 1907:240. On *Prosopis* (4, 5).
1. Blackwelder and Blackwelder 1948:20. 2. Leng 1920:178. 3. Nelson 1962:57. 4. W. F. Barr, pers. comm. 5. UCR.
SYN: *Acmaeodera hepburni latiflava* Fall.
MEXICO (3), CA (2, 4, 5), NV (1).
- Acmaeodera maculifera* Horn**, 1894:372. On mesquite (2).
1. Leng 1920:178. 2. TTU.
AZ (1), NM (2), TX (1).
- Acmaeodera parkeri* Cazier**, 1940:22. On mesquite (2).
1. Blackwelder and Blackwelder 1948:19. 2. W. F. Barr, pers. comm.
MEXICO (1), AZ (1, 2), NM (2).
- Acmaeodera pinalorum* Knull**, 1930:15. On *Prosopis* (3).
1. Blackwelder and Blackwelder 1948:20. 2. Leng and Mutchler 1933:28. 3. W. F. Barr, pers. comm.
AZ (1, 2, 3), CA (1, 3).
- Acmaeodera pulchella* complex**. On *Prosopis glandulosa*, mesquite (3); adults on flowers of several composites (2).
1. Leng 1920:178. 2. Vogt 1949:195. 3. TTU. TX[HP, RP] (3), STP (2), TP (3)].
- Acmaeodera quadrivittata* Horn**, 1870:79. On *Prosopis* (5); cactus flowers (4).
1. Blackwelder 1944b:307. 2. Blackwelder and Blackwelder 1948:20. 3. Leng 1920:178. 4. Vogt 1949:195. 5. W. F. Barr, pers. comm.
MEXICO (1, 2), AZ (3), CA (3, 5), CO, NM (2), TX (3, 4, 5), UT (2).
- Acmaeodera robusta* Horn**, 1878:9. On mesquite, *Bebbia*, *Chionactius*, *Dalea*, *Encelia*, *Lapidium* (4).
1. Blackwelder 1939:42. 2. Blackwelder and Blackwelder 1948:20. 3. Leng 1920:178. 4. UCR.
SYN: *Acmaeodera robusta* var. *rubrosuffusa* Fall, 1907:240; *A. robusta duboisi* Cazier, 1938:138.
CA (1, 2), NV (2).
- Acmaeodera tuta* Horn**, 1878:11. On *Prosopis glandulosa*, *P. juliflora* (3); mesquite (4).
1. Blackwelder and Blackwelder 1948:19. 2. Leng 1920:178. 3. Cazier 1938:138. 4. W. F. Barr, pers. comm.
SYN: *Acmaeodera robusta duboisi* Cazier 1938:138.
CA (2, 4), NV (1), UT (2, 4).
- Acmaeodera uvaldensis* Knull**, 1936:73. On *Prosopis juliflora*—while in bloom (2).
1. Blackwelder 1939:42. 2. Vogt 1949:194. TX (1), TX[STP] (2).
- Acmaeodera varipilis* Van D.**, 1934:62. On *Prosopis glandulosa*, *Acacia greggii* (3).
1. Blackwelder 1939:42. 2. Blackwelder 1944b:308. 3. UCR.
MEXICO (2, 3), I. TIBURON (2), AZ (1), CA (1, 3), TX (1).
- Acmaeoderoides cazieri* Nelson**, 1968:137. On

- Prosopis juliflora*, *P. pubescens*—on dead twigs, *Atriplex lentiformis* foliage (1).
1. Nelson 1968 : 137.
CA (1).
- Acmaeoderoides rossi* (Cazier)**, 1937 : 115. On *Prosopis* (2, 3); *Acacia*; *Hyptis emoryi*—on dead twigs; adults have been taken on a wide variety of flowers including *Cercidium floridum*, *Ephedra* sp., *Eriogonum* spp., *Larrea tridentata*, *Palafoxia* spp., *Stephanomeria* spp. (3).
1. Blackwelder 1939 : 42. 2. Barr 1941b : 65. 3. Nelson 1968 : 141.
SYN: *Acmaeodera rossi* Cazier; *Tendaris balli* Knull, 1937 : 302.
AZ (2, 3), CA (1, 2, 3).
- Acmaeoderoides rufesens* Nelson**, 1968 : 144. On *Prosopis juliflora* (1, 2); *Geraea canescens* flowers (2).
1. Nelson 1968 : 144. 2. UCR.
CA (1, 2).
- Actenodes* sp.** On *Prosopis* (2).
1. Leng 1920 : 183. 2. TTU.
TX[RP] (2).
- Actenodes arizonica* Knull**, 1927 : 115. On *Prosopis chilensis* (2); *P. sp.* (3).
1. Leng and Mutchler 1933 : 29. 2. Nelson 1962 : 59. 3. W. F. Barr, pers. comm.
AZ (1, 2), CA (3).
- Actenodes mendax* Horn**, 1891 : 46. On *Prosopis juliflora* (3); mesquite (3,4)—dead trees (3).
1. Blackwelder 1944b : 319. 2. Leng 1920 : 183. 3. Vogt 1949 : 197. 4. TTU.
MEXICO (1), CA, TX (2), TX[RP] (4), STP (3)].
- Agrilus* spp.** On *Prosopis alba*, *P. caldenia*, *P. glandulosa*, mesquite (3).
1. Leng 1920 : 183. 2. Blackwelder 1944b : 323. 3. TTU.
ARGENTINA, MEXICO, TX[EP, RP] (3).
- Agrilus abditus* Horn**, 1891 : 332. On *Prosopis* (2).
1. Leng 1920 : 184. 2. F. G. Werner, pers. comm.
NV (1, 2).
- Agrilus addendus* Cr.**, 1873 : 95. On mesquite, blackbrush, huisache (3).
1. Blackwelder 1944b : 323. 2. Leng 1920 : 184. 3. Vogt 1949 : 198.
MEXICO (1, 3), AZ, IN, TX (2), TX[GP, STP] (3).
- Agrilus cupreonitens* Fisher**, 1928 : 265. On mesquite, blackbrush, huisache (2).
1. Leng and Mutchler 1933 : 30. 2. Vogt 1949 : 198.
TX (1), TX[GP, STP] (2).
- Agrilus felix* Horn**, 1891 : 326. On *Prosopis juliflora*, mesquite foliage (3).
1. Blackwelder 1944b : 326. 2. Leng 1920 : 184. 3. Vogt 1949 : 198.
MEXICO (1), AZ (2), TX[STP] (3).
- Agrilus palmacollis* Horn**, 1891 : 326. On *Prosopis glandulosa*, *P. sp.* (5); mesquite—frequents young foliage (3); reared from mesquite (4).
1. Blackwelder 1944b : 328. 2. Leng 1920 : 184. 3. Vogt 1949 : 198. 4. F. G. Werner, pers. comm. 5. TTU.
MEXICO (1), AZ (2, 4), NM (5), TX (2), TX[HP, RP] (5), STP (3)].
- Agrilus prosopidis* Fisher**, 1928 : 275. On *Prosopis* (3); mesquite, ebony (2).
1. Leng and Mutchler 1933 : 30. 2. Vogt 1949 : 198. 3. TTU.
TX (1), TX[GP] (3), STP (2)].
- Agrilus viridescens* Knull**, 1935 : 97. On mesquite (2, 3).
1. Blackwelder 1939 : 44. 2. Vogt 1949 : 200. 3. TAMU.
TX (1), TX[GP, STP] (2, 3).
- Agrilus wenzeli* Knull**, 1928 : 333. On *Prosopis chilensis*, *Acacia greggii* (2).
1. Blackwelder 1939 : 44. 2. Nelson 1964 : 39.
AZ (1).
- Ancylotela anomalis* (Knull)**, 1937 : 252. On *Prosopis* (2).
1. Blackwelder 1939 : 42. 2. Barr 1941a : 169.
SYN: *Paratyndaris anomalis* Knull.
CA (2), NV (1).
- Ancylotela barberi* (Skinner)**, 1903 : 238. On *Prosopis* (5); *Olneya tesota* (4).
1. Blackwelder 1939 : 42. 2. Leng 1920 : 178. 3. Barr 1941a : 169. 4. Nelson 1962 : 58. 5. W. F. Barr, pers. comm.
SYN: *Tyndaris barberi* Skinner; *Paratyndaris barberi* (Skinner).
AZ (1, 2, 4), CA (3), NV (1, 4).
- Ancylotela olneyae* (Skinner)**, 1903 : 236. On *Prosopis juliflora*, *P. sp.*, mesquite (4)—feeds on bark of dead branches and twigs (7); *Acacia greggii*, *Cercidium torreyanum* (5); *Olneya tesota* (7); rockbrush (6).
1. Blackwelder 1939 : 42. 2. Blackwelder and Blackwelder 1948 : 20. 3. Leng 1920 : 178. 4. Barr 1941a : 169. 5. Burke 1918 : 211. 6. Duncan 1933 : 229. 7. Nelson 1962 : 58. 8. Vogt 1949 : 195.
SYN: *Tyndaris olneyae* Skinner; *Paratyndaris olneyae* (Skinner); *P. olneya* Van D., 1945 : 109.
MEXICO (2, 7), AZ (1, 2, 3, 4, 5), CA (2, 5), NV (1, 5), TX (2), TX[STP] (8).

Chrysobothris spp. On mesquite (3).

1. Blackwelder 1944b:306. 2. Leng 1920:182.
3. TTU.

MEXICO, AZ (3).

Chrysobothris acutipennis Chev., 1835:190. On *Prosopis juliflora*, *Acacia berlandieri*—reared from tepeguaje branches pruned by *Oncideres pustulatus* (3).

1. Blackwelder 1944b:316. 2. Leng 1920:182.
3. Vogt 1949:197.

SYN: *Chrysobothris cupreoaenea* L. & G., 1837:39, *C. cupreoaenea* Cast., 1838:39; *C. acuminata* LeC., 1859:237; *C. cupreosignata* Thoms., 1878:80.

BRITISH HONDURAS, COLOMBIA, COSTA RICA, FRENCH GUIANA, GUATEMALA, HONDURAS (1), MEXICO (1, 2), NICARAGUA, PANAMA, VENEZUELA (1), AZ, TX (2), TX[GP, STP] (3).

Chrysobothris analis LeC., 1859:238. On mesquite—reared from cedar, elm, huisache, tepehuaje, found in a variety of dead woody plants (3).

1. Blackwelder 1944b:316. 2. Leng 1920:182.
3. Vogt 1949:197.

SYN: *Chrysobothris austinii* Thoms., 1878:78.

GUATEMALA (1), MEXICO (1, 2), AZ, CA (3), TX (2), TX[STP] (3).

Chrysobothris basalis LeC., 1858:68. On *Prosopis juliflora*, *Acacia farnesiana*, *Leucaena pulverulenta* (3).

1. Blackwelder 1944b:316. 2. Leng 1920:182.
3. Vogt 1949:196.

SYN: *Chrysobothris atabalipa* LeC., 1857:8; *C. multistigmata* Kerr., 1892:217; *C. m. basalis* LeC.

MEXICO (1), TX (2), TX[GP, STP] (3).

Chrysobothris debilis LeC., 1859:236. On *Prosopis juliflora* (4, 6); mines under bark of dead and dying limbs (4); mesquite (5).

1. Blackwelder 1944b:316. 2. Blackwelder and Blackwelder 1948:22. 3. Leng 1920:183. 4. Burke 1918:210. 5. Van Dyke 1918:58. 6. W. F. Barr, pers. comm.

SYN: *Chrysobothris disjuncta* LeC., 1859:236.

MEXICO (1), WESTERN STATES (4), AZ (2, 3, 4), CA (3), OH (2), OR (3), NM (2, 3), WA (3).

Chrysobothris near deleta LeC. On mesquite (2).

1. Leng 1920:183. 2. TTU.

TX[HP] (2).

Chrysobothris exesa LeC., 1858:68. On *P. juliflora*—mines bark, heartwood, and sapwood of

dead and dying trees (3, 5); *Prosopis* sp. (4); mesquite (6).

1. Blackwelder 1944b:317. 2. Leng 1920:183.
3. Burke 1918:211. 4. Van Dyke 1918:58. 5. Vogt 1949:197. 6. TTU.

MEXICO (1), AZ (2, 3), CA (2), TX[RP] (6), STP (5)].

Chrysobothris gemmata LeC., 1858:67. On *Prosopis juliflora* (3, 5)—mines living, dying, and dead branches (4), may kill entire tree (3, 4); mesquite (5).

1. Blackwelder 1944b:317. 2. Leng 1920:182.
3. Burke 1918:211. 4. Essig 1934:401. 5. Van Dyke 1918:58.

MEXICO (1), AZ (2, 3, 4, 5).

Chrysobothris lateralis Waterh., 1887:47. In *Prosopis*, mesquite (4); occurs in branches cut by *Oncideres*, probably reared from sound branches (3).

1. Leng 1920:182. 2. W. F. Barr, pers. comm.
3. F. G. Werner, pers. comm. 4. TTU.

MEXICO (1, 2), AZ (3, 4), CA (3), NM (4), TX (1), TX[HP] (4).

Chrysobothris lixa Horn, 1886:101. On *Prosopis juliflora*, mesquite (4).

1. Blackwelder 1944b:317. 2. Blackwelder and Blackwelder 1948:22. 3. Leng 1920:183. 4. Vogt 1949:196.

MEXICO (1), AZ, TX (3), TX[STP] (4).

Chrysobothris mali Horn, 1886:97. On *Prosopis juliflora* (3); mesquite, also infests a variety of trees including apple, apricot, cherry, peach, pear, plum, and others (2).

1. Leng 1920:183. 2. Essig 1934:401. 3. Van Dyke 1918:58.

SYN: *Chrysobothris mali lineatipennis* Van D., 1916:411.

AZ (1), CA (1, 2, 3), CO (1).

Chrysobothris merkei Horn, 1886:104. On *Prosopis glandulosa* (6); *P. juliflora* (3, 5); mesquite (3, 4)—mines dying and dead mesquite and cats-claw (3); ebony, guajillo (5).

1. Blackwelder 1944b:317. 2. Leng 1920:182.
3. Essig 1934:401. 4. Van Dyke 1918:58. 5. Vogt 1949:197. 6. TTU.

MEXICO (1), AZ, CA (2, 3), NM (3), TX (2, 3), TX[RP] (6), STP (5)].

Chrysobothris octocola LeC., 1858:67. On *Prosopis glandulosa* (9); *P. juliflora*—on freshly killed mesquite (7, 9); mesquite (6, 7); reared from mesquite branches (5, 8); bores in injured and dead branches—also of palo verde (3); hackberry, huisache, huisachillo, tree catsclaw (7).

1. Blackwelder 1944b : 318. 2. Leng 1920 : 182.
3. Essig 1934 : 402. 4. Keen 1952 : 191. 5. Craig-
head and Hofer 1921 : 6. 6. Van Dyke 1918 : 58.
7. Vogt 1949 : 196. 8. F. G. Werner, pers. comm.
9. TTU.
SYN: *Chrysobothris caviventris* Théry, 1826 :
165; *C. octopunctata* Kunze, 1904 : 242.
MEXICO (1, 9), AZ, CA, TX (2), TX[EP, RP
(9), STP (7, 9), TP (9)].
- Chrysobothris prosopidis* Fisher**, 1942 : 70. On
Prosopis glandulosa (3); *P. juliflora*, mesquite,
Acacia farnesiana—reared from dead branches
of *Acacia rigidula* (2).
1. Blackwelder and Blackwelder 1948 : 22. 2.
Vogt 1949 : 196. 3. TTU.
AZ, TX (1), TX[STP] (2, 3).
- Chrysobothris purpureoplagiata* Schffr.**, 1904 :
206. In mesquite—reared from branches (3).
1. Blackwelder 1944b : 318. 2. Leng 1920 : 183.
3. F. G. Werner, pers. comm.
SYN: *Chrysobothris purpureovittata*
Horn, 1894 : 328 (not 1886 : 76).
MEXICO (1), AZ (2, 3).
- Chrysobothris rossi* Van D.**, 1942 : 117. In *Pro-
sopis glandulosa*—reared from limbs (4); *P. sp.*
(3); mesquite (4).
1. Blackwelder 1944b : 318. 2. Blackwelder and
Blackwelder 1948 : 22. 3. W. F. Barr, pers. comm.
4. TTU.
MEXICO (1, 2), AZ (3) TX[RP] (4).
- Chrysobothris wickhami* Fisher**, 1942 : 209. On
Prosopis chilensis (2); *P. juliflora* (3); *P. pubes-
cens* (2).
1. Blackwelder and Blackwelder 1948 : 22. 2.
Nelson 1960 : 73. 3. Nelson 1967 : 24.
AZ (1), CA (2, 3).
- Hippomelas cuneata* (Horn)**, 1868 : 133. On *Pro-
sopis chilensis*, *Acacia greggii* (2).
1. Leng 1920 : 179. 2. Nelson 1959 : 23.
SYN: *Gyascutus cuneata* Horn; *Prasinalia an-
gusta* Csy., 1909 : 59; *P. metallica* Csy., 1909 : 59.
AZ, CA (1, 2).
- Hippomelas sphenica* (LeC.)**, 1854 : 83. In *Pro-
sopis juliflora*, mesquite (3, 4, 5)—reared from
branches; adults feed on foliage (3); catsclaw (4).
1. Blackwelder 1944b : 310. 2. Leng 1920 : 179.
3. Vogt 1949 : 195. 4. F. G. Werner, pers. comm.
5. TTU.
SYN: *Gyascutus sphenica* LeC.; *Stictocera*
grossus Csy., 1909 : 57; *S. robustus* Csy., 1909 :
57; *S. serrulatus* Csy., 1909 : 57.
MEXICO (1), AZ, TX (2), TX[RP] (5), STP (3)].
- Mastogenius sp.*** On *Prosopis* (2).
1. Leng 1920 : 185. 2. F. G. Werner, pers. comm.
AZ (2).
- Mastogenius robustus* Schffr.**, 1904 : 210. On mes-
quite (3); *Quercus hypoleucoides* (2).
1. Leng 1920 : 185. 2. Nelson 1964 : 41. 3. TTU.
MEXICO (3), AZ (1, 2).
- Paragrillus texanus* Schffr.**, 1904 : 211. On mes-
quite, callirhoe, huisache, tepehuaje, malvaceous
plants (2).
1. Blackwelder 1939 : 44. 2. Vogt 1949 : 199.
TX (1), TX[GP, STP] (2).
- Paratyndaris chamaeleonis* (Skinner)**, 1903 : 237.
On mesquite—oviposits in dead wood; *Bumelia*
celastrina, *Lycium berlandieri* (3).
1. Blackwelder 1939 : 42. 2. Leng 1920 : 178.
3. Vogt 1949 : 195.
SYN: *Tyndaris chamaeleonis* Skinner.
TX (1, 2), TX[STP] (3).
- Polycesta arizonica* Schffr.**, 1906 : 21. On *Proso-
pis* (4); *Quercus hypoleuca*, *Q. spp.* (3).
1. Blackwelder 1939 : 42. 2. Leng 1920 : 178.
3. Barr 1949 : 12. 4. Duncan 1933 : 229.
AZ (1, 2, 3, 4), CA, NM (1).
- Polycesta velasco* Cast. and Gory**, 1837 : 5. On
Prosopis glandulosa, *P. juliflora* (4); mesquite
(5); *Acacia greggii*, *Cercidium floridum*, *Dalia*
spinosa, *Larrea divaricata* (4).
1. Blackwelder 1939 : 42. 2. Leng 1920 : 178. 3.
Leng and Mutchler 1933 : 28. 4. Barr 1949 : 17.
5. W. F. Barr, pers. comm.
SYN: *Polycesta montezuma* var. *velasco* Cast.,
1838 : 5.
MEXICO, AZ (1, 2), CA, NM (1), TX (1, 5).
- Psiloptera corynthia* (Fairm.)**, 1864 : 264. In *Pro-
sopis spp.*—bores in branches (2, 3); on *Cassia*
aphylla (3).
1. Blackwelder 1944b : 310. 2. Bosq 1942 : 18.
3. Hayward 1958 : 7.
ARGENTINA (1, 2, 3).
- Psiloptera cupreopunctata* Schffr.**, 1905 : 147. On
Prosopis juliflora—chews bark at base of leaf
petioles, may nearly defoliate *Prosopis* trees;
Acacia farnesiana, *Brumelia celastrina* (2).
1. Leng 1920 : 179. 2. Vogt 1949 : 196.
TX (1), TX[STP] (2).
- Psiloptera desmaresti* Thoms.**, 1878 : 30. In *Pro-
sopis spp.*—bores in branches (3) and trunks (2).
1. Blackwelder 1944b : 310. 2. Bosq 1942 : 18.
3. Hayward 1958 : 7.
ARGENTINA (1, 2, 3).
- Psiloptera esterensis* Obenberger**, 1924 : 42. In
Prosopis spp.—bores in branches and trunks (2).
1. Blackwelder 1944b : 310. 2. Bosq 1942 : 18.

ARGENTINA (1, 2).

Psiloptera plagiata (Gory), 1840:84. In *Prosopis* spp.—larvae bore in branches and trunks (2, 3).

1. Blackwelder 1944b:311. 2. Bosq 1942:18. 3. Hayward 1958:7.

SYN: *Lampetis plagiata* Gory; *Psiloptera cupreofossa* Fairm., 1864:265.

ARGENTINA (1, 2, 3), CHILE (1).

Psiloptera tucumana (Guer. and Perch.), 1835:6. In *Prosopis* spp.—larvae bore in branches and trunks (2), adults cut tender buds (3); larvae damage *Condalia lineata* (3).

1. Blackwelder 1944b:311. 2. Bosq 1942:18. 3. Hayward 1958:144.

SYN: *Psiloptera lacordairei* L. & G., 1836:35. ARGENTINA (1, 2, 3).

Cantharidae

Cantharis sp. On mesquite (2).

1. Leng 1920:143. 2. TTU. MEXICO (2).

Chauliognathus marginatus (Fabr.), 1775:206. On mesquite (3).

1. Blackwelder 1945:372. 2. Leng 1920:143. 3. TTU.

SYN: *Cantharis marginatus* Fabr.; *C. ligatus* Say, 1825:266; *C. philadelphicus* Dej., 1837:117; *Chauliognathus hentzi* LeC., 1851:338.

BAHAMAS, MEXICO (1), FL, IN, NY (2), TX[STP] (3).

Chauliognathus scutellaris LeC., 1853:230. On *Prosopis glandulosa* (3, 4); flowers of *Chrysothamnus* (5).

1. Blackwelder 1945:373. 2. Leng 1920:143. 3. Swenson 1969:34. 4. TTU. 5. UCR.

SYN: *Cantharis scutellaris* LeC.; *C. basalis* LeC., 1859:13; *C. lewisi* Crotch, 1874:78; *Chauliognathus basalis* (LeC).

MEXICO (1), AZ, CO (2), TX[RP] (3, 4), UT (2).

Discodon spp. On mesquite (2).

1. Blackwelder 1945:364. 2. TTU. MEXICO (2).

Silis sp. On mesquite (2).

1. Blackwelder 1945:367. 2. TTU. MEXICO (2).

Carabidae

Anisotarsus sp. On mesquite (2).

1. Blackwelder 1944a:46. 2. TTU. MEXICO (2).

Bradycellus sp. On mesquite (2).

1. Blackwelder 1944a:50. 2. TTU. MEXICO (2).

Calleida decora (Fabr.), 1801:181. On mesquite (3).

1. Blackwelder 1944a:59. 2. Leng 1920:67. 3. TTU.

SYN: *Carabus decorus* Fabr.; *C. cordicollis* Putz., 1846:373; *C. cyanoptera* LeC., 1858:59; *C. coeruleipennis* Gemminger and Von Harold, 1868:115; *Calleida decora* (Fabr.).

BRITISH HONDURAS (1), MEXICO (1, 2, 3), GULF STATES, FL, IA (2).

Calosoma affine Chd., 1843:746. On *Prosopis glandulosa*, mesquite—preys on insect larvae (3).

1. Blackwelder 1939:11. 2. Blackwelder 1944a:20. 3. Swenson 1969:33. 4. TTU.

SYN: *Calosoma affine triste* LeC., 1844:201; *C. affinis ampilator* Bates, 1891:223; *C. affine tristoides* Fall, 1910:92; *C. azorica* Born, 1918:21.

MEXICO (2), TX[EP, RP] (3, 4).

Calosoma angulatum Chev., 1834:44. On mesquite (3).

1. Blackwelder 1944a:20. 2. Leng 1920:45. 3. TTU.

SYN: *Calosoma angulata angulicollis* Chd., 1869:377; *C. angulata uniformis* Géhin, 1885:63; *C. angulata* Chev.; *C. forreri* Géhin, 1885:64; *C. angulatum forreri* Géhin, 1885:64.

COLOMBIA (1), MEXICO (1, 2, 3), AZ, CA? (2).

Colliuris sp. On mesquite (2).

1. Blackwelder 1944a:65. 2. TTU. MEXICO (2).

Evarthrus (Anaferonia) sp. On *Prosopis glandulosa*, *P.* sp. (2).

1. Leng 1920:56. 2. TTU. TX[HP] (2).

Galerita mexicana Chd., 1872:139. On mesquite (3).

1. Blackwelder 1944a:69. 2. Leng 1920:65. 3. TTU.

SYN: *Galerita decipiens* Horn, 1885:131.

GUATEMALA (1), MEXICO (1, 2), AZ (2), TX[HP] (3).

Helluomorpha texana LeC., 1853:374. On mesquite (2).

1. Leng 1920:67. 2. TTU. IN, TX (1), TX[EP, RP] (2).

Lebia spp. On mesquite (2).

1. Blackwelder 1944a:52. 2. TTU. ARGENTINA, MEXICO (2).

Philophuga viridicollis (LeC.), 1848:188. On *Prosopis glandulosa*, *P.* sp. (3).

1. Blackwelder 1944a:62. 2. Leng 1920:67. 3.

TTU.

SYN: *Glycia viridicollis* LeC.; *G. subcordata* Chd., 1877:246.

MEXICO (1, 2), FL?, TX (2), TX[EP, RP] (3).

Cerambycidae

Achryson lutarium Burm., 1865:175. In *Prosopis*—larvae bore in limbs (2, 3).

1. Blackwelder 1946:559. 2. Bosq 1942:18. 3. Hayward 1958:7.

ARGENTINA (1, 2, 3).

Achryson surinamum (L.), 1767:632. On *Prosopis juliflora*, *Acacia*, *Aspidosperma*, *Brya*, *Celtis laevigata*, *Cercidium*, *Chlorophora tinctoria*, *Ficus*, *Inga edulis*, *Nectandra*, *Pithecellobium*, *Robinia pseudoacacia*, *Schnopsis*, *Tamarindus*, *Ulmus crassifolia* (2).

1. Blackwelder 1946:559. 2. Linsley 1962b:47.

SYN: *Cerambyx surinamus* L.; *C. longicolle* DeGeer, 1775:117; *Stenocorus circumflexus* F., 1787:144; *Stenocorus pallens* F., 1792:297; *Cerambix surinamensis* (L.); *C. circumflexus* (F.); *Acryson circumflexum* (F.); *A. surinamensis* (L.); *A. surinam* (L.); [See also Blackwelder 1946:559].

WIDESPREAD SOUTH AMERICA, CENTRAL AMERICA, MEXICO, WEST INDIES, SOUTHWEST and ATLANTIC UNITED STATES (1, 2).

Achryson undulatum Burm., 1865:175. In *Prosopis*—larvae bore in limbs (2, 3).

1. Blackwelder 1946:560. 2. Bosq 1942:18. 3. Hayward 1958:7.

ARGENTINA (1, 2, 3).

Achryson unicolor Bruch, 1908:203. In *Prosopis*—larvae bore in limbs (2, 3).

1. Blackwelder 1946:560. 2. Bosq 1942:18. 3. Hayward 1958:7.

ARGENTINA (1, 2, 3).

Ancylocera sp. On mesquite (2).

1. Leng 1920:278. 2. TTU.

TX[STP] (2).

Aneflus paracalvatus Knull, 1955:21. In *Prosopis*—larvae begin mining in smaller branches, hollowing the stems, with older larvae in larger branches and trunks, often excavating to the soil surface (1).

1. Linsley 1963:33.

SYN: *Aneflus prosopidis* Linsley, 1957:20.

AZ (1).

Aneflus protensus (LeC.), 1858:82. In *Prosopis juliflora* (4); on mesquite (5, 6).

1. Blackwelder 1939:57. 2. Blackwelder 1946:

564. 3. Leng 1920:269. 4. Linsley 1963:32. 5. E. G. Linsley, pers. comm. 6. F. G. Werner, pers. comm.

SYN: *Elaphidion protensus* LeC.; *Aneflus cochisensis* Csy., 1912:296.

MEXICO (1, 2, 6), AZ (1, 4, 6), CA, NM, TX (1, 4).

Aneflus rugicollis Linsley, 1935:74. On *Prosopis* (2).

1. Blackwelder 1946:564. 2. Linsley 1935:74. MEXICO (1, 2).

Aneflus sonoranus Csy., 1924:241. On mesquite (4).

1. Blackwelder 1939:57. 2. Leng and Mutchler 1927:40. 3. Linsley 1963:30. 4. TTU.

SYN: *Axestinus obscurus* Leng, 1885:pl. 2.

MEXICO (3), AZ (1, 2, 3), NM, TX (1, 3), TX[RP] (4).

Archodontes melanopus serrulatus (LeC.), 1854:82. In *Prosopis chilensis*, mesquite—feeds on roots of cottonwood, mesquite, and poplar (2); *Prosopis* (3); *Populus* spp. (2).

1. Leng 1920:265. 2. Linsley 1962a:16. 3. E. G. Linsley, pers. comm.

SYN: *Malodon serrulatus* LeC.; *Aplagiognathus serrulatus* Thoms., 1867:91; *Paramalpus serrulatus* Csy., 1912:228.

AZ (1, 2), NM (2), TX (1, 2).

Callona rimosa (Buquet), 1840:142. In *Prosopis juliflora*—larvae mostly bore in the base of small to medium-sized trees in the sapwood generally less than 1 inch beneath the bark (2); *Prosopis* sp. (3); *Acacia farnesiana* (2).

1. Leng 1920:279. 2. Linsley 1962b:100. 3. E. G. Linsley, pers. comm.

SYN: *Stenaspis rimosus* Buquet; *S. splendens* LeC., 1854:441; *Crioprosopus rimosus* Bates, 1880:74; *C. splendens* Leng, 1886:62.

MEXICO (2), TX (1, 2).

Calocomus desmaresti (Guer.), 1844:42. In *Prosopis* spp.—larvae bore in branches and trunks (2); *P. algarobillo*, various leguminous plants—adults cut tender buds (3).

1. Blackwelder 1946:554. 2. Bosq 1942:18. 3. Hayward 1958:11.

SYN: *Calocomus bravardi* Burm., 1861:314.

ARGENTINA (1, 2, 3), BOLIVIA (1).

Calocomus morosus White, 1850:11. In *Prosopis* spp. (2, 3)—bore in branches and trunks in large numbers (2).

1. Blackwelder 1946:554. 2. Bosq 1942:18. 3. Hayward 1958:11.

SYN: *Calocomus rugosipennis* Lucas, 1859:

- 181; *C. coriaceus* Fairm., 1864 : 270; *C. coriaceus* Burm., 1865 : 160.
- ARGENTINA (1, 2, 3), BOLIVIA, BRAZIL, PERU (1).
- Compsa alacris* (Bates)**, 1885 : 264. On *Prosopis*, *Acacia farnesiana* (3).
1. Blackwelder 1946 : 570. 2. Leng 1920 : 270. 3. Linsley 1963 : 131.
- SYN: *Ibidion textile* var. *alacre* Bates; *Compsa textile* var. *alacre* (Bates); *Ibidion textile* Bates.
- CENTRAL AMERICA (2), GUATEMALA (1), MEXICO (1, 2) TX (2, 3).
- Coremia* sp.** On *Prosopis ruscifolia* (2).
1. Blackwelder 1945 : 580. 2. TTU.
- ARGENTINA (2).
- Cyllene crinicornis* Chev.**, 1860 : 460. In mesquite—larvae destroy wood (4).
1. Blackwelder 1946 : 580. 2. Leng 1920 : 276. 3. Leng and Mutchler 1927 : 42. 4. Craighead and Hofer 1921 : 6.
- SYN: *Cyllene reducta* Csy., 1912 : 351; *C. filicornis* Csy., 1912 : 352.
- GUATEMALA, HONDURAS, JAMAICA?, MEXICO, NICARAGUA, PANAMA (1), CA, FL (2), HI (1), LA (2), TX (2, 4).
- Cyllene spinifera* Newman**, 1840 : 7. In *Prosopis* spp. (2, 3); *P. alba*—bore in branches and trunks, *P. nigra* (3).
1. Blackwelder 1946 : 581. 2. Bosq 1942 : 18. 3. Hayward 1958 : 8.
- SYN: *Clytus nebulosa* L. and G., 1835 : 11.
- ARGENTINA (1, 2, 3), CHILE (1).
- Dendrobias mandibularis* Serv.**, 1834 : 42. On *Prosopis* (4); mesquite (4, 5); *Acacia* (5); *Citrus*, *Parkinsonia*—larvae of the *mandibularis* subspecies feed in dry, dead branches of these plants (3).
1. Blackwelder 1946 : 591. 2. Leng 1920 : 280. 3. Linsley 1962b : 183. 4. E. G. Linsley, pers. comm. 5. UCR.
- SYN: *Trachyderes mandibularis* Cast., 1840 : 416; *Dendrobias quadrimaculatus* LeC., 1861 : 335; *D. quadrimaculatus* Dupont, 1838 : 22.
- BRITISH HONDURAS, GUATEMALA (1), MEXICO (1, 2, 3, 4), AZ (2, 5), CA, TX? (2).
- Derobrachus geminatus geminatus* LeC.**, 1853 : 233. On *Prosopis chilensis*, *Populus* spp., *Quercus* spp. (3).
1. Blackwelder 1946 : 556. 2. Leng 1920 : 266. 3. E. G. Linsley, pers. comm.
- SYN: *Braderochus gemintus* Lac., 1869 : 72.
- MEXICO (1), SOUTHWEST UNITED STATES (1, 2), AZ, TX (2).
- Euderces reichei exilis* Csy.**, 1893 : 591. On *Prosopis juliflora* (2, 3); *Acacia farnesiana*, *A. tortuosa*, *Condalia obovata*, *Sapindus drummondii*—larvae bore in twigs and branches (2).
1. Leng 1920 : 278. 2. Linsley 1964 : 182. 3. E. G. Linsley, pers. comm.
- SYN: *Euderces exilis* Csy.; *Apelocera exilis* Aurivillius, 1912 : 420.
- IL, IN, TX (1), TX[STP] (2).
- Euryscelis suturalis* Oliv.**, 1795 : 62. On *Prosopis juliflora* (3).
1. Blackwelder 1946 : 581. 2. Leng 1920 : 277. 3. Linsley 1964 : 163.
- SYN: *Callidium suturale* Oliv.; *Clytus suturalis* Schönherr, 1817 : 475; *Euryscelis dejeanii* Chev., 1862 : 530; *E. megalopus* Csy., 1924 : 271; *E. subtropica* Csy., 1924 : 271.
- BAHAMA ISLANDS (1, 3), GREATER ANTILLES (3), HISPANIOLA, PUERTO RICO (1), WEST INDIES (2), FL (2, 3).
- Eustromula validum* (LeC.)**, 1858 : 82. On *Prosopis juliflora* (4); *Prosopis* (5); *Cercidium floridum*, *Parkinsonia*—larvae feed in dead wood at base of tree and in roots (4).
1. Blackwelder 1939 : 56. 2. Blackwelder 1946 : 564. 3. Leng 1920 : 269. 4. Linsley 1963 : 76. 5. E. G. Linsley, pers. comm.
- SYN: *Elaphidion validum* LeC.; *Eustromula validum* Ckll., 1906 : 242; *Anoplium huachucae* Csy., 1924 : 245; *A. politum* Csy., 1924 : 246.
- MEXICO (1, 2, 3, 4), AZ (4), CA (1, 3, 4), NM (4), TX (1, 2, 3, 4).
- Gnaphalodes trachyderoides* Thoms.**, 1860 : 236. On *Prosopis juliflora* (2, 3); *Acacia farnesiana*, *Parkinsonia aculeata*, *Pithecellobium flexicaule*—adults attracted to freshly cut plants (2).
1. Leng 1920 : 268. 2. Linsley 1962b : 97. 3. E. G. Linsley, pers. comm.
- CENTRAL AMERICA (2), MEXICO, TX (1, 2).
- Heterachthes nobilis* LeC.**, 1862 : 41. On *Prosopis juliflora*—reared from dry wood (2); *Prosopis* (3).
1. Leng 1920 : 270. 2. Linsley 1963 : 126. 3. E. G. Linsley, pers. comm.
- TX (1, 2).
- Ischiopachys micans* Lac.**, 1848 : 476. On *Prosopis*—adults consume leaves (2).
1. Blackwelder 1946 : 639. 2. Bosq 1942 : 18.
- ARGENTINA (1, 2).
- Lophopoeum timbouvae* Lameere**, 1884 : 102. In *Prosopis* (2).
1. Blackwelder 1946 : 612. 2. Bosq 1942 : 18.
- ARGENTINA (2), BRAZIL (1).

- Megacyllene antennatus** (White), 1855:252. On *Prosopis juliflora* (4, 9); in mesquite (6, 7, 8)—attacks freshly killed trees (5, 8), exposure of infested branches to direct sunlight detrimental to larvae (6); *Acacia* sp. (4); [parasite: *Scleroderma macrogaster* (8)].
1. Blackwelder 1946:580. 2. Blackwelder and Blackwelder 1948:39. 3. Leng 1920:276. 4. Linsley 1964:79. 5. Essig 1934:456. 6. Craighead 1920:107. 7. Craighead and Hofer 1921:6. 8. Keen 1952:198. 9. E. G. Linsley, pers. comm.
- SYN: *Clytus antennatus* White; *Arhopalus eurystethus* LeC., 1858:82; *Cyllene antennatus* Horn, 1880:135; *C. antennata* Bates, 1885:295; *Megacyllene antennata* Csy., 1912:348; *M. antennatus* St. George, 1929:17.
- MEXICO (1, 4), AZ (2, 3, 4, 5, 6), CA (2, 3, 4, 5), NM, TX (2, 4).
- Megacyllene caryae** (Gahan), 1908:141. On *Prosopis juliflora*, *Carya* spp., *Celtis occidentalis*, *Fraxinus*, *Gelditsia triacanthos*, *Juglans* spp., *Maclura pomifera*, *Morus rubra*, *Ulmus*, *Vitis*—larvae feed in freshly cut wood, first feeding beneath the bark and then enter the sapwood and later the heartwood [parasite: *Pimpla irritator*] (3).
1. Blackwelder and Blackwelder 1948:39. 2. Leng 1920:277. 3. Linsley 1964:83.
- SYN: *Cyllene caryae* Gahan; *C. pictus* Horn, 1880:134; *Clytus pictus* Fitch, 1845:250; *Arhopalus pictus* Horn, 1863:30 (not Drury, 1773).
- CANADA, MEXICO, EASTERN UNITED STATES (1, 2, 3), IN (2), MA, MD (1) to TX (1, 2, 3).
- Megacyllene robiniae** (Forster), 1771:43. On mesquite (3); *Robinia pseudacacia*—larvae bore under bark of living black locust and can kill trees [parasites: *Habrolepoidea depressa*, *Pimpla irritator*] (2).
1. Leng 1920:277. 2. Linsley 1964:81. 3. TTU.
- SYN: *Leptura robiniae* Forster; *L. picta* Drury, 1773:91; *Callidium flexuosum* Fabr., 1775:191; *C. angulatum* Fabr., 1775:192; *Clytus flexuosus* Fabr., 1801:345; *C. robiniae* Peck, 1818:67; *C. pictus* Harris, 1841:85; *Arhopalus robiniae* LeC., 1850:17, *A. pictus* LeC., 1850:177; *Cyllene robiniae* Horn, 1880:134; *Megacyllene robiniae* Knoll, 1946:212.
- EASTERN CANADA, WIDESPREAD UNITED STATES (1, 2), TX[RP] (3).
- Metaleptus batesi** Horn, 1885:174. Probably on *Prosopis*; on *Acacia* spp., *Quercus* spp.—mine beneath the bark and in the sapwood of dead, dry branches (2).
1. Leng 1920:279. 2. Linsley 1962b:121.
- MEXICO (2), AZ (1, 2), CA (2).
- Methia arizonica** Schffr., 1908:352. On *Prosopis* (2, 3).
1. Leng 1920:268. 2. Linsley 1962b:30. 3. E. G. Linsley, pers. comm.
- AZ (1, 2, 3).
- Neoclytus caprea** (Say), 1823:424. In *Prosopis* (3, 4); *Carya*, *Fraxinus* spp., *Quercus* spp., *Ulmus*—oviposits in crevices of bark of dead ash, larvae bore in sapwood [parasites: *Taphaeus neoclyti*, *Xorides neoclyti*] (3).
1. Blackwelder 1946:581. 2. Leng 1920:277.
 3. Linsley 1964:160. 4. E. G. Linsley, pers. comm.
- SYN: *Clytus caprea* Say; *C. gibbicollis* Cast. and Gory, 1835:24; *C. elevatus* Cast. and Gory, 1835:32; *C. capreae* Cast. and Gory, 1835:116; *C. capreae* Fitch, 1845:250; *Neoclytus capraea* Leng, 1887:5; *N. caprea* Aurivillius, 1912:390; *N. capra* Blair, 1948:124.
- MEXICO (1, 2), EASTERN NORTH AMERICA to AZ, TX, UT (1, 2, 3).
- Oncideres** sp. In *Prosopis caldenia*—larvae from branches (2).
1. Blackwelder 1946:604. 2. TTU.
- ARGENTINA (2).
- Oncideres** spp. In *Prosopis glandulosa*—larvae from branches (2).
1. Leng 1920:284. 2. TTU.
- MEXICO, AZ, TX[HP, RP] (2).
- Oncideres cingulata** (Say), 1826:272. On *Prosopis glandulosa* (5); mesquite, on various fruit trees (3, 4); and ornamental trees (4).
1. Blackwelder and Blackwelder 1948:41. 2. Leng 1920:284. 3. Beutenmuller 1896:77. 4. Craighead 1949:257. 5. TTU.
- SYN: *Saperda cingulata* Say; *Oncideres texana* Horn, 1885:195; *O. texana* Herrick, 1902:15; *O. subtropicus* Csy., 1913:353; *O. pallescens* Csy., 1913:353; *O. praecidens* Csy., 1913:354.
- MEXICO, CA, CT, FL, NC, NY, PA, TX (1, 2), TX[HP, RP] (4).

- Oncideres germari** Thoms., 1868:79. On *Prosopis* spp. (2, 3)—girdles branches (3); *Acacia aroma*, *A. caven*, *Piptadenia macrocarpa* (3).
1. Blackwelder 1946:604. 2. Bosq 1942:18. 3. Hayward 1958:10.
ARGENTINA (1, 2, 3), BRAZIL (1).
- Oncideres guttulata** Thoms., 1868:84. On *Prosopis* (2); *Acacia aroma*, *A. caven*, *A. dealbata*, *Piptadenia macrocarpa* (3).
1. Blackwelder 1946:604. 2. Bosq 1942:18. 3. Hayward 1958:10.
ARGENTINA (1, 2, 3), URUGUAY (1).
- Oncideres pustulata** LeC., 1854:82. On *Prosopis* (6); girdles mesquite (4, 5); in *Acacia* and huisache (4).
1. Blackwelder and Blackwelder 1948:41. 2. Leng 1920:284. 3. Leng and Mutchler 1927:43. 4. Craighead 1949:257. 5. Essig 1934:460. 6. E. G. Linsley, pers. comm.
SYN: *Oncideres putator* High 1915:9 (Not Thomas); *O. trinodatus* Essig 1926:460 (Not Csy.).
IL, TX? (1), TX[STP] (2).
- Oncideres rhodosticta** Bates, 1885:365. In *Prosopis glandulosa* (4, 6); on *P. sp.* (3); mesquite (6, 7)—adults girdle live branches (3, 7); *Acacia berlandieri*, *A. farnesiana*, *Mimosa lindheimeri* (4); *Parkinsonia aculeata*, huajilla (3); [detailed biology including parasites by High 1915, Ueckert et al. 1971, Polk 1971].
1. Blackwelder 1946:604. 2. Blackwelder and Blackwelder 1948:41. 3. Essig 1934:460. 4. High 1915:5. 5. E. G. Linsley, pers. comm. 6. F. G. Werner, pers. comm. 7. TTU.
SYN: *Oncideres putator* Horn, 1885:195; *O. cingulatus* Hamilt., 1896:141 (Not Say); *O. trinodata* Csy., 1913:352; *O. pustulatus* Essig, 1926:460.
MEXICO (1, 2, 6), AZ (2, 6), TX (2), TX[EP, HP, RP, TP] (7).
- Peranoplium piceum** Chemsak, 1962:111. On *Prosopis* (1).
1. Linsley 1963:116.
AZ (1).
- Placosternus difficilis** (Chev.), 1862:263. On *Prosopis juliflora*, *Acacia* spp., *Pithecellobium flexicaule*, *Platanus* (5).
1. Blackwelder and Blackwelder 1948:39. 2. Leng 1920:276. 3. Leng and Mutchler 1927:42. 4. Blackwelder 1946:580. 5. Linsley 1964:93.
SYN: *Cyllene difficilis* Chev.; *C. crinicornis* Horn, 1880:134; *C. reducta* Csy., 1912:351; *C. filicornis* Csy., 1912:352; *Placosternus difficilis* Hopping, 1937:448.
WEST INDIES (1, 5), MEXICO, AZ (5), CA (1, 5), FL, LA (2), NM (5), TX (1, 5).
- Placosternus erythroga** (Chev.), 1835:70. In *Prosopis juliflora* (4); *P. sp.*, mesquite—also feeds in certain allied legumes (3).
1. Blackwelder 1946:581. 2. Blackwelder and Blackwelder 1948:39. 3. Linsley 1964:94. 4. E. G. Linsley, pers. comm.
SYN: *Clytus erythropus* Chev.; *C. mexicanus* Cast. and Gory, 1835:6; *C. variegatus* Cast. and Gory, 1835:6; *Cyllene mexicanus* Chev., 1860:461; *C. eurythropus* var. *variegatus* Chev., 1860:8; *C. erythropus* Bates, 1880:47; *C. mexicana* Bates, 1885:294; *Placosternus erythropus* Hopping, 1937:47.
CUBA (2), GUATEMALA (1, 3), MEXICO (1, 3), CA (2), TX (3).
- Plionoma basalis** (Horn), 1894:401. On *Prosopis* (4).
1. Blackwelder 1946:589. 2. Blackwelder and Blackwelder 1948:40. 3. Leng 1920:280. 4. E. G. Linsley, pers. comm.
SYN: *Sphaenothecus basalis* Horn.
MEXICO (1, 2, 3).
- Plionoma rubens** (Csy.), 1891:34. On *Prosopis juliflora* (3, 4); *Acacia greggii* (3, 5); *Cercidium microphyllum* (3); *C. torreyanum*, *Encelia farinosa*, palo verde (5).
1. Blackwelder and Blackwelder 1948:40. 2. Leng 1920:280. 3. Linsley 1962b:137. 4. E. G. Linsley, pers. comm. 5. UCR.
SYN: *Sphaenothecus rubens* Csy.; *S. suturalis* var. *rubens* Hamilton, 1896:171.
MEXICO (1, 3), AZ (1, 2, 3), CA, NM, TX (1, 3).
- Plionoma suturalis** (LeC.), 1858:25. On *Prosopis juliflora* (2); *P. chilensis* (4); mesquite (3, 4); *Bumelia celastrina* flowers (2).
1. Leng 1920:280. 2. Linsley 1962b:137. 3. TAMU. 4. UCR.
SYN: *Sphaenothecus suturalis* LeC., *Sphaenothecus suturalis* Leng, 1886:119; *Plionoma suturalis* Csy., 1912:333; *P. degener* Csy., 1912:334.
MEXICO (2), CA (1?, 2), TX (1, 2), TX[STP] (3).
- Prionis sp.** On *Prosopis* (3).
1. Leng 1920:266. 2. Linsley 1962a:37. 3. TTU.
NM (3).
- Rhopalophora laevicollis** (LeC.), 1873:193. On *Prosopis juliflora* (3); *P. sp.* (4); *Celtis* (5); *Pithecellobium flexicaule*, *Condalia obovata*—adults on various flowering shrubs (3).

1. Blackwelder 1946:584. 2. Leng 1920:278. 3. Linsley 1964:190. 4. E. G. Linsley, pers. comm. 5. TAMU.
- SYN: *Rhopalophorus laevicollis* LeC.; *Rhopalophora laevicollis* Bates, 1880:62.
- MEXICO (1, 3), NM (2, 4), TX (1, 2, 3).
- Schizax senex* LeC.**, 1873:196. On *Prosopis juliflora* (2, 3); mesquite—reared from apricot, serious pest of mesquite (3); *Celtis reticulata*, *Cercidium floridum*, *C. microphyllum*, *Larrea divaricata*, *Thurberia* sp., *Ziziphus* sp.—mine beneath the bark of dead branches [predator: *Chariessa elegans*] (2).
1. Leng 1920:27. 2. Linsley 1962b:135. 3. Essig 1934:458. 4. E. G. Linsley, pers. comm.
- AZ (1, 2), CA (2).
- Sphaenothecus bivittatus* (Dup.)**, 1838:58. On *Prosopis*, *Hymenothrix* (3).
1. Blackwelder 1946:589. 2. Leng 1920:280. 3. UCR.
- SYN: *Taranomis bivittatus* Dup.; *T. bilineatus* Gory, 1839:44.
- MEXICO (1, 2, 3), AZ, CA, TX (2).
- Stenaspis solitaria* (Say)**, 1823:410. In *Prosopis* (4); *Acacia berlandieri*—larvae in small live branches (3); *Acacia* (5).
1. Blackwelder 1946:589. 2. Leng 1920:279. 3. Linsley 1962b:99. 4. E. G. Linsley, pers. comm. 5. UCR.
- SYN: *Cerambyx solitaria* Say; *Stenaspis unicolor* Dup., 1840:11; *Callichroma solitarium* Halderman, 1847:32; *Smileceras solitarium* LeC., 1850:9; *Stenaspis solitaria* LeC., 1853:441; *S. lugubris* Csy., 1912:318.
- MEXICO (1, 2, 3), AZ, CA (2, 3), KS (2), NM, TX (2, 3).
- Stenelaphus alienus* (LeC.)**, 1875:173. On *Prosopis* (2, 3).
1. Blackwelder 1939:57. 2. Linsley 1963:25. 3. E. G. Linsley, pers. comm.
- SYN: *Elaphidion alienum* LeC.; *Stenelaphus alienus* Linsley, 1935:477.
- MEXICO (2), AZ (1, 2).
- Stenodontes lobigenis* (Bates)**, 1884:235. On *Prosopis chilensis* (4); *Prosopis* (5); *Baccharis sergiioides*, *Cercidium torreyanum*, *Elaphrium* sp., *Ficus* sp., *Schinus molle*—larvae are primarily root feeders, attacks many shade and ornamental trees (4).
1. Blackwelder 1946:552. 2. Blackwelder and Blackwelder 1948:37. 3. Leng 1920:265. 4. Linsley 1962a:23. 5. E. G. Linsley, pers. comm.
- SYN: *Nothopleurus lobigenis* Bates; *Mallodon gnatho* LeC., 1858:81 (not White); *M. mandibulare* Gemm., 1872:254 (not Fabr.); *M. castaneum* Csy., 1924:225; *Nothopleurus mandibularis* Bates, 1884:234; *Mallodon dentiger* Leng, 1884:9.
- MEXICO (1, 2, 3, 4), AZ (2, 4), CA (2, 3, 4), NM (2, 4), TX (2, 3, 4).
- Stenosphenus basicornis* Linsley**, 1934:60. On *Prosopis* (2).
1. Blackwelder 1939:59. 2. E. G. Linsley, pers. comm.
- MEXICO (1).
- Stenosphenus dolosus* Horn**, 1885:179. On *Prosopis juliflora* (2); *P. sp.* (3); *Acacia* sp. (2).
1. Leng 1920:278. 2. Linsley 1963:19. 3. E. G. Linsley, pers. comm.
- TX (1, 2).
- Sternidius wilti* (Horn)**, 1880:124. On mesquite (2).
1. Leng 1920:282. 2. TTU.
- SYN: *Leiopus wilti* Horn.
- TX[STP] (2).
- Taranomis bivittata* (Dup.)**, 1838:58. On *Prosopis glandulosa* (5); *P. sp.?* (4); mesquite (5).
1. Blackwelder 1946:589. 2. Blackwelder and Blackwelder 1948:40. 3. Leng 1920:280. 4. Linsley 1962b:95. 5. TTU.
- SYN: *Sphaenothecus bivittatus* Dup.; *S. bilineata* Gory, 1839:45; *Taranomis bivittata* Csy., 1912:333.
- MEXICO (1, 2, 3, 4), AZ, CA (2, 3, 4), NM (2), TX (2, 3, 4), TX[HP, RP] (5).
- Tetranodus mexicanus* Linsley**, 1935:90. On *Prosopis* (2).
1. Blackwelder 1946:582. 2. E. G. Linsley, pers. comm.
- MEXICO (1).
- Tragidion annulatum* LeC.**, 1858:83. On *Prosopis* (4); *Baccharis sergiioides*—adults on *Gutierrezia* flowers, *Verbascum*, basket grass—larvae mine dead branches (3).
1. Blackwelder 1946:589. 2. Leng 1920:279. 3. Linsley 1962b:116. 4. E. G. Linsley, pers. comm.
- MEXICO (1, 2, 3), AZ (2, 3), CA (2), NM, TX (2, 3).
- Tragidion auripennae* Csy.**, 1893:586. In mesquite (2).
1. Leng 1920:279. 2. Linsley 1962b:115.
- SYN: *Tragidion fluvipenne* Csy., 1893:586 (not Say); *T. hirsuticolle* Csy., 1912:321; *T. densiventra* Csy., 1912:322; *T. parowanum* Csy., 1924:263.

AZ, NM (2), UT (1, 2).

Tragidion coquus (L.), 1758:393. On mesquite (3); *Quercus* spp.—larvae mine dead branches (2).

1. Leng 1920:279. 2. Linsley 1962b:113. 3. TTU.

SYN: *Cerambyx coquus* L.; *Callidium lynceum* Fabr., 1775:191; *Cerambyx lynceus* Oliver, 1795:97; *Lamia coquus* Fabr., 1801:300; *Callidium fulvipenne* Say, 1823:414; *Cerambyx melsheimeri* Germar, 1824:502; *Tragidion coquus* Serv., 1834:90; *T. fulvipenne* LeC., 1850:10; *T. f. nubifer* Csy., 1912:323; *T. f. levipes* Csy., 1912:323; *T. coquus filicorne* Csy., 1912:323; *T. apicatum* Csy., 1912:323.

ATLANTIC and SOUTHERN STATES (1, 2), AZ (2), FL, IN, NY, TX (1, 2), TX[HP, RP] (3), UT (2).

Tragidion peninsulare peninsulare Schffr., 1908:339. On *Prosopis juliflora* (2).

1. Blackwelder 1946:589. 2. Linsley 1962b:118.

SYN: *T. annulatum* var. *peninsulare* Schffr.; *Tragidion peninsulare peninsulare* Linsley, 1940:135.

MEXICO (2), CA (1, 2).

Chrysomelidae

Altica sp. On *Prosopis glandulosa*, *P. laevigata*, *P. sp.*, mesquite (2).

1. Blackwelder 1946:699. 2. TTU.

MEXICO (2).

Amphelasma sp. On mesquite (2).

1. Blackwelder and Blackwelder 1948:43. 2. TTU.

MEXICO (2).

Anomoea mutabilis Lac., 1848:137. On *Prosopis glandulosa* (4, 5); mesquite (4).

1. Blackwelder 1939:61. 2. Blackwelder 1946:636. 3. Leng 1920:288. 4. Swenson 1969:41. 5. TTU.

SYN: *Antipus mutabilis* Lac.; *A. ephippium* Germ., 1823:548; *A. laticlava* Fors., 1871:27 (given by Leng 1920 and Blackwelder 1946 as current name); *A. obsita* Fabr., 1875:106; *A. nigripes* Fabr., 1876:221; *A. ruficaudata* Foersb., 1921:261.

COLOMBIA, GUATEMALA (2, 3), MEXICO (1, 2, 3), CT to FL, IN (3), TX (1), TX[RP] (4, 5).

Anomoea rufifrons Lac., 1848:135. On mesquite (2).

1. Blackwelder 1946:636. 2. TTU.

SYN: *Antipus rufifrons* (Lac.).

MEXICO (1, 2), TX[RP, STP] (2).

Aphthona sp. On mesquite (2).

1. Blackwelder 1946:693. 2. TTU.

MEXICO (2).

Aulacoscelis sp. On mesquite (2).

1. Blackwelder 1946:627. 2. TTU.

MEXICO (2).

Babia spp. On mesquite (2).

1. Blackwelder 1946:638. 2. TTU.

MEXICO (2).

Calligrapha sp. On mesquite (2).

1. Blackwelder 1946:674. 2. TTU.

MEXICO (2).

Calligrapha multiguttata Stål, 1859:326. On mesquite (3).

1. Blackwelder 1946:674. 2. Leng 1920:295. 3. TTU.

GUATEMALA (1), MEXICO (1, 2, 3), KS (2).

Calligrapha serpentina Rogers, 1854:32. On mesquite (3).

1. Blackwelder 1946:674. 2. Leng 1920:295. 3. TTU.

SYN: *Calligrapha mexicana* Stål, 1859:323.

MEXICO (1, 2, 3), NICARAGUA, VENEZUELA (1), AZ, NM (2).

Chaetocnema sp. On mesquite (2).

1. Blackwelder 1946:705. 2. TTU.

MEXICO (2).

Chalepus sp. On mesquite (2).

1. Blackwelder 1946:726. 2. TTU.

MEXICO (2).

Chlamisus sp. On *Prosopis laevigata*, mesquite (2).

1. Blackwelder 1946:647. 2. TTU.

MEXICO, TX[GP] (2).

Chrysodina spp. On *Prosopis glandulosa* (2); mesquite (3).

1. Leng 1920:292. 2. Swenson 1969:41. 3. TTU. TX[RP] (2, 3).

Chrysodina semiaurata Lefev., 1875:103. On *Prosopis* (2).

1. Blackwelder 1946:653. 2. TTU.

ARGENTINA (2), BRAZIL (1).

Colaspis sp. On mesquite (2).

1. Blackwelder 1946:657. 2. TTU.

MEXICO (2).

Colaspis lebasi Lefev., 1878:121. On *Prosopis* sp., *Pithecellobium dulce*, *Vachellia farnesiana* (2).

1. Blackwelder 1946:658. 2. Moldenke 1971:111.

SYN: *Colaspis lebasi* Leng and Mutchler, 1914:453.

ARGENTINA, BRITISH HONDURAS, CO-

- LOMBIA, COSTA RICA, GUATEMALA (1), MEXICO (1, 2), NICARAGUA, PANAMA, WEST INDIES (1).
- Colaspoides* sp. On *Prosopis glandulosa*, mesquite (2).
1. Blackwelder 1946:666. 2. TTU. MEXICO (2).
- Colaspoides macrocephala* Schffr., 1906:236. On *Prosopis glandulosa* (3); mesquite (2, 3)—defoliated large areas in Texas (2).
1. Leng 1920:294. 2. C. E. Rogers, pers. comm. 3. TTU.
TX (1), TX[HP] (3), RP, STP (2)].
- Colaspoides opacicollis* Horn, 1892:229. On *Prosopis glandulosa*, mesquite (2).
1. Leng 1920:294. 2. TTU.
TX (1), TX[HP] (2).
- Colaspoides viridimicans* Horn, 1892:229. On mesquite (2).
1. Leng 1920:294. 2. TTU.
AZ (1), NM (1, 2), TX[HP] (2).
- Coscinoptera* sp. On mesquite (2).
1. Leng 1920:288. 2. TTU.
TX[HP] (2).
- Coscinoptera aeneipennis* LeC., 1858:26. On *Prosopis glandulosa* (3, 4); *P.* sp. (5); mesquite (4); *Eriogonum fasciculatum*, *E. gracile*, *Gutierrezia sarothrae*, *Lotus scoparius* (5).
1. Blackwelder 1946:637. 2. Leng 1920:288. 3. Swenson 1969:41. 4. TTU. 5. UCR.
MEXICO (1, 2), AZ, CA, TX (2), TX[RP] (3), STP (4)].
- Coscinoptera aenescens* Cr., 1873:29, or near. On mesquite (2).
1. Leng 1920:288. 2. TTU.
MEXICO (2), GA (1).
- Coscinoptera axillaris* LeC., 1868:56. On *Prosopis glandulosa* blooms (2).
1. Leng 1920:288. 2. TTU.
CO, NM, OK, TX (1), TX[EP, TP] (2).
- Cryptocephalus* sp. On *Prosopis alba*, *P. caldenia* (2).
1. Blackwelder 1946:644. 2. TTU.
ARGENTINA (2).
- Cryptocephalus cribripennis* LeC., 1880:200. On *Prosopis* (2).
1. Leng 1920:291. 2. TTU.
MEXICO (2), TX (1).
- Cryptocephalus fulguratus* LeC., 1880:203. On mesquite (2).
1. Leng 1920:291. 2. TTU.
TX (1), TX[EP, STP] (2).
- Cryptocephalus maculipennis* Suffr., 1852:30. On mesquite (2).
1. Blackwelder 1946:646. 2. TTU.
MEXICO (1, 2).
- Cryptocephalus texanus* Schffr., 1933:323. On *Prosopis glandulosa*, mesquite (2).
1. Blackwelder 1939:61. 2. TTU.
NM (2), TX (1), TX[RP] (2).
- Diabrotica* sp. On mesquite (2).
1. Blackwelder 1946:679. 2. TTU.
MEXICO (2).
- Diabrotica balteata* LeC., 1865:213. On mesquite (3); alfalfa, *Baccharis emoryi*, *Solanum douglassii* (4).
1. Blackwelder 1946:679. 2. Leng 1920:297. 3. TTU. 4. UCR.
SYN: *Diabrotica sallei* Baly, 1886:227.
CENTRAL and SOUTH AMERICA (1, 2), MEXICO (1, 2, 3), AZ (2), CA (4), TX (2), TX[STP] (3, 4).
- Diabrotica porracea* Harold, 1875:93. On mesquite (2).
1. Blackwelder 1946:684. 2. TTU.
SYN: *Diabrotica costatipennis* Jac., 1878:996.
BRITISH HONDURAS, COSTA RICA, GUATEMALA (1), MEXICO (1, 2), NICARAGUA, PANAMA (1).
- Diabrotica tricineta* (Say), 1824:457. On *Prosopis glandulosa* blooms (3).
1. Blackwelder 1946:686. 2. Leng 1920:297. 3. TTU.
SYN: *Galeruca tricineta* Say; *Diabrotica sufriani* Jac., 1887:551.
MEXICO (1, 2, 3), AZ, CO (2), TX[RP] (3).
- Diabrotica undecimpunctata* Mannh., 1843:310. On *Prosopis*, mesquite, corn, sorghum, and other cultivated plants (2).
1. Blackwelder and Blackwelder 1948:43. 2. TTU.
SYN: *Diabrotica undecimpunctata tenella* LeC., 1858:88; *D. undecimpunctata howardi* Barber, 1947:153.
MEXICO (1, 2), EASTERN and SOUTHERN UNITED STATES, PACIFIC COAST, AZ (1), TX[STP] (2).
- Diachus auratus* (Fabr.), 1801:57. On *Prosopis* (3); *Ceanothus integerrimus*, *Ericameria ericoides*, *Eriogonum fasciculatum*, *E. paniculatum*, *Helianthus annuus*, *Heterotheca* sp. (4).
1. Blackwelder 1946:647. 2. Leng 1920:291. 3. TTU. 4. UCR.
SYN: *Cryptocephalus auratus* Fabr.; *C. aeneus* Ol., 1808:916; *C. chalconotus* Mannerh., 1843:312; *C. viridis* Melsh., 1847:174.

- CENTRAL and SOUTH AMERICA, MEXICO (1, 2), AZ, CA (2, 4) to CT, FL and IN, TX (2), TX[RP, STP] (3).
- Disonycha* spp. On *Prosopis juliflora*, mesquite (2).
1. Blackwelder 1946:697. 2. TTU.
MEXICO (2).
- Epitrix* sp. On mesquite (2).
1. Blackwelder 1946:703. 2. TTU.
MEXICO (2).
- Euphrytus* sp. On mesquite (2).
1. Blackwelder 1946:656. 2. TTU.
MEXICO (2).
- Euphrytus pallipes* Jac., 1890:207. On mesquite (2).
1. Blackwelder 1946:656. 2. TTU.
MEXICO (1, 2).
- Euryscopa* spp. On *Prosopis laevigata*, mesquite (3).
1. Blackwelder 1946:637. 2. Leng 1920:288.
3. TTU.
MEXICO, AZ, TX[TP] (3).
- Euryscopa lecontei* Cr., 1873:28. On *Prosopis glandulosa* (3).
1. Blackwelder 1946:637. 2. Leng 1920:288.
3. Swenson 1969:60.
SYN: *Euryscopa scapularis* LeC., 1858:41; *E. longicollis* Jac., 1888:78; *E. parvula* Jac., 1888:79.
MEXICO (1, 2), AZ, TX (2), TX[RP] (3).
- Euryscopa pilatei* Lac., 1848:504. On mesquite (3).
1. Blackwelder 1946:637. 2. Leng 1920:288.
3. TTU.
GUATEMALA (1), MEXICO (1, 2, 3), TX (2).
- Euryscopa vittata* LeC., 1858:26. On mesquite (2).
1. Leng 1920:288. 2. TTU.
AZ (1, 2), TX (1), TX[HP] (2).
- Exema dispar* Lac., 1848:850. On mesquite (3).
1. Blackwelder and Blackwelder 1948:42. 2. Leng 1920:288. 3. TTU.
SYN: *Exema dispar canadensis* Pierce, 1940:10.
CANADA (1), MEXICO (1, 3), AZ (1, 2).
- Exora vittipenne* (Horn), 1893:123. On mesquite (3).
1. Leng 1920:298. 2. Leng and Mutchler 1927:45. 3. TTU.
SYN: *Malacosoma vittipenne* Horn; *Exosoma vittipenne* (Horn).
NM (3), TX (1, 2).
- Glyptina* sp. near *atriventris* Horn. On *Prosopis glandulosa* (2).
1. Leng 1920:302. 2. TTU.
TX[HP] (2).
- Glyptina* sp. near *spuria* LeC. On mesquite (2).
1. Leng 1920:302. 2. TTU.
NM (2).
- Glyptoscelis cryptica* (Say), 1823:449. On mesquite (4).
1. Blackwelder 1939:62. 2. Blackwelder 1946:664. 3. Leng 1920:293. 4. TTU.
SYN: *Eumolpus cryptica* Say; *Glyptoscelis albicans* Baly, 1865:334.
MEXICO (1, 2, 3), DAK, KS, MO (1, 2), OK, TX (1), TX[STP] (4).
- Glyptoscelis gigas* Jac., 1897:262. On *Prosopis* (2).
1. Blackwelder 1946:664. 2. TTU.
ARGENTINA (2), BRAZIL (1).
- Glyptoscelis prosopis* Schffr., 1905:169. On *Prosopis* sp. (3).
1. Blackwelder 1939:71. 2. Leng 1920:293.
3. Moldenke 1971:112.
MEXICO (3), TX (1, 2).
- Griburius albilabris* (Suffr.), 1852:111. On mesquite (2).
1. Blackwelder 1946:639. 2. TTU.
SYN: *Scolochrus albilabris* Suffr.; *S. albilabris* var. *suturalis* Suffr., 1852:113; *S. a.* var. *zonatus* Suffr., 1852:113; *S. a.* var. *biverrucatus* Suffr., 1852:115.
GUATEMALA, HONDURAS (1), MEXICO (1, 2), NICARAGUA (1).
- Griburius cazicus* (Suffr.), 1852:119. On mesquite (2).
1. Blackwelder 1946:639. 2. TTU.
SYN: *Scolochrus cazicus* Suffr.
COLOMBIA (1), MEXICO (1, 2).
- Griburius lecontei* Cr., 1873:32. On mesquite (2).
1. Leng 1920:289. 2. TTU.
TX (1), TX[RP] (2).
- Griburius montezuma* (Suffr.), 1852:116. On *Prosopis* (3).
1. Blackwelder 1946:640. 2. Leng 1920:289.
3. TTU.
SYN: *Scolochrus montezuma* Suffr.; *Griburius speciosus* LeC., 1867:56; *G. montezuma* var. *suffriani* Jac., 1880:60.
MEXICO (1, 2, 3), AZ, TX (2).
- Longitarsus* sp. On *Prosopis laevigata* (2).
1. Blackwelder 1946:694. 2. TTU.
MEXICO (2).
- Meacolaspis* sp. near *concoloripes* Bechyne. On *Prosopis caldenia*, *P. nigra* (1).

1. TTU.
ARGENTINA (1).
Megalostomis dimidiata Lac., 1848:526. On mesquite (2).
1. Blackwelder 1946:636. 2. TTU.
SYN: *Megalostomis dimidiata* var. *apicalis* Achard, 1926:154; *M. d.* var. *picturata* Achard, 1926:154.
GUATEMALA (1), MEXICO (1, 2), NICARAGUA (1).
Megalostomis gazella Lac., 1848:552. On *Prosopis*, *Acacia* (2).
1. Blackwelder 1946:636. 2. Hayward 1958:14.
SYN: *Megalostomis gazella clavapex* Achard, 1926:152; *M. g. nigrapex* Achard, 1926:152; *M. g. nigrescens* Achard, 1926:152.
ARGENTINA (1, 2), BOLIVIA, BRAZIL, CHILE, FRENCH GUIANA, PARAGUAY (1).
Megalostomis tomentosa Jac., 1880:30. On *Prosopis*, mesquite (2).
1. Blackwelder 1946:637. 2. TTU.
SYN: *Megalostomis tomentosa* var. *apicata* Achard, 1926:154.
GUATEMALA (1), MEXICO (1, 2), PANAMA (1).
Metriona emarginata (Boh.), 1855:298. On mesquite (3).
1. Blackwelder 1946:751. 2. Leng 1920:304. 3. TTU.
SYN: *Coptocycla emarginata* Boh.; *C. arizonae* Cr., 1873:78; *C. fimbriollis* Champ., 1894:213.
COSTA RICA, GUATEMALA (1), MEXICO (1, 2, 3), AZ (2, 3).
Monoxia sp. On mesquite (2).
1. Blackwelder 1946:693. 2. TTU.
MEXICO (2).
Monoxia sp. near *sordida* (LeC.). On mesquite (2).
1. Blackwelder 1946:693. 2. TTU.
MEXICO (2).
Nodonota sp. On *Prosopis glandulosa* (3); mesquite (4).
1. Blackwelder 1946:654. 2. Leng 1920:292. 3. Swenson 1969:60. 4. TTU.
MEXICO (4), TX[EP (4), RP (3)].
Oedionychus sp. On mesquite (2).
1. Blackwelder 1946:708. 2. TTU.
MEXICO (2).
Pachybrachys sp. On *Prosopis glandulosa*, *P. laevigata* (3).
1. Blackwelder 1946:641. 2. Leng 1920:289. 3. TTU.
MEXICO, NM, TX[HP] (3).
Pachybrachys sp. near *signifer* Stål. On *Prosopis caldenia* (2).
1. Blackwelder 1946:642. 2. TTU.
ARGENTINA (2).
Pachybrachys alticola Fall, 1915:442. On mesquite (2).
1. Leng 1920:290. 2. TTU.
AZ (2), CO, NM (1).
Pachybrachys calidus Fall, 1915:379. On *Prosopis glandulosa*, *P. laevigata*, mesquite (2).
1. Leng 1920:289. 2. TTU.
MEXICO (2), AZ, TX (1, 2), TX[RP] (2).
Pachybrachys laevis Bowd., 1909:316, or near. On *Prosopis glandulosa*, *P. laevigata* (2).
1. Leng 1920:290. 2. TTU.
MEXICO (2), CO, NM, TX (1), TX[STP] (2).
Pachybrachys longus Bowd., 1909:313. On mesquite (2).
1. Leng 1920:289. 2. UAT.
AZ (1, 2).
Pachybrachys prosopis Fall, 1915:381. On mesquite (2).
1. Leng 1920:289. 2. Essig 1934:465.
AZ, CA (1, 2).
Phaedon semimarginatum Latr., 1811:233. On *Prosopis caldenia* (2).
1. Blackwelder 1946:677. 2. TTU.
ARGENTINA (2), BRAZIL, PERU (1).
Phrynocephala pulchella Baly, 1861:201. On *Prosopis* (2).
1. Blackwelder 1946:699. 2. Moldenke 1971:113.
SYN: *Phrynocephala forticornis* Dejean, 1836:413.
GUATEMALA (1), MEXICO (1, 2).
Promecosoma lugens Lefev., 1877:135. On *Prosopis* (2).
1. Blackwelder 1946:657. 2. Moldenke 1971:112.
MEXICO (1, 2).
Promecosoma viridis Jac., 1881:135. On mesquite (2).
1. Blackwelder 1946:657. 2. TTU.
MEXICO (1, 2).
Psylliodes virisimilis Fall, 1933:232, or near. On mesquite (2).
1. Blackwelder 1939:64. 2. TTU.
NM (1), TX[HP] (2).
Pyrracita sp. On mesquite (2).
1. Blackwelder 1946:599. 2. TTU.
MEXICO (2).
Rhabdopterus sp. On mesquite (2).
1. Blackwelder 1946:660. 2. TTU.
MEXICO (2).

- Saxinis** sp. On mesquite (2).
1. Leng 1920:288. 2. TTU.
TX[STP] (2).
- Saxinis knausi** Schffr., 1906:222. On mesquite (2).
1. Leng 1920:288. 2. TTU.
KS (1), TX[HP, RP] (2).
- Saxinis omogera** Lac., 1848:482, or near. On mesquite (2).
1. Leng 1920:288. 2. TTU.
AZ (1, 2), GA, IN, NJ, TX (1), TX[TP] (2), VT (1).
- Saxinis sonorensis** Jac., 1889:88, or near. On *Prosopis glandulosa* blooms (3, 4); *Adenostema fasciculatum*, *Lotus scoparius*, *Sphaeralcea* sp. (4).
1. Blackwelder 1946:639. 2. Leng 1920:288. 3. TTU. 4. UCR.
MEXICO (1), AZ (2, 3), CA (2, 4), TX[HP] (3).
- Saxinis subpubescens** Schffr., 1906:221. On mesquite (2).
1. Leng 1920:288. 2. TTU.
AZ (1), TX[HP] (2).
- Systema** sp. near *sexnotata* Fall. On mesquite (2).
1. Blackwelder 1946:695. 2. TTU.
MEXICO (2).
- Urodera duplicata** Monros, or near. On *Prosopis rubriflora* (2).
1. Blackwelder 1946:638. 2. TTU.
ARGENTINA (2).
- Urodera hamatifer** Lac., 1848:453. On *Prosopis nigra* (3); *P.* sp. (2).
1. Blackwelder 1946:639. 2. Hayward 1958:14. 3. TTU.
ARGENTINA (1, 2, 3), COLOMBIA (1).
- Zygotogramma** sp. On mesquite (2).
1. Blackwelder 1946:666. 2. TTU.
MEXICO (2).
- Zygotogramma piceicollis** Stål, 1859:322. On mesquite (4); *Croton morifolius*, *Eupatorium lasium*, *Verbesina encelioides*, unidentified composite (3).
1. Blackwelder 1946:667. 2. Leng 1920:295. 3. Moldenke 1971:111. 4. TTU.
SYN: *Zygotogramma aggregata* Stål, 1860:461.
COSTA RICA, GUATEMALA (1), MEXICO (1, 3, 4), AZ, NM, TX (2).

Cleridae

- Callotillus elegans** (Er.), 1847:85. In *Prosopis glandulosa*—in galleries of *Trogoxylon parallelipedus* (3); *Prosopis* sp. (2).
1. Wolcott 1947:67. 2. Foster and Barr 1972:122. 3. TTU.
SYN: *Tillus elegans* Er.; *T. occidentalis* Gorham, 1882:129.
CENTRAL AMERICA, MEXICO, AZ, NM, TX (1), TX[EP (2), TP (3)].
- Callotillus elegans vafer** Wolcott, 1921:270. On *Prosopis* (2); mesquite (3).
1. Wolcott 1947:67. 2. Foster and Barr 1972:123. 3. W. F. Barr, pers. comm.
MEXICO (3), AZ, CA, NM (1), TX[TP] (2).
- Chariessa pilosa** (Forster), 1781:49. On *Prosopis glandulosa* blooms (2).
1. Wolcott 1947:85. 2. TTU.
SYN: *Lampyrus pilosa* Forster; *Enoplium marginata* Say, 1823:187; *Pelonium cincta* Spinola, 1844:356; *Enoplium onusta* Say, 1828:41.
TX[HP] (2).
- Cymatodera** sp. On *Prosopis glandulosa* (2).
1. Wolcott 1947:68. 2. TTU.
TX[RP] (2).
- Cymatodera oblita** Horn, 1876:227. In *Prosopis chilensis* (2); mesquite (3); predaceous in bees' nests (4).
1. Wolcott 1947:70. 2. W. F. Barr, pers. comm. 3. F. G. Werner, pers. comm. 4. TTU.
MEXICO (1, 2), AZ (1, 2, 3), NV (1, 2).
- Cymatodera ovipennis** LeC., 1859:76. In mesquite (2).
1. Wolcott 1947:70. 2. W. F. Barr, pers. comm.
SYN: *Cymatodera pilosella* LeC., 1866:95.
AZ (1), CA (1, 2), NM (1).
- Cymatodera punctata** LeC., 1852:212. In *Prosopis chilensis*, mesquite (2).
1. Wolcott 1947:70. 2. W. F. Barr, pers. comm.
MEXICO (1), CA (1, 2).
- Cymatodera sobera** Barr, 1960:13. On *Prosopis chilensis* (1).
1. W. F. Barr, pers. comm.
AZ (1).
- Enoclerus quadrisignatus** (Say), 1835:162. In mesquite—in a variety of hardwoods and conifers; taken from galleries of *Chrysobothris* sp. (2).
1. Wolcott 1947:81. 2. TTU.
SYN: *Clerus quadrisignatus* Say; *C. rufescens* LeC., 1852:212; *C. affiliatus* LeC., 1858:72; *C. latecinctus* LeC., 1858:72; *Enoclerus latcinctus* Corp., 1950:59.
MEXICO (2), AZ, GA, NM, OK, PA, TX (1), TX[HP, RP] (2).
- Monophylla californica** Fall, 1901:251. On *Prosopis* (2, 4); mesquite (3); oak—in galleries of *Xylobiops texanum* (4).
1. Wolcott 1947:67. 2. W. F. Barr, pers. comm.

3. F. G. Werner, pers. comm. 4. TTU.
SYN: *Monophylla substriata* Wolcott, 1910: 340.

COSTA RICA, MEXICO (1), AZ (2, 3, 4), CA (2), OR, UT (1), TX[EP] (2).

Monophylla terminata (Say), 1835:160. On *Prosopis glandulosa*, *P. sp.*—in galleries of *Xylobiops texanum* (2).

1. Wolcott 1947:67. 2. TTU.

SYN: *Tillus terminata* Say; *Monophylla megatoma* Spinola, 1844:385; *M. picticollis* Blackb., 1901:25.

EASTERN NORTH AMERICA to AZ, TX (1), TX[EP, RP] (2).

Phyllobaenus spp. On *Prosopis glandulosa*, *P. laevigata*, mesquite (3).

1. Leng 1920:151. 2. Blackwelder 1945:388. 3. TTU.

MEXICO TX[RP] (3).

Phyllobaenus discoideus (LeC.), 1852:213. On *Prosopis glandulosa*—found on foliage (3); mesquite (2, 3).

1. Wolcott 1947:72. 2. W. F. Barr, pers. comm. 3. TTU.

SYN: *Hydnocera discoideus* LeC.; *H. furcata* Gorham, 1886:342.

MEXICO (1, 3), AZ, CA, NM, UT (1, 2).

Phyllobaenus subfasciatus (LeC.), 1866:97. On *Prosopis laevigata* (2).

1. Wolcott 1947:73. 2. TTU.

SYN: *Hydnocera subfasciatus* LeC.; *H. subfasciatus fraterna* Wol., 1912:61.

MEXICO (2), CA, KS, MA, NE, TX, UT (1).

Pyticara granulatiennis (Schffr.), 1904:220. On mesquite (2).

1. Wolcott 1947:85. 2. TTU.

SYN: *Enoplium granulatiennis* Schffr.; *Pelonides granulatiennis* (Schffr.).

MEXICO, AZ, NM, TX (1), TX[HP] (2).

Trichodes bibalteatus LeC., 1858:18. On *Prosopis glandulosa* blooms, mesquite blooms—predaceous in bees' nests, not associated with wood borers (2).

1. Wolcott 1947:82. 2. TTU.

KS, OK, NM, TX (1), TX[EP, HP, RP, STP] (2).

Coccinellidae

Anovia virginalis (Wickham), 1905:166. On mesquite (2).

1. Leng 1920:214. 2. TTU.

SYN: *Scymnus virginalis* Wickham.

MEXICO (2), TX, UT (1).

Brachyacantha sp. On *Prosopis* (2).

1. Blackwelder 1945:448. 2. TTU.

ARGENTINA (2).

Brachyacantha aymardi Gorham, 1894:187. On mesquite (2).

1. Blackwelder 1945:448. 2. TTU.

SYN: *Brachyacantha aymardi pulchella* Weise, 1904:360.

MEXICO (1, 2).

Brachyacantha ursina (Fabr.), 1787:61. On mesquite (4).

1. Blackwelder 1945:449. 2. Leng 1920:212.

3. Leng and Mutchler 1933:87. 4. TTU.

SYN: *Coccinella ursina* Fabr.; *C. troglodytes* Muls., 1850:534; *Brachyacantha stellata* Csy., 1899:117; *B. ursina congruens* Csy., 1899:117; *B. u. sonarana* Csy., 1908:412; *B. u. uteella* Csy., 1908:413.

MEXICO (1, 4), EASTERN NORTH AMERICA, AZ, GA, IL, IN, KY, MO, NC, NM, UT (2, 3).

Chilocorus stigma (Say), 1835:202. On *Prosopis glandulosa* (4).

1. Blackwelder 1945:451. 2. Leng 1920:217.

3. Leng and Mutchler 1933:88. 4. TTU.

SYN: *Coccinella stigma* Say; *C. bivulnerus* Muls., 1851:460; *C. fraternus* LeC., 1857:70.

CANADA (2, 3), MEXICO (1, 4), FL, IN (2, 3).

Coccinella ancoralis Germar, 1824:620. On *Prosopis* (2).

1. Blackwelder 1945:454. 2. TTU.

ARGENTINA (1, 2), BOLIVIA, BRAZIL, CHILE (1).

Epilachna varivestis Muls., 1850:815. On mesquite (5); pest of various legume plants including beans, cowpeas, and soybeans (4, 5).

1. Blackwelder 1939:48. 2. Blackwelder 1945:442. 3. Leng 1920:217. 4. Essig 1934:426. 5. TTU.

SYN: *Epilachna varipes* Muls., 1850:812; *E. murina* Muls., 1850:814; *E. corrupta* Muls., 1850:815; *E. cervina* Muls., 1850:817; *E. genuina* Muls., 1850:817; *E. modesta* Muls., 1850:817; *E. difficilis* Muls., 1850:818; *E. maculiventris* Bland, 1864:72; *E. juncta* Joh., 1910:79; *E. cuprea* Coq., 1918:153.

NORTH AMERICA (1, 2, 4), COSTA RICA, GUATEMALA (2, 4), MEXICO (2, 3, 4, 5), PANAMA (2, 4).

Exochomus marginipennis LeC., 1824:174. On *Prosopis glandulosa*, mesquite (3).

1. Blackwelder 1945:451. 2. Leng 1920:217. 3. TTU.

SYN: *Exochomus praetextatus* Melsh., 1847:

- 180; *E. deflectens* Csy., 1908:410.
 MEXICO (1, 3), FL to NY, IN, MO (2), TX[STP] (3).
- Exoplectra tibialis* Muls.**, 1850:917. On mesquite (2).
 1. Blackwelder 1945:451. 2. TTU.
 MEXICO (1, 2).
- Hippodamia convergens* Guérin**, 1842:321. *Prosopis glandulosa* —general predator found on many plants (5).
 1. Blackwelder 1945:453. 2. Blackwelder and Blackwelder 1948:27. 3. Leng 1920:215. 4. Swenson 1969:38. 5. TTU.
 SYN: *Hippodamia modesta* Melsh., 1847:178; *H. convergens punctulata* LeC., 1852:131; *H. c. ambigua* LeC., 1852:131; *H. obliqua* Csy., 1899:79; *H. politissima* Csy., 1899:80; *H. juncta* Csy., 1899:80.
 OLD WORLD (1), CANADA (3), COSTA RICA, GUATEMALA, HONDURAS (1), MEXICO (1, 5), PUERTO RICO (1), WIDESPREAD UNITED STATES (1, 2, 3, 5), TX[CTP, GP, HP, PW (5), RP (4, 5), STP, TP (5)].
- Hyperaspis levrati* (Muls.)**, 1851:613. On *Prosopis glandulosa*, *P. laevigata* (4).
 1. Blackwelder 1945:447. 2. Blackwelder and Blackwelder 1948:25. 3. Leng 1920:212. 4. TTU.
 SYN: *Clethera levrati* Muls.; *Brachyacantha metator* Csy., 1908:413.
 MEXICO (1, 2, 3, 4), AZ (2, 3), CO, NM, OK, TX UT, WY (2).
- Hyperaspis octonotata* Csy.**, 1899:121. On *Prosopis laevigata* (3).
 1. Blackwelder and Blackwelder 1948:25. 2. Leng 1920:211. 3. TTU.
 MEXICO (2, 3), AZ (1, 2), CA, CO, NM (1).
- Olla abdominalis* (Say)**, 1825:95. On *Prosopis glandulosa*, *P. laevigata*, mesquite—general predator found on many plants (4).
 1. Blackwelder 1945:453. 2. Leng 1920:216. 3. Leng and Mutchler 1927:33. 4. TTU.
 SYN: *Coccinella abdominalis* Say; *C. sayi* Crotch, 1874:30; *Olla abdominalis chalapensis* Weise, 1895:125; *O. a. plagiata* Csy., 1899:94; *O. fenestralis* Csy., 1899:95; *O. abdominalis minuta* Csy., 1908:406; *O. semilunaris* Joh., 1910:66.
 GUATEMALA (1), MEXICO (1, 2, 4), NICARAGUA (1), AZ, CA, FL, IN, NM, TX (2), TX[EP, HP, RP, STP, TP] (4).
- Psyllobora viginti-maculata* (Say)**, 1824:96. On *Prosopis glandulosa* (4).
 1. Blackwelder 1945:455. 2. Leng 1920:215.
3. Leng and Mutchler 1927:33. 4. TTU.
 SYN: *Coccinella viginti-maculata* Say; *Psyllobora taedata* LeC., 1857:70; *P. obsoleta* Csy., 1899:101; *P. parvinotata* Csy., 1899:101; *P. renifer* Csy., 1899:102; *P. borealis* Csy., 1899:102; *P. separata* Csy., 1899:102; *P. deficiens* Csy., 1899:102.
 BRITISH HONDURAS, GUATEMALA, MEXICO, NICARAGUA, PANAMA (1), AZ, CA, CT, FL, IA, ID, IL, IN, MI, NY, OH, PA, RI, TX, WI (2), TX[EP] (4).
- Scymnus* spp.** On *Prosopis algarobilla*, mesquite (3).
 1. Blackwelder 1945:444. 2. Leng 1920:213. 3. TTU.
 ARGENTINA (3), TX[RP] (3).
- Scymnus auritulus* Muls.**, 1850:985. On *Prosopis laevigata*, mesquite (2).
 1. Blackwelder 1945:444. 2. TTU.
 GUATEMALA (1), MEXICO (1, 2).
- Scymnus lowei* Muls.**, 1850:980. On *Prosopis laevigata*, mesquite (3).
 1. Blackwelder 1945:444. 2. Leng and Mutchler 1933:87. 3. TTU.
 GUATEMALA (1), MEXICO (1, 2, 3), WEST INDIES (1), CA, LA, TX (2).
- Scymnus terminatus* (Say)**, 1835:203. On mesquite (3).
 1. Leng 1920:214. 2. Leng and Mutchler 1933:35,87. 3. TTU.
 SYN: *Scymnus femoralis* LeC., 1852:136; *S. caseyi* Weise, 1929:33.
 EASTERN NORTH AMERICA, FL, IN (2), TX[STP] (3).
- Thalassa montezumae* Muls.**, 1850:512. On *Prosopis* (3).
 1. Blackwelder 1945:449. 2. Leng 1920:212. 3. TTU.
 GUATEMALA (1), MEXICO (1, 2, 3), AZ, LA (2).

Curculionidae

- Anthonomus albopilosus* Dietz**, 1891:222. On mesquite (2).
 1. Leng 1920:323. 2. TTU.
 CA, NM, TX (1), TX[HP] (2).
- Apion* spp.** On *Prosopis ruscifolia* (3); mesquite—larvae may develop in seeds (2).
 1. Blackwelder 1947:828. 2. F. G. Werner, pers. comm. 3. TTU.
 ARGENTINA (3), AZ (2).
- Apion sordidum* Smith**, 1884:48. On *Prosopis juliflora*—reared from dipterous galls on *Arte-*

misia, tyrpetid gall on *Artemisia tripartita*, and cecidomyid gall on *Bigelovia*; on *Encelia californica*, *Viguiera stenoloba*, *Zexmenta brevifolia* (2).

1. Leng 1920:309. 2. Kissinger 1968:201.

SYN: *Apion vespertinum* Csy., 1884:67.

MEXICO (2), AZ, CA (1, 2), MT (2), NV (1, 2), OR (2), UT (1, 2), TX[RP] (2).

***Apion subornatum* Fall**, 1898:164. On *Prosopis juliflora*—reared from *Prosopis* sp. and *Acacia rigidula*, larvae found on *A. roemeriana*, *Mimosa borealis* (2).

1. Leng 1920:310. 2. Kissinger 1968:190.

MEXICO (2), TX (1), TX[BP, EP, STP, TP] (2).

***Apion ventricosum* LeC.**, 1858:78. On *Prosopis*, mesquite, catsclaw flowers (2).

1. Leng 1920:310. 2. Kissinger 1968:191.

SYN: *Apion typicum* Smith, 1884:53.

MEXICO, AZ, CA (1, 2), CO, TX (1), UT, TX[TP] (2).

***Colecerus marmoratus* Horn**, 1876:109. On mesquite (3).

1. Blackwelder 1947:805. 2. Leng 1920:312. 3. TTU.

MEXICO (1), AZ, TX (2), TX[BP, GP, HP, RP, STP, TP] (3).

***Compsus auricephalus* Say**, 1823:310. On mesquite (3).

1. Blackwelder 1947:802. 2. Leng 1920:313. 3. TTU.

SYN: *Compsus auriceps* Schönherr, 1840:183; *C. venustus* Champ., 1911:289.

COSTA RICA, GUATEMALA (1), MEXICO (1, 2), NICARAGUA, PANAMA (1), GA to CO and TX (2), TX[GP, HP, RP] (3).

***Conotrachelus* sp.** On *Prosopis* (3).

1. Blackwelder 1947:847. 2. Leng 1920:331. 3. Moldenke 1971:115.

MEXICO (3).

***Hypochoeloides phytobioides* Champ.**, 1907:144. On mesquite (2).

1. Blackwelder 1947:885. 2. TTU.

GUATEMALA (1), MEXICO (1, 2), NICARAGUA (1).

***Laemosaccus* sp. near *plagiatus* (Fabr.)**. On mesquite (2).

1. Blackwelder 1947:836. 2. TTU.

MEXICO (2).

***Laemosaccus plagiatus* (Fabr.)**, 1801:485. On *Prosopis laevigata*, mesquite—reared from mesquite twigs (4); *Ceanothus buxifolia*, *Quercus undata*, *Vachellia farnesiana* (3).

1. Blackwelder 1947:836. 2. Leng 1920:326. 3.

Moldenke 1971:115. 4. TTU.

SYN: *Curculio plagiatus* Fabr.; *Laemosaccus nephele* Hbst., 1897:54.

GUATEMALA (1), MEXICO (1, 3, 4), AZ, CO, FL, MA, NC (2), TX[STP, TP] (4).

***Magdalis armicollis* (Say)**, 1823[1824]:312. Reared from *Prosopis* sp. (3); in and beneath the bark of elm (1).

1. Blatchley and Leng 1916:259. 2. Leng 1920:322. 3. TTU.

SYN: *Rynchaenus armicollis* Say.

CANADA (2), GA (2), IN, NJ, NY (1), TX (2), TX [STP] (3).

***Microtychius* sp.** On *Prosopis* (3); mesquite—larvae may develop in seeds (2).

1. Leng 1920:321. 2. F. G. Werner, pers. comm. 3. TTU.

AZ (2), TX[HP] (3).

***Microtychius hispidus* (Csy.)**, 1892:424. On *Prosopis glandulosa* (2).

1. Leng 1920:321. 2. TTU.

SYN: *Tychius hispidus* Csy.; *Sibinia hispidus* (Csy.)

AZ (1), TX[HP] (2).

***Microtychius setosus* (LeC.)**, 1876:218. On *Prosopis* sp. (2, 3).

1. Leng 1920:321. 2. R. F. Wilkey, pers. comm. 3. TTU.

SYN: *Tychius setosus* LeC.; *Sibinia setosus* (LeC.)

MEXICO (3), AZ, CA (1), TX [HP, RP, STP, TP] (3).

***Microtychius sulcatulus* (Csy.)**, 1897:664. On mesquite (2).

1. Leng 1920:321. 2. TTU.

SYN: *Tychius sulcatulus* Csy.; *Sibinia sulcatulus* (Csy.)

TX (1), TX [HP, RP] (2).

***Microtychius suturalis* (Schffr.)**, 1908:218. On mesquite (2).

1. Leng 1920:321. 2. TTU.

SYN: *Tychius suturalis* Schffr.; *Sibinia suturalis* (Schffr.)

AZ, TX (1), TX [HP] (2).

***Mitostylus* sp.** On mesquite (2).

1. Blackwelder 1947:799. 2. TTU.

MEXICO (2).

***Naupactus cyphoides* Heller**, 1921:24. On *Prosopis*—consume leaves (2).

1. Blackwelder 1947:794. 2. Bosq 1942:18.

SYN: *Naupactus cyphoides* var. *griseomaculatus* Hust., 1923:280.

ARGENTINA (1, 2), BOLIVIA (1).

- Naupactus viridimicans* Hust., 1923:282. On *Prosopis*—consume leaves (2).
1. Blackwelder 1947:794. 2. Bosq 1942:18.
ARGENTINA (2), BOLIVIA (1).
- Onychobaris mystica* Csy., 1892:531. On *Prosopis glandulosa* (2).
1. Leng 1920:327. 2. TTU.
AZ (1), NM (2), TX (1).
- Ophryastes argentatus* (LeC.), 1853:444. On mesquite, *Acacia constricta*, *Larrea tridentata* (3).
1. Blackwelder and Blackwelder 1948:46. 2. Leng 1920:311. 3. Kissinger 1970:39.
SYN: *Eupagoderes argentatus* Le C.
MEXICO (3), AZ (1, 2, 3), CA (1, 3), NV, UT (1, 3).
- Ophryastes geminatus* (Horn), 1876:35. On *Prosopis*, *Artemisia* sp., *Atriplex canescens*, *Chrysothamnus* spp., *Dalea polyadenia*, *Eriogonum fasciculatum*, *Gutierrezia* sp., *Larrea* spp. (3).
1. Blackwelder and Blackwelder 1948:45. 2. Leng 1920:311. 3. Kissinger 1970:31.
SYN: *Eupagoderes geminatus* Horn; *E. plumbeus* Horn, 1876:35; *E. mortivallis* Fall, 1910:192; *E. utahensis* Tanner, 1939:31; *E. hardyi* Tanner, 1939:31; *E. mortivallis* var. *approximatus* Davis, 1947:502.
CA, ID, NM, NV (1, 2), OR, UT (1, 3).
- Ophryastes latirostris* LeC., 1853:443. On mesquite (3).
1. Blackwelder 1947:807. 2. Leng 1920:311. 3. TTU.
SYN: *Ophryastes validus* LeC., 1854:225.
MEXICO (1), AZ, KS, NM, UT (2), TX[RP] (3).
- Ophryastes porosus* LeC., 1854:225. On mesquite (3).
1. Blackwelder 1947:807. 2. Leng 1920:311. 3. TTU.
MEXICO (1), AZ, TX (2), TX[TP] (3).
- Ophryastes speciosus* (LeC.), 1853:444. On *Prosopis glandulosa*, *Cevallia sinuata*, *Larrea divaricata* (4).
1. Blackwelder 1947:807. 2. Blackwelder and Blackwelder 1948:46. 3. Leng 1920:311. 4. Kissinger 1970:45.
SYN: *Eupagoderes speciosus* LeC.
MEXICO (1, 2, 4), AZ (3), NM (3, 4), TX (2, 3), TX[HP, STP, TP] (4).
- Ophryastes turbinata* (Champ.), 1911:320. On *Prosopis glandulosa* (3); mesquite, *Acacia* sp., *Larrea* sp. (2).
1. Blackwelder 1947:807. 2. Kissinger 1970:21. 3. TTU.
SYN: *Eupagoderes turbinata* Champ.
MEXICO (1), AZ (2), NM (2, 3), TX[HP, TP] (2).
- Ophryastes variabilis* (Pierce), 1913:374. On *Prosopis glandulosa* (2, 3); *Acacia greggii*, *A. vernicosa*, *Larrea divaricata* (2).
1. Leng 1920:311. 2. Kissinger 1970:23. 3. TTU.
SYN: *Amydrogmus variabilis* Pierce.
MEXICO (2, 3), TX (1, 2), TX[TP] (3).
- Ophryastes vittatus* (Say), 1823:316. On mesquite (2).
1. Leng 1920:311. 2. C. E. Rogers, pers. comm.
SYN: *Curculio vittatus* Say.
AZ, KS, NM (1), TX[RP] (2).
- Pandeteleius* sp. On *Prosopis laevigata* (2).
1. Blackwelder 1947:799. 2. TTU.
MEXICO (2).
- Pandeteleius cinereus* Horn, 1876:87. On mesquite—oak most common host; *Bumelia lanuginosa*, *Juniperus*, elm, pecan, walnut—reared from *Phoradendron flavescens* stems (3).
1. Blackwelder 1947:799. 2. Leng 1920:312. 3. Howden 1959:387.
MEXICO (1, 3), OK (3), TX (2, 3).
- Pandeteleius elythroplanatus* Howden, 1959:380. On *Prosopis* blooms and foliage (2); mesquite (1, 2); *Atriplex canescens*, *Condalia lycioides*, *Pluchea sericea* (1).
1. Howden 1959:380. 2. TTU.
MEXICO (2), AZ, NM (1), TX[HP, TP] (2).
- Pandeteleius lucidillus* Howden, 1959:374. On mesquite (1); *Neltuma glandulosa* (2).
1. Howden 1959:374. 2. Moldenke 1971:115.
MEXICO (2), AZ (1).
- Pantomorus albosignatus* Boh., 1839:943. On mesquite (2).
1. Blackwelder 1947:795. 2. TTU.
EL SALVADOR, GUATEMALA (1), MEXICO (1, 2).
- Peritaxia hispida* Horn, 1876:47. On *Prosopis glandulosa* (2).
1. Leng 1920:311. 2. TTU.
AZ, CO (1), TX[HP] (2).
- Rhyssomatus sculpticollis* Champ., 1904:332. On mesquite (2).
1. Blackwelder 1947:858. 2. TTU.
GUATEMALA (1), MEXICO (1, 2), NICARAGUA (1).
- Sciadrusus propheticus* Sharp, 1911:172. On mesquite (2).
1. Blackwelder 1947:798. 2. TTU.
MEXICO (1, 2).
- Smicronyx imbricata* (Csy.), 1892:381. On *Pro-*

sopis juliflora (3).

1. Blackwelder 1947:825. 2. Leng 1920:319. 3. Anderson 1962:304.

SYN: *Synertha imbricata* Csy.; *S. silacea* Csy., 1892:392.

MEXICO (1), AZ, CA (2, 3), NM, NV, UT, TX[EP, STP] (3).

Smicronyx pusillus Dietz, 1894:141. On mesquite, clover (2).

1. Leng 1920:319. 2. Anderson 1962:245. AZ (2), CA (1, 2).

Smicronyx quadrifer Csy., 1892:388. On *Prosopis*, mesquite, *Acacia*, *Ambrosia*, dodder (2).

1. Leng 1920:319. 2. Anderson 1962:254.

SYN: *Smicronyx quadrifer texana* Blatch., 1916:12.

AL, AZ, TX (1, 2), TX[GP, STP] (2).

Smicronyx spretus Dietz, 1894:145. On *Prosopis* sp., *Sphaeralcea angustifolia*, *S. sp.*, cotton, wild sunflower (2).

1. Leng 1920:319. 2. Anderson 1962:261. AZ (1, 2), NM, TX[TP] (2).

Dermestidae

Cryptorhopalum sp. On mesquite (2).

1. Leng 1920:190. 2. TTU. AZ (2).

Novelsis uteana Csy., 1900:148. On mesquite (2).

1. Leng 1920:190. 2. TTU. AZ (2), UT (1).

Trogoderma sternalis Jayne, 1882:363. On mesquite (2).

1. Leng 1920:190. 2. TTU. AZ, CA, NM, TX (1), TX[HP] (2).

Elateridae

Chalcolepidius viridipilis (Say), 1825:257 or near. On *Prosopis*, mesquite (2).

1. Leng 1920:167. 2. TTU. TX[RP] (2).

Conoderus rufangulus (Gyll.), 1817:142. On *Prosopis* (2).

1. Schenkling 1925:132. 2. TTU.

SYN: *Elater rufangulus* Gyll.; *Monocrepidius asinius* Germar, 1839:231; *M. azoricus* Tarnier, 1860:93; *M. atlanticus* Cand., 1865:26.

ARGENTINA (1, 2), BRAZIL, URUGUAY (1).

Glyphonyx sp. On mesquite (2).

1. Blackwelder 1944b:296. 2. TTU. MEXICO (2).

Ischiodontus sp. On mesquite (2).

1. Blackwelder 1944b:299. 2. TTU. MEXICO (2).

Lacon sp. On mesquite (2).

1. Blackwelder 1944b:281. 2. TTU. MEXICO (2).

Octinodes sp. On mesquite (2).

1. Leng 1920:166. 2. TTU. TX[TP] (2).

Endomychidae

Epopteris sp. On *Prosopis* (2).

1. Leng 1920:209. 2. TTU. MEXICO, TX[STP] (2).

Helodidae

Ptilodactyla sp. On mesquite (2).

1. Leng 1920:188. 2. TTU. MEXICO, TX[STP] (2).

Histeridae

Hololepta vicina LeC., 1851:163. On mesquite (2).

1. Leng 1920:135. 2. TTU.

SYN: *Hololepta neglecta* Blaisd., 1892:338; *H. californica* Carn., 1917:395.

MEXICO (2), AZ, CA, OR, WA (1).

Lathridiidae

Corticaria sp. On mesquite (2).

1. Blackwelder 1945:436. 2. TTU. MEXICO (2).

Lycidae

Lycus carmelitus Gorham, 1880:2. On mesquite (2).

1. Blackwelder 1945:343. 2. TTU. MEXICO (1, 2).

Lycus loripes Chev., 1834:148. On mesquite (2).

1. Blackwelder 1945:343. 2. TTU. GUATEMALA (1), MEXICO (1, 2).

Lyctidae

Lyctoxylon japonicum Reitter, 1878:199. On *Prosopis* (3).

1. Blackwelder 1945:401. 2. Leng 1920:246. 3. Mathur and Singh 1959:58.

INDO-MALAYA (1), JAPAN (1, 2), PUERTO RICO (1), NJ (2).

Trogoxylon parallelopipedus (Melsh.), 1844:112. On *Prosopis* (2).

1. Leng 1920:245. 2. Foster and Barr 1972:123. SYN: *Xylotrogus parallelopipedus* Melsh.;

Lyctus parallelopipedus (Melsh.).

EASTERN and SOUTHEASTERN UNITED STATES (1), TX[EP] (2).

Meloidae

Epicauta sp. On mesquite (2).

1. Leng 1920:158. 2. TTU.
NM (1), TX[HP, STP] (2).

Epicauta adspersa (Klug), 1825:434. On *Prosopis* (2).

1. Blackwelder 1945:482. 2. TTU.
SYN: *Lytta conspersa* Curt., 1845:472.
ARGENTINA (1, 2), URUGUAY (1).

Epicauta alastor Skinner, 1904:217. On mesquite, alfalfa (4).

1. Blackwelder 1939:35. 2. Blackwelder and Blackwelder 1948:17. 3. Leng 1920:158. 4. Werner, Enns, and Parker 1966:46.

MEXICO (4), AZ (3, 4), CA (2, 4), CO, TX (2).

Epicauta arizonica Werner, 1944:72. On mesquite (2).

1. Blackwelder and Blackwelder 1948:18. 2. Werner, Enns, and Parker 1966:48.
MEXICO, AZ (1, 2), CA (2).

Epicauta atrata (Fabr.), 1775:260. On *Prosopis glandulosa* (3).

1. Blackwelder and Blackwelder 1948:17. 2. Leng 1920:158. 3. TTU.
SYN: *Lytta atrata* Fabr.; *L. trichrus* Pallas, 1789:100; *E. convolvuli* Melsh., 1848:53; *E. coracina* Ill., 1904:171; *E. trichura* Wellm., 1910:24.

MD to NC then to TX and NE (1, 2), TX[HP] (3).

Epicauta atrivittata (LeC.), 1854:224. On mesquite (3).

1. Blackwelder 1939:35. 2. Blackwelder and Blackwelder 1948:18. 3. TTU.
SYN: *Lytta atrivittata* LeC.; *Macrobasis atrivittata* (LeC.).

MEXICO (2), AZ (1), NM, TX (1, 2), TX[HP] (3).

Epicauta crassitarsis Maydell, 1935:72. On mesquite, *Lycium*, alfalfa (3).

1. Blackwelder 1939:38. 2. Blackwelder and Blackwelder 1948:17. 3. Werner, Enns, and Parker 1966:38.
MEXICO (3), AZ (1, 2, 3).

Epicauta diversicornis (Haag), 1880:42. On mesquite (2).

1. Blackwelder 1945:484. 2. TTU.
SYN: *Macrobasis diversicornis* Haag; *M. d.* var. *pallida* Haag, 1880:42; *M. d.* var. *candezei* Haag, 1880:43; *M. flavens* Dugès, 1889:58.
COSTA RICA, GUATEMALA (1), MEXICO (1, 2).

Epicauta ficta Werner, 1949:100. On mesquite (2).

1. Werner 1949:100. 2. TTU.
MEXICO (2), OK (1), TX[STP] (2).

Epicauta hirsutipubescens (Maydell), 1934:334. On mesquite (5), *Acacia vernicosa*, coralbean (4).

1. Blackwelder 1939:38. 2. Blackwelder and Blackwelder 1948:18. 3. Werner 1949:110. 4. Werner, Enns, and Parker 1966:51. 5. TTU.

SYN: *Macrobasis hirsutipubescens* Maydell; *M. virgulata* LeC., 1866:156.

MEXICO (2, 4), AZ (1, 2, 3), CA (2), NM (2, 3), TX[HP, STP] (3, 4), TP (3, 4, 5)].

Epicauta immaculata (Say), 1824:304. On *Prosopis glandulosa* blooms (4, 5); mesquite (5).

1. Blackwelder 1939:36. 2. Blackwelder and Blackwelder 1948:18. 3. Leng 1920:158. 4. Swenson 1969:59. 5. TTU.

SYN: *Lytta immaculata* Say; *L. articularis* Say, 1823:301; *Epicauta fulvescens* LeC., 1853:447; *Macrobasis immaculata* (Say).

AZ (3), CO (1, 3), IN (1, 2, 3), KS, NM (1, 3), TX (1, 2), TX[HP] (5), RP (4)].

Epicauta liebecki Werner, 1944:72. On *Prosopis*, mesquite (2).

1. Blackwelder and Blackwelder 1948:18. 2. Werner, Enns, and Parker 1966:49.
MEXICO, AZ (1, 2).

Epicauta longicollis (LeC.), 1853:343. On *Prosopis*, mesquite, *Solanum elaeagnifolium* (4).

1. Blackwelder 1945:483. 2. Blackwelder and Blackwelder 1948:18. 3. Leng 1920:158. 4. Werner, Enns, and Parker 1966:36.

SYN: *Lytta longicollis* LeC.; *Macrobasis longicollis* (LeC.); *Lytta sublineata* LeC., 1853:447; *Macrobasis sublineata* (LeC.).

MEXICO (3, 4), AZ (3), CA (2), NM (3), TX (3, 4).

Epicauta maculata (Say), 1824:298. On mesquite (6); *Amaranthus*, *Atriplex canescens*, *Kallstroemia*, *Salsola*, *Solanum elaeagnifolium* (5).

1. Blackwelder 1939:36. 2. Blackwelder 1945:483. 3. Blackwelder and Blackwelder 1948:17. 4. Leng 1920:158. 5. Werner, Enns, and Parker 1966:38. 6. TTU.

SYN: *Lytta maculata* Say; *Epicauta maculata* var. *conspersa* LeC., 1853:340; *E. punctuata* Dugès, 1870:161; *E. maculata* var. *media* Dugès, 1889:82.

GUATEMALA (2), MEXICO (2, 3, 6), AZ (1, 3, 4, 5), CA (4), CO, DAK, IL, MO, NM, OR (1, 3, 4, 5), TX (3, 5), TX[HP, TP] (5, 6).

Epicauta nigratarsis (LeC.), 1853:340. On *Pro-*

sopis glandulosa—adults feed on leaves and shoots (4, 6); mesquite (5).

1. Blackwelder 1939:36. 2. Blackwelder and Blackwelder 1948:17. 3. Leng 1920:158. 4. Swenson 1969:36. 5. Werner, Enns, and Parker 1966:37. 6. TTU.

SYN: *Lytta nigritarsis* LeC.

MEXICO (5, 6), AZ (5), NM (3, 5), OK (5), TX (1, 2, 3), TX[HP (5, 6), RP (4, 5, 6), STP, TP (5, 6)].

***Epicauta pardalis* LeC.**, 1866:157. On *Prosopis glandulosa*, *Prosopis* sp., mesquite (5, 6)—may defoliate whole trees (5); *Argemone*, alfalfa, Chinese elm, potato, *Solanum elaeagnifolium* (5).

1. Blackwelder 1939:36. 2. Blackwelder 1945:484. 3. Blackwelder and Blackwelder 1948:17. 4. Leng 1920:158. 5. Werner, Enns, and Parker 1966:40. 6. TTU.

MEXICO (2, 3, 6), AZ (1, 3, 4), NM (3, 5), TX (1, 3, 4, 5).

***Epicauta rufipedes* Dugès**, 1870:163. On mesquite (2).

1. Blackwelder 1945:484. 2. TTU.

SYN: *Epicauta subvittata* Haag, 1880:47; *E. rufipedes cinctella* Dugès, 1877:59; *E. vitula* Beaur., 1889:ccxiii.

GUATEMALA (1), MEXICO (1, 2), NICARAGUA (1).

***Epicauta segmenta* (Say)**, 1824:303. On *Prosopis glandulosa* (5); mesquite (6).

1. Blackwelder 1939:36. 2. Blackwelder 1945:484. 3. Blackwelder and Blackwelder 1948:18. 4. Leng 1920:158. 5. Swenson 1969:59. 6. TTU.

SYN: *Lytta segmenta* Say; *L. segmentata* LeC., 1853:342; *Epicauta valida* LeC., 1858:39; *E. cinctithorax* Dugès, 1889:56; *Macrobasis segmentata* (Say); *M. valida* (LeC.).

MEXICO (1, 2, 3), AZ, KS (1, 3, 4), LA (1, 4), MT (4), NE (3), NM, TX (1, 3, 4), TX[RP (5, 6), TP (6)].

***Epicauta sericans* LeC.**, 1866:158. On mesquite (4); *Aster consinnus* blossoms (5).

1. Blackwelder 1939:36. 2. Blackwelder and Blackwelder 1948:17. 3. Leng 1920:158. 4. Werner, Enns, and Parker 1966:44. 5. TTU.

CANADA (2), MEXICO (4), SOUTH CENTRAL and WESTERN UNITED STATES (2, 4), AZ, KS, NM, OR (1, 2, 3, 4), TX (1, 2, 4), TX[HP, RP] (5).

***Epicauta virgulata* (LeC.)**, 1866:156. On mesquite (6), palo verde (5).

1. Blackwelder 1939:36. 2. Blackwelder and Blackwelder 1948:17. 3. Leng 1920:158. 4.

Werner 1949:108. 5. Werner, Enns, and Parker 1966:51. 6. TTU.

SYN: *Macrobasis virgulata* LeC.

MEXICO (1, 2, 3, 4, 5), AZ (4, 5), TX (2), TX[RP] (6).

***Megetra cancellata* Brandt and Erickson**, 1932:141. On *Prosopis glandulosa* (3).

1. Blackwelder 1939:38. 2. Blackwelder 1945:487. 3. TTU.

SYN: *M. hoegei* Dugès, 1889:39; *Megetra cancellata* var. *championi* Van Dyke, 1928:456.

MEXICO (1, 2), TX[TP] (3).

***Nemognatha* sp.** On mesquite (2).

1. Leng 1920:160. 2. TTU.

TX[HP] (2).

***Pseudozonitis martini* (Fall)**, 1907:257. On mesquite, *Agave*, *Tamarix* (2).

1. Leng 1920:160. 2. Werner, Enns, and Parker 1966:68.

SYN: *Zonitis martini* Fall.

AZ, CA (2), NM (1, 2).

***Pyrota akhurstiana* Horn**, 1891:42. On mesquite (4, 5)—reported not to feed (4).

1. Blackwelder 1939:37. 2. Blackwelder 1945:484. 3. Leng 1920:157. 4. Werner, Enns, and Parker 1966:55. 5. TTU.

MEXICO (1, 2, 3, 4, 5), AZ, NM (1, 3, 4), TX[TP] (4).

***Pyrota insulata* (LeC.)**, 1858:22. On *Prosopis glandulosa* (4); *P. sp.*, mesquite (5).

1. Blackwelder 1939:37. 2. Blackwelder 1945:485. 3. Leng 1920:157. 4. Swenson 1969:36. 5. TTU.

SYN: *Lytta insulata* LeC.

MEXICO (1, 2), TX (2, 3), TX [HP (5), RP (4), STP (5)].

***Pyrota postica* LeC.**, 1866:160. On mesquite (4, 5), several Zygophyllaceae (4).

1. Blackwelder 1939:37. 2. Blackwelder 1945:485. 3. Leng 1920:157. 4. Werner, Enns, and Parker 1966:57. 5. TTU.

SYN: *Pyrota mylabrina* LeC., 1853:337; *Lytta maculata* Lac., 1859:4; *Pyrota plagiata* Haag, 1880:49; *P. lacordairei* Berg, 1881:303; *P. vittigera* Burm., 1881:22.

MEXICO (1, 2, 3, 5), AZ (1, 3, 4), NM (1), TX (1, 3).

***Pyrota tenuicostata* Dugès**, 1877:60. On *Prosopis*, mesquite (4).

1. Blackwelder 1939:37. 2. Blackwelder 1945:485. 3. Leng 1920:157. 4. TAMU.

SYN: *Pyrota vittigera* LeC., 1858:22; *P. rufipennis* Crotch, 1874:114; *P. tenuicostata* var.

mariarm Champ., 1892:435; *P. t.* var. *hirticollis* Champ., 1892:455.

MEXICO (1, 2, 3), TX (1, 3, 4).

Melyridae

Amecocerus sp. On *Prosopis glandulosa* blooms (2).

1. Blackwelder 1939:32 2. TTU.
TX[RP] (2).

Attalus spp. On *Prosopis glandulosa*, mesquite (2).

1. Leng 1920:146. 2. TTU.
AZ, NM, TX[HP] (2).

Mordellidae

Glipa sp. On *Prosopis* (2).

1. Leng 1920:154. 2. TTU.
TX[EP] (2).

Mordella sp. On mesquite (2).

1. Blackwelder 1945:475. 2. TTU.
MEXICO (2).

Mordella insulata LeC., 1859:16. On *Prosopis* (2).

1. Leng 1920:155. 2. Swenson 1969:59.
KS, TX (1), TX[RP] (2).

Mordella marginata Melsh., 1846:312. On *Prosopis glandulosa* (3).

1. Blackwelder and Blackwelder 1948:15. 2. Leng 1920:155. 3. TTU.
SYN: *Mordella lineata* Melsh., 1846:313.

CT, FL, IN, NJ, NY, OH (2), PA (1), TX[RP] (3).

Mordella near cinereoatra Lj. On mesquite (2).

1. Leng 1920:155. 2. TTU.
TX[TP] (2).

Mordellistena sp. On mesquite (2).

1. Leng 1920:155. 2. TTU.
TX[HP] (2).

Naucles sp. On mesquite (2).

1. Blackwelder 1945:479. 2. TTU.
MEXICO (2).

Pentaria sp. On mesquite (2).

1. Blackwelder 1945:479. 2. TTU.
MEXICO (2).

Nitidulidae

Carpophilus hemipterus (L.), 1758:358. On mesquite (3).

1. Blackwelder 1945:412. 2. Leng 1920:195. 3. TTU.

SYN: *Dermestes hemipterus* L.; *Silpha bimaculatus* L., 1767:569; *Nitidula flexuosus* KaF., 1790:246; *N. bimaculatus* Ol., 1790:12; *N. quadriguttatus* Thunb., 1794:70; *N. cadaverin-*

us Fabr., 1801:354; *Stenus ficus* Fabr., 1801:603; *Cateretes dimidiatus* Heer, 1841:413; *Cer-us bimaculatus* Melsh., 1844:105; *Nitidula brevipennis* Germain, 1855:397; *N. quadripustulatus* Schauf., 1882:189.

OLD WORLD (1), EUROPE (2), ARGENTINA, BRITISH HONDURAS (1), CANADA (2), CHILE, CUBA (1), GRENADA, GUADELOUPE, GUATEMALA, HISPANIOLA (1), MEXICO (1, 3), ST. VINCENT (1), AK, AZ, CA, FL, IN (2).

Carpophilus lugubris Murr., 1864:255. On mesquite (3).

1. Blackwelder 1945:412. 2. Leng 1920:195. 3. TTU.

BRAZIL, GUATEMALA (1), MEXICO (1, 3), PANAMA, VENEZUELA (1), CO, FL, TX (2).

Carpophilus maculatus (Er.), 1843:244. On mesquite (2).

1. Leng 1920:195. 2. TTU.

SYN: *Colopterous maculatus* Er.

CENTRAL UNITED STATES, FL to TX (1), TX[STP] (2).

Carpophilus mutilatus Er., 1843:258. On mesquite (2).

1. Leng 1920:195. 2. TTU.

TX[STP] (2).

Carpophilus pallipennis (Say), 1823:194. On *Prosopis glandulosa* (4).

1. Blackwelder 1945:412. 2. Blackwelder and Blackwelder 1948:24. 3. Leng 1920:195. 4. TTU.

SYN: *Cercus pallipennis* Say; *Carpophilus pollens* Shp., 1889:300; *C. pallens* Leng, 1920:195.

BAHAMA ISLANDS (1), CANADA (2), MEXICO (1, 2, 3), AZ, CA, CO (3), FL (2), KS, NM, OR, TX (3), TX[HP] (4).

Lobiopa sp. On *Prosopis alba*, *P.* sp. (2).

1. Blackwelder 1945:414. 2. TTU.

ARGENTINA (2).

Pedilidae

Eurygenius sp. On mesquite (2).

1. Blackwelder 1945:492. 2. TTU.

MEXICO (2).

Phalacridae

Olibrus sp. On mesquite (2).

1. Blackwelder 1945:430. 2. TTU.

MEXICO (2).

Phalacrus sp. On mesquite (2).

1. Leng 1920:210. 2. TTU.

TX[HP] (2).

Ptinidae

- Ptinus* sp. On mesquite (2).
1. Leng 1920:240. 2. TTU.
TX[STP] (2).

Rhipiphoridae

- Macrosiagon* sp. On mesquite (2).
1. Leng 1920:156. 2. TTU.
TX[HP] (2).

Scarabaeidae

- Cheiroplatys* sp. On mesquite (2).
1. Blackwelder 1944b:255. 2. TTU.
MEXICO (2).
- Cotinis mutabilis* (G. and P.), 1833:70. On *Prosopis* (2).
1. Blackwelder 1944b:261. 2. TTU.
BRITISH HONDURAS, COSTA RICA,
GUATEMALA, HONDURAS (1), MEXICO (1),
2), NICARAGUA (1).
- Diplotaxis* sp. On mesquite (2).
1. Blackwelder 1944b:222. 2. TTU.
MEXICO (2).
- Euphoria* spp. On *Prosopis* (3, 4).
1. Blackwelder 1944b:264. 2. Leng 1920:262. 3.
Bosq 1942:18. 4. TTU.
ARGENTINA (3), TX[HP] (4).
- Euphoria basalis* G. and P., 1833:64. On mesquite
(2).
1. Blackwelder 1944b:265. 2. TTU.
MEXICO (1, 2).
- Euphoria rufobrunnea* Csy., 1915:309. On *Pro-*
sopis (2).
1. Leng 1920:262. 2. TTU.
NM (1, 2), WA (1).
- Homonyx chalcea* Blanch., 1850:214. On *Prosopis*
(2, 3).
1. Blackwelder 1945:236. 2. Bosq 1942:18. 3.
TTU.
SYN: *Homonyx chalcea fuscocuprea* Ohaus,
1913:494; *H. c. santaigensis* Ohaus, 1913:494;
H. c. uruguayana Ohaus, 1913:494.
ARGENTINA (1, 2, 3).
- Megasoma vogti* Cartwright, 1963:25. On *Pro-*
sopis juliflora (1).
1. Cartwright 1963:25.
TX[STP] (1).
- Strategus* sp. On mesquite (2).
1. Blackwelder 1944b:257. 2. TTU.
MEXICO (2).

Scolytidae

- Dolurgus* sp. In mesquite—reared from branches
(2).

1. Leng 1920:338. 2. F. G. Werner, pers. comm.
AZ (2).

Hypothenemus sp. near *rotundicollis* (Eichh.). On
mesquite (2).

1. Blackwelder 1947:777. 2. TTU.
MEXICO (2).

Renocis fasciatus Blackm., 1940:385. In *Pro-*
sopis, mesquite—from cut twigs, *Covillea gen-*
tinosa (2).

1. Blackwelder and Blackwelder 1948:48. 2.
Blackman 1940:385.
AZ (1, 2).

Tenebrionidae

- Bothrotres* sp. On mesquite (2).
1. Blackwelder 1945:511. 2. TTU.
MEXICO (2).
- Eleodes pedinoides* LeC., 1858:183. On *Prosopis*
glandulosa (2); mesquite (3).
1. Leng 1920:227. 2. Swenson 1969:38. 3. TTU.
SYN: *Eleodes pedinoides neomexicana* Blais.,
1909:41.
NM, TX (1), TX[RP] (2, 3).
- Eleodes suturalis* (Say), 1823:257. On mesquite
(2).
1. Leng 1920:227. 2. TTU.
SYN: *Blaps suturalis* Say; *Eleodes texana* LeC.,
1858:182.
CO, DAK, KS, TX (1), TX[HP, RP] (2).
- Helops* sp. On mesquite (2).
1. Blackwelder 1945:542. 2. TTU.
MEXICO (2).
- Helops impolitus* LeC., 1866:132. On *Prosopis*
glandulosa, mesquite (2).
1. Leng 1920:236. 2. TTU.
TX (1), TX[STP] (2).
- Hylocrinus* spp. On *Prosopis* (2).
1. Blackwelder 1945:512. 2. TTU.
MEXICO (2).
- Metoponium* sp. On *Prosopis glandulosa* blooms
(2).
1. Leng 1920:219. 2. TTU.
AZ (2).
- Metoponium cognitum* Csy., 1907:305 or near.
On *Prosopis glandulosa* blooms (2).
1. Leng 1920:220. 2. TTU.
TX[HP] (2).
- Omopheres bacchulus* Berg, 1883:70. On *Pro-*
sopis (2).
1. Blackwelder 1945:511. 2. TTU.
ARGENTINA (1, 2).
- Pechalius subvittatus* Csy., 1907:421. On *Pro-*
sopis laevigata (2).

1. Leng 1920:222. 2. TTU.

MEXICO (2), TX (1).

Telabius spp. On *Prosopis laevigata*, mesquite (4)—reared from mesquite branches (3).

1. Blackwelder 1945:512. 2. Leng 1920:220.

3. F. G. Werner, pers. comm. 4. TTU.

MEXICO, AZ (3, 4), NM (4).

Telabius muricatus Csy., 1890:341. On *Prosopis glandulosa* (2); mesquite (3).

1. Leng 1920:220. 2. Swenson 1969:38. 3. TTU.

AZ, TX (1), TX[HP (3), RP (2)].

Thinobatis sp. On *Prosopis rubriflora* (2).

1. Blackwelder 1945:513. 2. TTU.

ARGENTINA (2).

Trogositidae

Temnochila virescens (Fabr.), 1775:817. On *Prosopis* (4, 5)—reared from mesquite branches (3); pine, *Pinus ocarpa*—in boring of *Dendroctonus frontalis* (3).

1. Blackwelder 1945:393. 2. Leng 1920:193.

3. Barron 1971:79. 4. F. G. Werner, pers. comm.

5. TTU.

SYN: *Lucanus virescens* Fabr.; *Trogosita virescens* Ol., 1790:8; *Trogosita virescens* Fabr., 1792:115; *Temnochila virescens* West., 1830:231; *Temnochila virescens* Lac., 1854:341; *Trogosita cyanea* Reitter, 1875:28.

BRITISH HONDURAS, COSTA RICA, GUATEMALA, GUIANA, HONDURAS, MEXICO (1), NICARAGUA (1, 3), ENTIRE UNITED STATES (1, 2, 3), east coast west to eastern TX, OK, MO, inclusive (3), AZ (4), TX[EP, STP] (5).

Tenebroides sp. On *Prosopis caldenia* (2).

1. Blackwelder 1945:393. 2. TTU.

ARGENTINA (2).

DIPTERA

Agromyzidae

Liriomyza sp. On mesquite (2).

1. Stone et al. 1965:801. 2. TTU.

MEXICO (2).

Melanagromyza spp. On mesquite (2).

1. Stone et al. 1965:796. 2. TTU.

MEXICO, TX[STP] (2).

Phytobia sp. On *Prosopis* (2).

1. Stone et al. 1965:797. 2. TTU.

ARGENTINA (2).

Anthomyiidae

Calythea micropteryx (Thomson), 1869:555. On

mesquite (2).

1. Stone et al. 1965:865. 2. TTU.

SYN: *Anthomyia micropteryx* Thomson.

CANADA (1), MEXICO (1, 2), WA to MI, south to AZ and TX, MA to VA (1).

Hylemyza sp. On *Prosopis laevigata*, mesquite (2).

1. Stone et al. 1965:845. 2. TTU.

MEXICO, TX[RP] (2).

Scatophaga stercoraria (L.), 1758:599. On *Prosopis* (2, 3), mesquite (2).

1. Stone et al. 1965:839. 2. Swenson 1969:61.

3. TTU.

SYN: *Musca stercoraria* L.; *M. merdaria* Fabr., 1794:344.

ASIA, EUROPE, CANADA, HAITI, MEXICO, SWEDEN, NEWFOUNDLAND, AK south to CA, GA (1), TX[HP (3), RP (2)].

Asilidae

Atomosia melanopogon Hermann, 1912:144. On *Prosopis glandulosa* (2), *P. sp.*, mesquite (3).

1. Stone et al. 1965:387. 2. Swenson 1969:45.

3. TTU.

MEXICO (3), AZ, CO, IA, TX (1), TX[RP] (2, 3).

Blepharepium secabile (Walk.), 1860:276. On *Prosopis glandulosa* (2).

1. Stone et al. 1965:365. 2. TTU.

SYN: *Dasypogon secabile* Walk.

MEXICO, AZ (1), TX[TP] (2).

Diogmites angustipennis Loew, 1866:23. On *Prosopis nigra* (2).

1. Stone et al. 1965:371. 2. TTU.

ARGENTINA (2), CO, IL, KS (1).

Efferia spp. On *Prosopis caldenia*, *P. glandulosa*, *P. laevigata* (2).

1. Stone et al. 1965:393. 2. TTU.

ARGENTINA, MEXICO, TX[HP, RP, STP] (2).

Efferia aestuans (L.), 1763:413. On mesquite (2):

1. Stone et al. 1965:393. 2. TTU.

SYN: *Asilus aestuans* L.; *A. niger* Wiedemann, 1821:196; *Erax incisuralis* Macquart, 1838:117; *E. bastardi* Macquart, 1838:117; *E. tibialis* Macquart, 1838:118.

EASTERN NORTH AMERICA to WY, TX (1), TX[RP] (2).

Efferia tuberculata (Coq.), 1904:34. On mesquite (2).

1. Stone et al. 1965:396. 2. TTU.

SYN: *Erax tuberculata* Coq.

CA, TX (1), TX[RP] (2).

Mallophorina frustra Pritchard, 1935:11. On

mesquite (2).

1. Stone et al. 1965:397. 2. TTU.

MEXICO (2), AZ (1, 2).

Microstylum galactodes Loew, 1866:25. On *Prosopis glandulosa* (2, 3).

1. Stone et al. 1965:379. 2. Swenson 1969:45. 3. TTU.

AZ, KS, NM, TX (1), TX[RP] (2, 3).

Ospricerus latipennis (Loew), 1866:28. On *Prosopis* (2).

1. Stone et al. 1965:381. 2. TTU.

SYN: *Stenopogon latipennis* Loew; *S. consanguineus* Loew, 1866:27.

SD to NM and TX (1), TX[RP] (2).

Proctacanthus nearno Martin, 1962:187. On *Prosopis* (2).

1. Stone et al. 1965:399. 2. TTU.

SYN: *Proctacanthus arno* Tns. of Hine, 1911:161.

AZ, CA, NM, TX, UT (1), TX[RP] (2).

Saropogon combustus Loew, 1874:373. On *Prosopis glandulosa* (2).

1. Stone et al. 1965:383. 2. TTU.

SYN: *Saropogon adustus* Loew, 1874:375.

CO, KS, NE, OK, TX (1), TX[TP] (2).

Saropogon purus Curran, 1930:3. On mesquite (2).

1. Stone et al. 1965:383. 2. TTU.

MEXICO (2), AZ (1).

Bombyliidae

Anthrax irroratus irroratus Say, 1823:46. On mesquite—reared from bees' nest in mesquite wood (2).

1. Stone et al. 1965:432. 2. TTU.

SYN: *Anthrax oedipus*, authors, not Fabr. TX[RP] (2).

Geron sp. On *Prosopis rubriflora*, *P.* sp., mesquite (2).

1. Stone et al. 1965:422. 2. TTU.

ARGENTINA, MEXICO, PUERTO RICO (2).

Mythicomyia sp. On mesquite (2).

1. Stone et al. 1965:416. 2. TTU.

NM (2).

Oligodranes bivittatus (Cr.), 1915:206. On mesquite (2).

1. Stone et al. 1965:421. 2. TTU.

SYN: *Pseudogeron bivittatus* Cr.

AZ (2), TX (1), TX[TP] (2).

Phthiria sp. On mesquite (2).

1. Stone et al. 1965:419. 2. TTU.

AZ (2).

Poecilanthrax sp. On *Prosopis glandulosa* (2).

1. Stone et al. 1965:441. 2. TTU.

MEXICO (2).

Systropus nitidus Wiedemann. On *Prosopis* (2).

1. Stone et al. 1965:424. 2. TTU.

ARGENTINA (2).

Calliphoridae

Cochliomyia macellaria (Fabr.), 1775:776. On *Prosopis alba*, *P. nigra*, mesquite (2).

1. Stone et al. 1965:924. 2. TTU.

SYN: *Musca macellaria* Fabr.; *Chrysomya lherminieri* Robineau-Desvoidy, 1830:446; *C. coeruleascens* Robineau-Desvoidy, 1830:447; *Cochliomyia caeruleascens*, error; *Lucilia vittata* Macquart, 1843:298; *Musca certima* Walk., 1849:873.

CENTRAL AMERICA, NORTH AMERICA, SOUTH AMERICA, WEST INDIES (1), ARGENTINA (1, 2), TX[HP] (2).

Phormia regina (Meigen), 1826:58. On mesquite (2).

1. Stone et al. 1965:924. 2. TTU.

SYN: *Musca regina* Meigen; *Phormia philadelphica* Robineau-Desvoidy, 1830:466; *Musca mollis* Walk., 1849:892; *M. proxima* Walk., 1852:341; *Lucilia rufipalpis* Jaenicke, 1867:375; *L. stigmatalis* Thomson, 1869:544; *Somomyia nigrina* Bigot, 1877:247; *S. rupicola* Bigot, 1877:clxxx; *S. rufigena* Bigot, 1877:clxxxi.

EURASIA, NORTH AMERICA, GERMANY, HI (1), TX [HP] (2).

Cecidomyiidae

Allarete barberi (Felt), 1908:310. On mesquite (2).

1. Stone et al. 1965:245. 2. TTU.

SYN: *Lestremia barberi* Felt.

MEXICO (2), CA, MN, NM (1).

Anarete sp. On *Prosopis alba* (2).

1. Stone et al. 1965:246. 2. TTU.

ARGENTINA (2).

Asphondylia prosopidis Ckll., 1898:329. On *Prosopis glandulosa*, mesquite (2).

1. Stone et al. 1965:269. 2. Bogusch 1950:528. 3. TTU.

NM (1, 3), TX (1), TX[RP] (2).

Contarinia spp. On mesquite—infests buds (2).

1. Stone et al. 1965:277. 2. C. E. Rogers, pers. comm.

TX[RP] (2).

Ceratopogonidae

Culicoides variipennis occidentalis Wirth and Jones, 1957:21. On mesquite (2).

1. Stone et al. 1965:132. 2. TTU.
CANADA (1), MEXICO (1, 2), ID, OR, WA to AZ, CA (1).

Chamaemyiidae

Leucopis spp. On mesquite (2).

1. Stone et al. 1965:708. 2. TTU.
MEXICO, AZ, NM, TX[TP] (2).

Chloropidae

Conioscinella sp. On *Prosopis nigra*, *P.* sp. (2).

1. Stone et al. 1965:783. 2. TTU.
ARGENTINA (2).

Conioscinella nuda (Ad.), 1905:110. On mesquite (2).

1. Stone et al. 1965:784. 2. TTU.
SYN: *Oscinis nuda* Ad.; *O. frontalis* Tuck., 1908:273.
MEXICO, SOUTHERN UNITED STATES from AZ to KS and MD, south to FL and TX (1), TX[STP] (2).

Ectecephala sp. On mesquite (2).

1. Stone et al. 1965:791. 2. TTU.
MEXICO (2).

Elachiptera sacculicornis (End.). On *Prosopis nigra*, *P.* sp. (2).

1. Stone et al. 1965:776. 2. TTU.
ARGENTINA (2).

Hippelates collusor (Tns.), 1895:619. On mesquite (2).

1. Stone et al. 1965:775. 2. TTU.
SYN: *Oscinis collusor* Tns.
MEXICO (1, 2), AZ, CA, NV (1).

Hippelates dissidens (Tuck.), 1908:274. On mesquite (2).

1. Stone et al. 1965:775. 2. TTU.
SYN: *Oscinis dissidens* Tuck.; *Hippelates texanus* Malloch, 1913:251.

MEXICO (1, 2), UNITED STATES from IA to MI and NY, south to AZ and FL (1).

Hippelates impressus Beck. 1912:92. On mesquite (2).

1. Stone et al. 1965:775. 2. TTU.
MEXICO (1, 2), AZ, CO, NM, TX (1).

Hippelates robertsoni Sabr., 1941:26. On mesquite (2).

1. Stone et al. 1965:776. 2. TTU.
MEXICO (1, 2), CA and OR to OK, south to MEXICO and GUATEMALA? (1).

Ocella spp. On *Prosopis* spp.—dwarf (2).

1. Stone et al. 1965:784. 2. TTU.
ARGENTINA, MEXICO (2).

Oscinella sp. near *coxendix* (Fitch). On *Prosopis laevigata* (2).

1. Stone et al. 1965:779. 2. TTU.
MEXICO (2).

Oscinella spp. On *Prosopis laevigata*, *P. nigra*, mesquite (2).

1. Stone et al. 1965:779. 2. TTU.
ARGENTINA, MEXICO (2).

Oscinella coxendix (Fitch), 1856:533. On *Prosopis glandulosa*, mesquite—reared from girdled branches of *P. glandulosa* (2).

1. Stone et al. 1965:779. 2. TTU.
SYN: *Oscinis coxendix* Fitch; *Oscinella pullicornis* Sabr., 1936:721.

CANADA (1), MEXICO (1, 2), UNITED STATES (1), TX[RP] (2).

Parectecephala maculosa (Loew), 1872:111. On mesquite (2).

1. Stone et al. 1965:792. 2. TTU.
SYN: *Chlorops maculosa* Loew.
AZ, KS (1), NM (1, 2), TX (1).

Thaumatomyia sp. On mesquite (2).

1. Stone et al. 1965:787. 2. TTU.
NM (2).

Thaumatomyia appropinqua (Ad.), 1903:39. On mesquite (2).

1. Stone et al. 1965:787. 2. TTU.
SYN: *Chlorops appropinqua* Ad.
WA to SASKATCHEWAN and ND, south to CA, TX and MEXICO, CO, KS (1), NM (2).

Dolichopodidae

Medetera sp. On mesquite (2).

1. Stone et al. 1965:509. 2. TTU.
TX[EP, RP] (2).

Thrypticus sp. On *Prosopis* (2).

1. Stone et al. 1965:511. 2. TTU.
ARGENTINA (2).

Empididae

Drapetis sp. On *Prosopis laevigata*, mesquite (2).

1. Stone et al. 1965:477. 2. TTU.
MEXICO (2).

Ephydridae

Discocerina obscurella (Fallén), 1813:251. On mesquite (2).

1. Stone et al. 1965:738. 2. TTU.
SYN: *Notiphila obscurella* Fallén; *Discocerina parva* Loew, 1862:146; *D. nigriventris* Cr., 1916:148.

NEOTROPICS, EUROPE, ENTIRE UNITED STATES and CANADA (1), MEXICO (2).
Paralimna punctipennis (Wiedemann), 1830:590.
On *Prosopis alba*, *P.* sp. (2).
1. Stone et al. 1965:748. 2. TTU.
SYN: *Notiphila punctipennis* Wiedemann; *Paralimna appendiculata* Loew, 1862:138.
ARGENTINA (2), MN, NY, SD, south to CA, FL (1).

Lonchaeidae

Lonchaea spp. On *Prosopis*, mesquite (2).
1. Stone et al. 1965:717. 2. TTU.
MEXICO (2).

Micropezidae

Micropeza nigricornis Wulp. On mesquite (2).
1. Stone et al. 1965:634. 2. TTU.
MEXICO (2).
Micropeza ventralis Cr., 1930:356. On mesquite (2).
1. Stone et al. 1965:634. 2. TTU.
MEXICO (1, 2), AZ (1).

Milichiidae

Desmometopa tarsalis Loew, 1866:184. On *Prosopis laevigata* (2).
1. Stone et al. 1965:731. 2. TTU.
CUBA (1), MEXICO (2), PANAMA, WEST INDIES, MI to DC, south to FL, CA, NE (1).
Meoneura polita Sabr., 1959:20. On mesquite (2).
1. Stone et al. 1965:729. 2. TTU.
MEXICO (1, 2), CA and TX, north to WA, ID (1).
Milichiella lacteipennis (Loew), 1866:185. On mesquite (2).
1. Stone et al. 1965:733. 2. TTU.
SYN: *Lobioptera lacteipennis* Loew; *Milichiella nigrella* Cole, 1912:162.
AFRICA, ORIENTAL and AUSTRALIAN REGIONS, NORTH AMERICA south to CHILE and ARGENTINA, BERMUDA, CANNARY and MADERINA ISLANDS, CUBA (1), MEXICO (2), WEST INDIES (1).

Muscidae

Musca domestica L., 1758:596. On mesquite (2).
1. Stone et al. 1965:913. 2. TTU.
SYN: *Musca vicina* Macquart, 1851:226; *M. contigua* Walk., 1852:344; *M. harpyia* Harris, 1869:335; *M. flavipennis* Bigot, 1887:clxxxi; *M. corvina* authors, not Fabr.
COSMOPOLITAN (1), MEXICO (2).

Mycetophilidae

Leia sp. On mesquite (2).
1. Stone et al. 1965:227. 2. TTU.
MEXICO (2).

Neriidae

Odontoloxozus longicornis (Coq.), 1904:188. On mesquite (2).
1. Stone et al. 1965:637. 2. TTU.
SYN: *Nerius longicornis* Coq.; *Odontoloxozus punctulatus* Enderlein, 1922:158.
COSTA RICA, MEXICO, AZ, CA, TX (1), TX[STP] (2).

Otitidae

Diacrita costalis Gerstäcker, 1860:197. On mesquite (2).
1. Stone et al. 1965:644. 2. TTU.
SYN: *D. aemula* Loew, 1873:114.
MEXICO, CA to TX (1), TX[STP] (2).
Euxesta pechumani Curran, 1938:4. On mesquite (2).
1. Stone et al. 1965:652. 2. TTU.
MI to NY south to AZ and FL (1), TX[HP] (2).
Notogramma purpuratum Cole, 1923:474. On mesquite (2).
1. Stone et al. 1965:646. 2. TTU.
CUBA, GUATEMALA, JAMAICA (1), MEXICO (1, 2), CA to CO and TX (1).
Physiphora aenea (Fabr.), 1794:335. On mesquite (2).
1. Stone et al. 1965:653. 2. TTU.
SYN: *Musca aenea* Fabr.
ASIA, SOUTH AMERICA, AUSTRALIA (1), MEXICO (1, 2), AL, CA, GA, LA, MI (1).

Phoridae

Phora sp. On mesquite (2).
1. Stone et al. 1965:536. 2. TTU.
MEXICO (2).

Pipunculidae

Pipunculus sp. On mesquite (2).
1. Stone et al. 1965:551. 2. TTU.
TX[TP] (2).

Platystomatidae

Senopterina caerulescens Loew, 1873:97. On mesquite (2).
1. Stone et al. 1965:657. 2. TTU.
TX (1), TX[RP] (2).

Richardiidae

Coniceps niger Loew, 1873:178. On mesquite (2).

1. Stone et al. 1965:642. 2. TTU.
KS, SD, TX (1), TX[GP] (2).

Sarcophagidae

Amobia floridensis (Tns.), 1892:80. On *Prosopis*, mesquite (2).

1. Stone et al. 1965:934. 2. TTU.

SYN: *Pachyophthalmus floridensis* Tns.; *Sarcocomacronychia trypoxylonis* Tns., 1893:165.

NORTH AMERICA except New England States (1), MEXICO (2).

Helicobia rapax (Walk.), 1849:818. On *Prosopis laevigata* (2).

1. Stone et al. 1965:949. 2. TTU.

SYN: *Sarcophaga rapax* Walk.; *S. helicis* Tns., 1892:220.

NORTH AMERICA (1), MEXICO (1, 2).

Ravinia derelicta (Walk.), 1852:322. On *Prosopis laevigata*, mesquite (2).

1. Stone et al. 1965:954. 2. TTU.

SYN: *Sarcophaga derelicta* Walk.; *Helicobia quadrisetosa* Coq., 1901:17.

CANADA (1), MEXICO (1, 2), EASTERN UNITED STATES (1), NM (2).

Ravinia latisetosa Parker, 1914:63. On *Prosopis glandulosa*, *P. sp.* (2).

1. Stone et al. 1965:954. 2. TTU.

CANADA, EASTERN UNITED STATES from MA south to NY and FL (1), TX[RP] (2).

Sarcophaga spp. On *Prosopis alba*, *P. nigra*, *P. sp.* (2).

1. Stone et al. 1965:956. 2. TTU.

ARGENTINA (2).

Scenopinidae

Scenopinus sp. velutinus group. On mesquite (2).

1. Stone et al. 1965:355. 2. TTU.

MEXICO, NM (2).

Sciaridae

Bradysia sp. On *Prosopis nigra* (2).

1. Stone et al. 1965:232. 2. TTU.

ARGENTINA (2).

Eugnoriste sp. On *Prosopis* (2).

1. Stone et al. 1965:231. 2. TTU.

TX [RP] (2).

Sepsidae

Palaeosepsis pusio (Schiner), 1868:262. On mesquite (2).

1. Stone et al. 1965:682. 2. TTU.

SYN: *Sepsis pusio* Schiner; *S. insularis* Williston, 1896:431.

CENTRAL AMERICA and WEST INDIES,
SOUTH AMERICA, FL, TX (1), TX[STP] (2).

Stratiomyidae

Hoplitimyia constans (Loew), 1872:55. On *Prosopis glandulosa* blooms (2).

1. Stone et al. 1965:313. 2. TTU.

SYN: *Stratiomys constans* Loew.

AR to AZ, IN and KS, TX (1), TX[HP] (2).

Syrphidae

Allograpta obliqua (Say), 1823:89. On mesquite (2).

1. Stone et al. 1965:569. 2. TTU.

SYN: *Scaeva obliqua* Say; *Syrphus securiferus* Macquart, 1842:160; *Sphaerophoria bacchides* Walk., 1849:594; *Syrphus dimensus* Walk., 1852:235; *S. signatus* Wulp, 1867:144.

NEOTROPICS, BERMUDA (1), MEXICO (2), WA to QUEBEC, south to CA and FL, HI (1).

Eristalis latifrons Loew, 1866:169. On *Prosopis glandulosa*, mesquite (2).

1. Stone et al. 1965:624. 2. TTU.

SYN: *Eristalis stipator* Osten Sacken, 1877:336; *E. maculipennis* Tns., 1897:93.

MEXICO, BRITISH COLUMBIA to NOVA SCOTIA, south to CA, FL (1), TX[HP] (2).

Helophilus latifrons Loew, 1863:313. On *Prosopis glandulosa* blooms (2).

1. Stone et al. 1965:618. 2. TTU.

SYN: *Helophilus trivittatus* authors, not Fabr. MEXICO, ALASKA to LABRADOR, south to CA, NE, and FL (1), TX[HP] (2).

Syrphus sp. On mesquite (2).

1. Stone et al. 1965:558. 2. TTU.

TX[HP] (2).

Tabanidae

Silvius pollinosus pollinosus Will., 1880:244. On *Prosopis glandulosa*, *P. sp.* (2).

1. Stone et al. 1965:323. 2. TTU.

KS, SD to CA, TX (1), TX[RP] (2).

Tachinidae

Archytas apicifer (Walk.), 1849:718. On *Prosopis glandulosa* blooms (2).

1. Stone et al. 1965:999. 2. TTU.

SYN: *Tachina apicifer* Walk.; *Archytas vulgaris* Curran, 1928:204; *A. analis* authors in part, not Fabr.; *A. basifulvus* authors, not Fabr. NORTH AMERICA (1), TX[HP, RP] (2).

Epiplagiops littoralis Blanch., 1943:451. On *Prosopis sp.*—dwarf (2).

1. Stone et al. 1965:1053. 2. TTU.
ARGENTINA (1, 2), URUGUAY, introd. CA
but not established (1).

Eucelatoria sp. On *Prosopis laevigata* (2).

1. Stone et al. 1965:1043. 2. TTU.
MEXICO (2).

Hyalomya aldrichii Tns., 1891:136. On mes-
quite (2).

1. Stone et al. 1965:968. 2. TTU.
SYN: *Hyalomya celer* Tns., 1895:65; *Phoran-
tha pruinosa* Robertson, 1901:285; *Phasia cara*
West, 1925:123.

NORTH AMERICA (1), NM (2).

Paradidyma sp. On mesquite (2).

1. Stone et al. 1965:1032. 2. TTU.
MEXICO (2).

Promasiphya sp. On mesquite (2).

1. Stone et al. 1965:1091. 2. TTU.
TX[GP] (2).

Schizactia sp. On mesquite (2).

1. Stone et al. 1965:1066. 2. TTU.
MEXICO (2).

Tephritidae

Euaresta stigmatica Coq., 1902:180. On mes-
quite (2).

1. Stone et al. 1965:665. 2. TTU.
MEXICO (2), MT to MI, south to CA and TX
(1).

Tomoplagia heringi Aczel. On *Prosopis nigra* (1).

1. TTU.
ARGENTINA (1).

Trupanea mevarna (Walk.), 1849:1023. On *Pro-
sopis* (2).

1. Stone et al. 1965:667. 2. TTU—specimens
in TTU collection identified as *Trupanea daphne*
were collected in Argentina on *Prosopis* sp.

SYN: *Trypeta mevarna* Walk.; *Trupanea ma-
varna*, error; *Trypeta solaris* Loew, 1862:84;
Trupanea daphne, authors, not Wiedemann.

RI to AL and FL, KS (1).

HEMIPTERA

Anthocoridae

Anthocoris albigar Reuter, 1884:70. On *Proso-
pis laevigata*, *P.* sp., mesquite (2).

1. Van Duzee 1917:293. 2. TTU.
MEXICO (1, 2), NM (1), TX[HP] (2).

Anthocoris sordidus (Reuter). On mesquite (1).

1. TTU.
MEXICO (1).

Orius tristicolor (White), 1879:144. On *Prosopis*

glandulosa blooms, *P.* sp. (3); mesquite blooms—
presumed to feed on thrips (2).

1. Van Duzee 1917:294. 2. F. G. Werner, pers.
comm. 3. TTU. 4. UCR.

SYN: *Triphleps tristicolor* White.

MEXICO (3), AZ, CA (1, 2, 4), CO, ID, ME,
NM, NY (1), OR (4), TX, UT (1), WA (1, 4),
TX[HP] (3).

Berytidae

Jalysus spinosus (Say), 1824:28. On *Prosopis*
glandulosa (3); mesquite—a stray (2).

1. Van Duzee 1917:145. 2. F. G. Werner, pers.
comm. 3. TTU.

SYN: *Berytus spinosus* Say; *Neides spinosus*
(Say).

WIDESPREAD EASTERN CANADA (1), AZ
(2), CO, DC, FL, GA, IL, KS, ME, MI, NC, NE,
NJ, NY, OH, PA, TX, WI (1), TX [HP] (3).

Pronotacantha annulata Uhler, 1893:260. On
mesquite—a stray (2).

1. Van Duzee 1917:146. 2. F. G. Werner, pers.
comm.

AZ (1, 2), CA (1).

Coreidae

Acanthocephala femorata (Fabr.), 1775:708. On
mesquite (2).

1. Van Duzee 1917:86. 2. TTU.

SYN: *Cimex femorata* Fabr.; *Lygaeus femorata*
(Fabr.); *Rhinuchus nasulus* Say, 1832:10; *Met-
apodius bispinus* Westwood, 1842:15; *M. ob-
scurus* Westwood, 1842:15; *M. femorata* (Fabr.).

MEXICO (2), FL, GA, LA, NC, OK, SC, TX
(1), TX[HP, PO] (2).

Aufeius impressicollis Stål, 1870:222. On mes-
quite (2).

1. Van Duzee 1917:118. 2. TTU.

SYN: *Aufeius propinquus* Distant, 1881:168.
MEXICO (1, 2), AZ, CA, CO, DAK, KS, TX
(1), TX[HP, STP] (2).

Harmostes imitabilis. On *Prosopis* sp. (2).

1. Van Duzee 1917:117. 2. TTU.

ARGENTINA (2).

Kleidocerys virescens (Fabr.). On mesquite (2).

1. Van Duzee 1917:120. 2. TTU.

MEXICO (2).

Leptoglossus phyloppus (L.), 1767:731. On mes-
quite (2).

1. Van Duzee 1917:88. 2. TTU.

SYN: *Cimex phyloppus* L.; *Lygaeus phyloppus*
(L.); *Anisocoles albicinctus* Say, 1832:12; *A.
fraterna* Westwood, 1842:16; *A. confusa* Dallas,

1852:453; *Theognis phyloppus* (L.).

NEOTROPICAL (1), ARGENTINA (2), AZ, FL, LA, MO, NC, NY, OK, TX, VA (1).

***Mozena* spp.** On *Prosopis chilensis* (3); mesquite—not very damaging (2).

1. Van Duzee 1917:93. 2. F. G. Werner, pers. comm. 3. UCR.

AZ (2), CA (3).

***Mozena arizonensis* Ruckes.** On *Prosopis glandulosa*, *P. juliflora* (1), mesquite (2).

1. J. C. Schaffner, pers. comm. 2. TTU.

MEXICO (1, 2), AZ, CA, NM, TX ?, UT (1).

***Mozena lineolata* (Herrich-Schaeffer), 1842:25.** On mesquite (2, 3).

1. Van Duzee 1917:93. 2. R. F. Wilkey, pers. comm. 3. TTU.

SYN: *Archimerus lineolata* Herrich-Schaeffer. MEXICO, AZ (1, 3), CA (1, 2).

***Mozena lunata* (Burmeister), 1835:322.** On *Prosopis glandulosa* (2); mesquite (3); *Acacia farnesiana*, *A. rigidula* (2).

1. Van Duzee 1917:93. 2. J. C. Schaffner, pers. comm. 3. TTU.

SYN: *Archimerus lunata* Burmeister.

COLOMBIA, GUATEMALA, HONDURAS (2), MEXICO (1, 2, 3), AZ, NM, TX (1), TX[GP] (2, 3).

***Mozena obtusa* Uhler, 1876:296.** On *Prosopis glandulosa* blooms and leaves, *P. laevigata*, *P. sp.*—considerably reduces seed production, attacks cotton (4); mesquite—destroys tender growth (2); removes juice from bean pods (3).

1. Van Duzee 1917:93. 2. J. C. Schaffner, pers. comm. 3. TAMU. 4. TTU.

MEXICO (2, 4), AZ, KS (2), NM (1, 2), OK (2), TX (1, 2), TX[EP] (3), HP, RP, STP, TP (4)].

***Niesthrea louisianica*.** On *Prosopis glandulosa* blooms (2).

1. Van Duzee 1917:123. 2. TTU.

TX[HP] (2).

***Pachylis argentinus* Berg.** On *Prosopis* (1).

1. I. de Crouzel, pers. comm.

ARGENTINA (1).

***Thasus gigas* (Burmeister), 1835:338.** On mesquite (2, 3)—causes severe damage to new growth, reduces seed production (3); no damage in AZ (2).

1. Van Duzee 1917:92. 2. F. G. Werner, pers. comm. 3. TTU.

SYN: *Pachylis gigas* Burmeister.

MEXICO (1, 3), AZ (1, 2), NM (1).

Cydnidae

***Melanaethus subglaber* (Walker), 1867:150.** On mesquite—under dead mesquite (3).

1. Van Duzee 1917:22. 2. Froeschner 1960:438. 3. TTU.

SYN: *Aethus subglaber* Walker, *Melanaethus elongatus* Uhler, 1876:280; *Geotomus parvulus* Signoret, 1883:208.

EQUADOR (2), MEXICO, AZ, CA, NM, NV, TX, UT (1, 2), TX[HP] (3).

***Microporus obliquus* Uhler, 1872:394.** On mesquite—under dead mesquite (3).

1. Van Duzee 1917:20. 2. Froeschner 1960:402. 3. TTU.

SYN: *Microporus mexicanus* Distant, 1880:8; *Cydnus mexicanus* Signoret, 1882:241; *C. obliquus* (Uhler); *Aethus obliquus* (Uhler).

MEXICO (2), AZ, CA, CO (1, 2), ID, IL, KS, LA, MO (2), NE (1, 2), NM (2), NY (1), OK (2), OR (1, 2), SC, SD (2), TX, UT (1, 2), VA, WA (2), TX[HP] (3).

***Pangaeus congruus* (Uhler), 1877:377.** On mesquite—under dead mesquite (3).

1. Van Duzee 1917:19. 2. Froeschner 1960:467. 3. TTU.

SYN: *Homaloporus congruus* Uhler; *H. pangaeiformis* Signoret, 1881:331; *Aethus ferrugineus* Signoret, 1882:40; *Cydnus ferrugineus* (Signoret).

MEXICO, AZ, CA (2), CO (1, 2), KS (2), NE (1), NM, UT (2), TX (1), TX[HP] (3).

Largidae

***Largus* sp.** On mesquite (2).

1. Van Duzee 1917:201. 2. F. G. Werner, pers. comm.

AZ (2).

***Largus cinctus* Herrich-Schaeffer, 1844:6.** On *Prosopis glandulosa*, mesquite (2).

1. Van Duzee 1917:202. 2. TTU.

SYN: *Largus varians* Stål, 1870:94; *Capsus succinctus* var. *a* Say, 1832:20; *Euryophthalmus cinctus* (Herrich-Schaeffer).

NEOTROPICAL (1), MEXICO (1, 2), AZ, CA, CO, NM, NV, OR, TX (1), TX[TP] (2).

***Largus convivus* Stål, 1861:196.** On *Prosopis glandulosa*, mesquite (2).

1. Van Duzee 1917:203. 2. TTU.

SYN: *Largus obtusus* Walker, 1873:33; *L. succinctus* Osborn, 1893:120; *Stiretrus anchorago* Kirkaldy, 1910:124; *Largus cinctus* Van D., 1914:11; *Euryophthalmus convivus* (Stål).

MEXICO (1, 2), CA, TX (1), TX[RP, TP] (2).

Lygaeidae

Craspeduchus uhleri (Stål), 1874:109. On mesquite (2).

1. Van Duzee 1917:153. 2. TTU.

SYN: *Lygaeus uhleri* Stål.

NEOTROPICAL (1), MEXICO (1, 2), TX (1), TX[STP] (2).

Exptochiamera sp. On mesquite (1).

1. TTU.

MEXICO (1).

Geocoris sp. On mesquite—predaceous on other arthropods (2).

1. Van Duzee 1917:169. 2. F. G. Werner, pers. comm.

AZ (2).

Lygaeus sp. On mesquite—obviously strays (3); most North American species found on *Asclepias* (2).

1. Van Duzee 1917:149. 2. P. D. Ashlock, pers. comm. 3. F. G. Werner, pers. comm.

AZ (3).

Lygaeus alboornatus Blanchard, 1852:143. On *Prosopis*—seed feeder (2).

1. Slater 1964. 2. TTU.

ARGENTINA (2), BOLIVIA, BRAZIL, CHILE, PARAGUAY, PERU, URUGUAY (1).

Neacoryphus circumlitus (Stål), 1862:309. On mesquite (2).

1. Van Duzee 1917:155. 2. TTU.

SYN: *Lygaeus circumlitus* Stål.

NEOTROPICAL (1), MEXICO (1, 2), AZ, CO (1), TX[BP, HP, RP] (2).

Neacoryphus lateralis (Dallas), 1852:550. On mesquite (2).

1. Van Duzee 1917:155. 2. TTU.

SYN: *Lygaeus lateralis* Dallas.

MEXICO (2), AZ, CA, CO, TX (1).

Nysius sp. On *Prosopis* (3, 4)—most have broad host range (2); probably strays (4).

1. Van Duzee 1917:158. 2. Barber 1947:354.

3. P. D. Ashlock, pers. comm. 4. F. D. Werner, pers. comm.

AZ (4).

Nysius raphanus Howard, 1872:219. On mesquite (3).

1. Van Duzee 1917:159. 2. Barber 1947:360.

3. TTU.

SYN: *Nysius destructor* Riley, 1973:113; *N. strigosus* Uhler, 1894:238; *N. minutus* Uhler, 1895:22.

MEXICO (1, 2, 3), SOUTHERN UNITED

STATES, VA to FL west to SOUTHERN CA (2), NM, TX (1, 2, 3), TX [EP, GP, HP, RP, TP] (2).

Nysius tenellus Barber, 1947:361. On *Prosopis glandulosa* blooms (2); *Artemisia*, *Beta*, *Chrysothamnus*, *Erigeron*, *Eupatorium adenophorum*, *Helianthus*, *Parthenium*, *Pluchea*, *Poa*, and a wide range of other plants including alfalfa and sugar beets (1).

1. Barber 1947:361. 2. TTU.

SYN: *Nysius senecionis* Baker, 1906:135; *N. strigosus* Horvath, 1908:558.

WIDESPREAD UNITED STATES and CENTRAL AMERICA, CO, FL, NV, OR, TX, UT, WA (1), TX[RP] (2).

Miridae

Corticoris sp. On *Prosopis* (1).

1. TTU.

MEXICO (1).

Deraeocoris sp. On *Prosopis alba* (3); all members of genus predators (2).

1. Van Duzee 1917:356. 2. P. D. Ashlock, pers. comm. 3. TTU.

ARGENTINA (3).

Eustictus catulum (Uhler), 1894:257. On mesquite (2).

1. Van Duzee 1917:352. 2. TTU.

SYN: *Megacoelum catulum* Uhler; *Eustictus catulum* Reuter, 1909:86; *Cimatlan catulum* (Uhler).

MEXICO (2), KS, NY, TX (1), TX[HP] (2).

Eustictus necopinus Knight. On mesquite (1).

1. TTU.

MEXICO (1).

Haarupia sp. On *Prosopis caldenia* (1).

1. TTU.

ARGENTINA (1).

Haarupia spinosa Poppius, 1921:41. On *Prosopis caldenia*, *P. nigra* (1).

1. TTU.

ARGENTINA (1).

Lygus lineolaris (Palisot de Beauvois), 1805:187. On mesquite (2, 3)—wide host range including many crops (3).

1. Van Duzee 1917:346. 2. F. G. Werner, pers. comm. 3. TTU.

SYN: *Capsus lineolaris* Palisot de Beauvois.

AZ (2), TX [HP, STP, TP] (3).

Neurocolpus arizonae Knight, 1934:165. On *Prosopis glandulosa* blooms (2); *P. juliflora* (4); mesquite blooms (1, 2); a pest of cotton in MS (3).

1. TAMU. 2. TTU. 3. UAT. 4. UCR.

AZ (1, 3, 4), TX (1), TX[HP (2), RP (1, 2)].
Neurocolpus mexicanus Distant, 1883:262. On mesquite—associated with flower buds and blooms; palo verde blossoms (2).
1. Van Duzee 1917:315. 2. F. G. Werner, pers. comm.
AZ (1, 2), NM (1).
Novus spp. On *Prosopis caldenia*, *P. nigra* (1).
1. TTU.
ARGENTINA (1).
Orectoderus obliquus Uhler, 1876:320. On mesquite (2).
1. Van Duzee 1917:368. 2. TTU.
CANADA (1), MEXICO (2), CO, ME, NJ, NY (1).
Orthotylus sp. On *Prosopis alba*, *P. caldenia*, *P. nigra* (2).
1. Van Duzee 1917:390. 2. TTU.
ARGENTINA (2).
Orthotylus translucens Tucker, 1907:58. On *Prosopis glandulosa*, *P. velutina*, *P. sp.*—feeds on new leaves (2).
1. Van Duzee 1917:393. 2. Jones 1932:136.
AZ (2), CO, NY (1).
Phymatopsallus prosopidis Knight. On *Prosopis glandulosa*, *P. laevigata*, mesquite (1).
1. TTU.
MEXICO (1).
Phytocoris spp. On *Prosopis caldenia*, *P. nigra*, *P. rubriflora*, *P. sp.*, mesquite (2).
1. Van Duzee 1917:315. 2. TTU.
ARGENTINA, MEXICO (2).
Platytylillus fraternus ? Knight. On mesquite (2).
1. Van Duzee 1917:309. 2. TTU.
MEXICO (2).
Psallus sp. On mesquite (2).
1. Van Duzee 1917:406. 2. UAT.
AZ (2).
Reuteroscopus ornatus (Reuter), 1876:90. On mesquite (2).
1. Van Duzee 1917:405. 2. TTU.
SYN: *Episcopus ornatus* Reuter.
MEXICO (2), WEST INDIES, CO, FL, IA, KS, NJ, NY, OH, ONTARIO, TX (1).
Rhinocloa sp. On mesquite—probably not important host (2).
1. Van Duzee 1917:405. 2. F. G. Werner, pers. comm.
AZ (2).
Rhinocloa forticornis Reuter, 1876:89. On *Prosopis glandulosa*—occurs on blooms (2); broad host range including crops (2, 3).
1. Van Duzee 1917:419. 2. TTU. 3. UCR.

WIDESPREAD SOUTH AMERICA (1), AZ (3), CA (1, 3), FL, IL, MO, MS, NJ (3), NM (1, 3), PA (1), TX (3), UT (1, 3), TX [RP] (2).
Spanagonicus albofasciatus (Reuter), 1876:81. On *Prosopis*—broad host range including crops (3); mesquite—probably a stray (2).
1. Van Duzee 1917:367. 2. F. G. Werner, pers. comm. 3. TTU.
SYN: *Cryptopeltocoris albo-fasciatus* Reuter.
AZ (2), CO, TX (1), TX[HP] (3).

Nabidae

Nabis alternatus Parshley. On *Prosopis* (3); mesquite (2); predator (2, 3).
1. Van Duzee 1917:276. 2. F. G. Werner, pers. comm. 3. TTU.
AZ (2), TX[RP] (3).

Pentatomidae

Acedra sp. On *Prosopis*—on regrowth after burning (1).
1. TTU.
ARGENTINA (1).
Acrosternum hilaris (Say), 1832:9. On *Prosopis* (2, 4); general feeder including crops (2, 3, 4).
1. Van Duzee 1917:60. 2. Essig 1934:341. 3. D. B. Thomas, pers. comm. 4. TTU.
SYN: *Pentatoma hilaris* Say; *Rhaphigaster sarpinus* Dallas, 1851:276; *R. pennsylvanicus* Fitch, 1856:389; *R. hilaris* (Say); *Nezara hilaris* (Say).
MEXICO (4), AZ, CA, CO, DC, FL, IA, KS, LA, MA, MD, ME, NC, NE, NJ, NY, ONTARIO, PA, QUEBEC, TX, UT, VA (1), TX[HP, RP] (4).
Brochymena sp. On mesquite (2, 3)—feeds on limbs, also on *Baccharis sarothroides* (2).
1. Van Duzee 1917:29. 2. F. G. Werner, pers. comm. 3. TTU.
MEXICO (3), AZ (2), NM, TX [STP] (3).
Brochymena arborea (Say), 1825:311. On *Prosopis* (2).
1. Van Duzee 1917:30. 2. TTU.
SYN: *Pentatoma arborea* Say; *Halys erosa* Herich-Schaeffer, 1839:70; *Brochymena annulata* Walker, 1867:230.
MEXICO, DC, FL, GA, KS, MA, MD, ME, NC, NM, NY, OH, OK, ONTARIO, PA, TX (1), TX[HP] (2).
Brochymena cariosa Stål, 1872:17. On *Prosopis glandulosa* (2).
1. Van Duzee 1917:31. 2. TTU.
AR, FL, LA, MS, TN, TX (1), TX [RP, STP] (2).
Brochymena parva (Ruckes). On *Prosopis glandu-*

- losa (1, 2).
1. D. B. Thomas, pers. comm. 2. TTU.
MEXICO, AZ, CA (1), TX [STP] (2).
- Brochymena quadripustulata (Fabr.)**, 1775:704. On *Prosopis glandulosa* (2).
1. Van Duzee 1917:30. 2. TTU.
SYN: *Cimex 4-pustulata* Fabr.; *Halys 4-pustulata* (Fabr.); *H. serrata* Palisot de Beauvois, 1805:187; *H. pupillata* Herrich-Schaeffer, 1839:104; *Brochymena annulata* Uhler, 1876:283; *B. 4-pustulata* (Fabr.).
AZ, CA, CO, DC, KS, NC, NE, NJ, NY, OH, ONTARIO, PA, QUEBEC, UT (1), TX [HP] (2).
- Chlorochroa ligata (Say)**, 1831:5. On *Prosopis glandulosa*—wide host range including crops (3); mesquite (2, 3).
1. Van Duzee 1917:36. 2. TAMU. 3. TTU.
SYN: *Pentatoma ligata* Say; *Cimex rufocinctus* Herrich-Schaeffer, 1839:94; *Rhaphigaster marginatus* Dallas, 1851:277; *Cimex rubromarginatus* Kouchakevitch, 1867:101; *Lioderma ligata* (Say).
MEXICO (1, 2, 3), AZ, BRITISH COLUMBIA, CA, CO, UT (1), TX [HP (3), TP (2)].
- Chlorochroa sayi Stål**, 1872:33. On *Prosopis glandulosa* (2); mesquite seeds (2, 3); wide host range including crops (3).
1. Van Duzee 1917:36. 2. F. G. Werner, pers. comm. 3. TTU.
SYN: *Pentatoma granulosa* Uhler, 1872:398; *P. sayi* (Stål); *Lioderma sayi* (Stål).
MEXICO (3), AZ (1, 2), CA, CO, ID, KS, MT, NV, UT (1), TX [HP, RP, TP] (3).
- Lobepomis peltifera Berg.** On *Prosopis nigra* (1).
1. TTU.
ARGENTINA (1).
- Murgantia histrionica (Hahn)**, 1834:116. On *Prosopis glandulosa* — mesquite pods, wide host range including many crops (2).
1. Van Duzee 1917:55. 2. TTU.
SYN: *Strachia histrionica* Hahn; *Eurydema histrionica* (Hahn); *Murgantia nigricans* Ckll., 1903:85.
AZ, CA, CO, DC, DE, FL, GA, IL, KS, LA, MD, MO, NC, NE, NJ, NM, NV, NY, OH, PA, TX (1), TX[HP] (2).
- Oebalus pugnax (Fabr.)**, 1775:704. On *Prosopis glandulosa* (2).
1. Van Duzee 1917:39. 2. TTU.
SYN: *Cimex pugnax* Fabr.; *C. typhoeus* Fabr., 1803:162; *Penetatomia orthocantha* Palisot de Beauvois, 1805:130; *P. augur* Say, 1831:3; *Cimex vitripennis* Burmeister, 1835:367.
ARGENTINA, MEXICO, WEST INDIES, AZ, CO, DC, FL, GA, IA, KS, MD, MO, NC, NE, NJ, NY, OH, PA, SC, TX (1), TX[STP] (2).
- Peribalus abbreviatus (Uhler)**, 1872:397. On mesquite (2, 3).
1. Van Duzee 1917:32. 2. D. B. Thomas, pers. comm. 3. UCR.
SYN: *Holcostethus abbreviatus* Uhler.
MEXICO, AZ (1), CA (1, 3), CO, KS, MT, NB, UT (1).
- Podisus sp.** On *Prosopis nigra*, *P. sp.* (2).
1. Van Duzee 1917:78. 2. TTU.
ARGENTINA (2).
- Podisus acutissimus Stål**, 1870:53. On *Prosopis glandulosa*, *P. nigra*, *P. sp.* (3); mesquite (2, 3); predator (2).
1. Van Duzee 1917:81. 2. F. G. Werner, pers. comm. 3. TTU.
SYN: *Tylospilus acutissimus* Uhler, 1876:283.
ARGENTINA (3), MEXICO (1), AZ (1, 2), CO, TX (1), TX[HP, RP, STP, TP] (3).
- Podisus lineolatus (Herrich-Schaeffer)**, 1839:69. On *Prosopis glandulosa* (2).
1. Van Duzee 1917:76. 2. TTU.
SYN: *Halys lineolatus* Herrich-Schaeffer; *Apateticus halys* Dallas, 1851:105; *Podisus punctipennis* Herrich-Schaeffer, 1853:388; *Apateticus lineolatus* (Herrich-Schaeffer).
NEOTROPICAL, FL, TX (1), TX[EP] (2).
- Rhytidolomia osborni (Van Duzee)**, 1904:37. On *Prosopis glandulosa* (2).
1. Van Duzee 1917:35. 2. TTU.
SYN: *Pentatoma osborni* Van Duzee.
AZ, CO, TX (1), TX[RP] (2).
- Thyanta accerra McAtee.** On *Prosopis glandulosa*, mesquite (2).
1. Van Duzee 1917:51. 2. TTU.
TX[HP, TP] (2).
- Thyanta aeruginosa Berg.** On *Prosopis nigra* (2).
1. Van Duzee 1917:51. 2. TTU.
ARGENTINA (2).
- Thyanta elegantula JH.** On mesquite (2).
1. Van Duzee 1917:51. 2. TTU.
ARGENTINA (2).
- Thyanta pallido-virens spinosa (Stål)**, 1859:227. On *Prosopis*—probably on developing seeds; a common crop pest (2).
1. Van Duzee 1917:52. 2. F. G. Werner, pers. comm.
SYN: *Pentatoma pallido-virens* Stål; *Thyanta custator* Kirkaldy, 1909:94 (in part).
AZ (2), CA (1).

Phymatidae

Macrocephalus uhleri Handlirsch, 1898:383. On *Prosopis* (3); mesquite (2, 3); predator (2).

1. Van Duzee 1917:231. 2. F. G. Werner, pers. comm. 3. TTU.

SYN: *M. arizonicus* Ckll., 1900:66.

MEXICO (3), AZ (2, 3).

Phymata albopicta Handlirsch, 1897:151. On mesquite (2).

1. Van Duzee 1917:227. 2. TTU.

NEOTROPICAL (1), MEXICO (2), GA (1).

Phymata americana Mel. On *Prosopis laevigata* (2).

1. Van Duzee 1917:226. 2. TTU.

MEXICO (2).

Piesmidae

Piesma cinerea (Say), 1832:27. On mesquite (2).

1. Van Duzee 1917:210. 2. TTU.

SYN: *Tingis cinerea* Say.

MEXICO (2), CA, CO, FL, IL, KS, NC, NY, OH, ONTARIO, PA (1).

Pyrrhocoridae

Euryophthalmus sp. On mesquite—feeding on pod (2).

1. Van Duzee 1917:201. 2. F. G. Werner, pers. comm.

AZ (2).

Stenomacra marginella (Herrich-Schaeffer), 1853:182. On *Prosopis laevigata* (2).

1. Van Duzee 1917:204. 2. TTU.

SYN: *Largus marginella* Herrich-Schaeffer; *Largus parallelus* Herrich-Schaeffer, 1853:pl. 217; *Theraneus marginella* (Herrich-Schaeffer).

NEOTROPICAL (1), MEXICO (2), AZ, CA (1).

Reduviidae

Apiomerus spissipes (Say), 1825:328. On mesquite—predator (2).

1. Van Duzee 1917:257. 2. TTU.

SYN: *Reduvius spissipes* Say; *Herega spissipes* (Say).

MEXICO, AZ, CO (1), NM (2), TX (1), TX[EP, HP] (2).

Arilus cristatus (L.), 1763:16. On *Prosopis glandulosa*—general predator (2, 3).

1. Van Duzee 1917:268. 2. Swenson 1969:30. 3. TTU.

SYN: *Cimex cristatus* L.; *Reduvius novenarius* Say, 1825:71; *Prionotus denticulatus* Westwood, 1837:73; *P. cristatus* (L.); *P. patulus*

Walker, 1873:76; *Prionidus cristatus* (L.).

MEXICO (3), DC, FL, KY, MD, NC, NJ, NM, OK, PA, SC, TX (1), TX[HP (3), RP (2, 3)].

Emesinae (subfamily) spp. On *Prosopis strombulifera* (2).

1. Van Duzee 1917:232. 2. TTU.

ARGENTINA (2).

Sinea complexa Caudell, 1901:7. On *Prosopis*—predator (2).

1. Van Duzee 1917:271. 2. F. G. Werner, pers. comm.

AZ (1, 2), CA, CO, UT (1).

Sinea confusa Caudell, 1901:6. On *Prosopis*—predator (2).

1. Van Duzee 1917:270. 2. F. G. Werner, pers. comm.

MEXICO (1), AZ (1, 2), CA, TX (1).

Sinea diadema (Fabr.), 1776:302. On mesquite (2).

1. Van Duzee 1917:269. 2. TTU.

SYN: *Cimex multispinosus* DeGeer, 1773:348; *Reduvius diadema* Fabr.; *Cimex diadema* (Fabr.); *C. hispidus* Thunberg, 1783:33; *C. setosus* Gemlin, 1788:2144; *Zelus diadema* (Fabr.); *Reduvius raptatorius* Say, 1825:327.

MEXICO (2), CA, CO, DAK, DC, FL, GA, KS, ID, MA, ME, NC, NE, NJ, NH (1), NM (2), NY, OK, ONTARIO, PA, QUEBEC, SC, UT, VA, WS (1), TX[CTP, EP, HP, RP, STP, TP] (2).

Sinea rileyi Montandon, 1893:51. On *Prosopis* (2, 3); predator (2).

1. Van Duzee 1917:271. 2. F. G. Werner, pers. comm. 3. TTU.

MEXICO (3), AZ (1, 2), CA, FL, NC, TX, UT (1).

Sinea spinipes (Herrich-Schaeffer), 1848:82. On mesquite (2).

1. Van Duzee 1917:271. 2. TTU.

SYN: *Harpactor spinipes* Herrich-Schaeffer.

MEXICO (2), CO, FL, GA, KS, NY (1).

Zelus renardii Kolenati, 1857:42. On *Prosopis glandulosa*, *Larrea divaricata*, *Wislizenia* (2).

1. Van Duzee 1917:261. 2. UCR.

SYN: *Diplodus renardii* (Uhler); *Zelus? peregrinus* Kirkaldy, 1902:49.

MEXICO (1, 2), AZ (2), CA, HI?(1).

Zelus socius Uhler, 1872:420. On *Prosopis glandulosa* (3); mesquite—predator (2).

1. Van Duzee 1917:261. 2. F. G. Werner, pers. comm. 3. TTU.

SYN: *Diplodus socius* (Uhler).

AZ (1, 2), CA, CO, DAK, FL, ID, IL, KS, NM, UT (1), TX[RP, TP] (3).

Rhopalidae

Arhyssus sp. On *Prosopis nigra* (2).

1. Van Duzee 1917:124. 2. TTU. ARGENTINA (2).

Arhyssus lateralis (Say), 1825:320. On *Prosopis glandulosa* (2).

1. Van Duzee 1917:124. 2. TTU.

SYN: *Coreus lateralis* Say; *Rhopalus punctipennis* Dallas, 1852:526; *Corizus nigristernum* Signoret, 1859:100; *C. lateralis* (Say).

MEXICO, AZ, CO, DC, FL, IL, KS, MA, MO, NH, NJ, NY, PA, TX (1), TX[TP] (2).

Liorhyssus spp. On *Prosopis* (2).

1. Van Duzee 1917:120. 2. TTU. ARGENTINA, TX[HP, RP, STP] (2).

HOMOPTERA

Acanaloniidae

Acanalonia clypeata Van Duzee, 1907 [1908]:496.

On mesquite (2); *Baccharis*, reared from *Atriplex canescens* (3).

1. Metcalf 1954 (4:14):19. 2. TTU. 3. UCR. AZ (1, 2, 3), CA, NV, UT (1).

Acanalonia hadesensis Caldwell, 1938:305. On mesquite (2).

1. Metcalf 1954 (4:14):25. 2. TTU. TX[EP] (1, 2).

Acanalonia invenusta Doering, 1932:775. On mesquite (2).

1. Metcalf 1954 (4:14):26. 2. TTU. NM, TX (1), TX[TP] (2).

Acanalonia laticosta Doering, 1932:779. On mesquite (2).

1. Metcalf 1954 (4:14):27. 2. TTU. TX (1), TX[STP] (2).

Aphididae

Macrosiphum pisi (Harris). On mesquite (2)—attacks many Leguminosae including crops (1).

1. TTU. 2. UAT. WIDESPREAD NORTH AMERICA (1), AZ (2).

Cercopidae

Cephisus siccifolius (Walker), 1851:698. On *Prosopis algarobilla* (3); *P.* sp.—associated with numerous other hosts (2).

1. Metcalf 1962 (7:3):81. 2. Hayward 1958:34. 3. I. de Crouzel, pers. comm.

SYN: *Aphrophora siccifolia* Walker; *A. diminuta* Walker, 1851:699; *A. occidentis* Walker, 1851:699; *Ptyelus variolosus* Walker, 1858:

688; *Caphisus siccifolius* Stål, 1866:384; *Sphodroscarta siccifolia* Stål, 1869:18.

CENTRAL AMERICA (1), ARGENTINA (1, 2, 3), COSTA RICA, CUBA, MEXICO, WEST AFRICA (1).

Clastoptera sp. On *Prosopis* (1).

1. F. G. Werner, pers. comm. AZ (1).

Deois incompleta (Walker), 1851:684. On *Prosopis* (2).

1. Metcalf 1961 (7:2):174. 2. TTU.

SYN: *Monecphora incompleta* Walker; *Sphenorhina diluta* Walker, 1858:292; *Tomaspis incompleta* Distant, 1909:205; *Deois incompleta* Fennah, 1949:608.

ARGENTINA (1, 2), BRAZIL (1).

Deois knoblauchii (Berg), 1879:218. On *Prosopis* (3); sugarcane (2).

1. Metcalf 1961 (7:2):178. 2. Box 1953:45. 3. TTU.

SYN: *Tomaspis knoblauchii* Berg; *Monecphora knoblauchii* Torres, 1946:21; *Deois (Pandysia) knoblauchii* Fennah, 1953:357.

ARGENTINA (1, 3), BRAZIL (1).

Cicadellidae

Agallia constricta Van Duzee, 1894:90. On mesquite (2); disease vector (1).

1. Metcalf 1966 (6:14):29. 2. TTU.

CUBA, CO, CT, DC, FL, GA, IA, IL, IN, KS, KY, LA, MA, MI, MO, MS, NC, NE, NJ, NY, NM, OH, OK, PA, SC, TN, TX, VA (1), TX[GP] (2).

Carneocephala sp. On *Prosopis* (1).

1. TTU. TX[HP, RP] (1).

Circulifer tenellus (Baker), 1896:24. On *Prosopis*, on numerous cultivated and wild plants, disease vector (2).

1. Metcalf 1967 (6:10):909. 2. Essig 1934:261.

SYN: *Eutettix tenella* Forbes, 1900:75; *Thamnotettix rubicundula* Van Duzee, 1907:70; *T. ignavus* Matsumura, 1908:22; *T. indivisus* Haupt, 1927:35; *Opsius tenellus* Bell, 1931:2; *Circulifer indivisus* Zachvatkin, 1935:111; *Norvellina tenellus* DeLong and Caldwell, 1937:40; *Distomotettix indivisus* Ribaut, 1938:97.

EUROPE, NORTH AFRICA (1), ARGENTINA (1, 2), AUSTRALIA, JAMAICA, MEXICO (1, 2), PALESTINE, BRITISH COLUMBIA to QUEBEC, south to CA, and FL (1, 2).

Cuerna angusta Nielson. On mesquite (1).

1. TTU.

- MEXICO (1).
- Cuerna arida** Oman and Beamer, 1944:125. On mesquite, alfalfa, *Aplopappus gracilis*, *Eriogonum* spp. (2).
1. Metcalf 1965 (6:1):543. 2. UAT. AZ (1, 2).
- Cuerna costalis** (Fabr.), 1798:524. On *Prosopis* (3); disease vector on sugarcane (2).
1. Metcalf 1965 (6:1):543. 2. Box 1953:48. 3. TTU.
- SYN: *Cercopis lateralis* Fabr.; *C. costalis* Fabr., 1803:4; *C. marginella* Fabr., 1803:96; *Tettigonia costalis* Fabr., 1803:19; *Tettigonia pyrhotelus* Walker, 1851:775; *Proconia costalis* Walker, 1858:224; *Oncometopia costalis* Van Duzee, 1889:9; *Cicada marginella* Cockerell, 1907:291; *Cuerna lateralis* Ball, 1936:18.
- CENTRAL AMERICA, MEXICO, BRITISH COLUMBIA to ME, south to FL and PANAMA (1), TX[HP, RP, STP] (3).
- Driotura vittata** Ball, 1903:231. On mesquite (2).
1. Metcalf 1967 (6:10):1669. 2. TTU.
- SYN: *Driotura robusta vittata* Ball. AZ, CO, KS, TX (1), NM (1, 2).
- Empoasca** sp. On *Prosopis nigra* (1).
1. TTU.
- ARGENTINA (1).
- Exitianus obscurinervis** (Stål), 1859:293. On *Prosopis* (2).
1. Metcalf 1967 (6:10):325. 2. TTU.
- SYN: *Jassus (Thamnotettix) obscurinervis* Stål; *Anthysanus obscurinervis* Berg, 1879:261; *Euscelis obscurinervis* Osborn, 1924:412; *Exitianus obscurinervis* Ball, 1929:5; *Exitianus* [sic] *obscurinervis* Stearns & MacCreary, 1938:227.
- NORTH AMERICA (1), ARGENTINA (1, 2), BRAZIL, COSTA RICA, CUBA, HONDURAS, MEXICO, WEST INDIES, AR, AZ, CA, CO, DE, FL, GA, ID, IL, IN, KS, KY, LA, MD, MO, NC, ND, NY, OH, OK, SC, SD, TN, UT, VA, WA (1).
- Gypona (Obtusana) paupercula** Spangberg, 1878:35. On *Prosopis algarobilla*, *P. caldenia*, *P. nigra* (2).
1. Metcalf 1962 (6:3):42. 2. TTU.
- ARGENTINA (1, 2), URUGUAY (1).
- Homalodisca triquetra** (Fabr.), 1803:63. On *Prosopis glandulosa* (2); disease vector (1).
1. Metcalf 1965 (6:1):506. 2. TTU.
- SYN: *Cicada triquetra* Fabr.; *Tettigonia vitripennis* Germar, 1821:61; *Raphirhinus vitripennis* de Laporte, 1832:415; *Tettigonia coagulata* Say, 1832:13; *Ciccus vitripennis* Walker, 1851:799; *Tettigonia ichthyocephala* Signoret, 1854:494; *T. triquetra* Signoret, 1855:240; *Proconia excludens* Walker, 1858:98; *P. aurigena* Walker, 1858:228; *P. admittens* Walker, 1858:227; *Phera coagulata* Stål, 1864:78; *Homalodisca triquetra* Stål, 1869:64; *Homalodisa triquetra* [sic] Weed, 1892:278; *H.* [sic] *triquetra* Sanderson and Peairs, 1921:234; *H.* [sic] *triquetra* Yakhotov, 1931:29; *H.* [sic] *triquetra* Custodio, 1944:99.
- BRAZIL, HONDURAS, JAMAICA, MEXICO, NICARAGUA, PERU, VENEZUELA, AL, CA, FL, GA, KS, LA, MO, MS, NJ, SC, TN, TX (1), TX [STP] (2).
- Macropsis punctifrons** (Van Duzee), 1889:174. On *Prosopis laevigata*, *P. sp.*, mesquite (2).
1. Metcalf 1966 (6:13):112. 2. TTU.
- SYN: *Pediopsis punctifrons* Van Duzee.
- MEXICO (2), SOUTHWESTERN STATES, AZ, KS (1).
- Menosoma cincta** (Osborn and Ball), 1898:97. On *Prosopis glandulosa* leaves, *P. sp.* (2).
1. Metcalf 1967 (6:10):531. 2. TTU.
- SYN: *Eutettix jucundus* (nec Uhler) Van Duzee, 1892:307; *E. cincta* Osborn and Ball; *Mesamia cincta* Smith, 1910:103; *Menosoma cincta* Ball, 1931:5; *M. cinta* [sic] DeLong, 1945:157; *Norvellina cincta* Moore, 1950:261.
- CENTRAL AMERICA, ARGENTINA, BOLIVIA, BRAZIL, CANADA, MEXICO, PARAGUAY, CO, CT, DC, FL, GA, ID, IL, IN, KS, KY, MA, MD, MI, MN, MS, NC, NH, NJ, NY, OH, PA, SC, SD, TN, TX, VA, WI (1), TX[RP] (2).
- Norvellina** sp. On mesquite (1).
1. TTU.
- TX[RP] (1).
- Ollarianus strictus** (Ball), 1900:204. On *Prosopis* (2).
1. Metcalf 1967 (6:10):502. 2. R. F. Wilkey, pers. comm.
- SYN: *Eutettix stricta* Ball; *Chlorotettix minor* DeLong, 1918:6; *Opsius strictus* Ball, 1931:2; *Ollarianus strictus* Ball, 1936:433; *Norvellina strictus* DeLong and Caldwell, 1937:40.
- MEXICO, AZ (1), CA (2), CO, KS, TX (1).
- Paratanus** sp. On *Prosopis nigra* (1).
1. TTU.
- ARGENTINA (1).
- Tapajosa doeringi** (Berg). On *Prosopis* (1).
1. TTU.
- ARGENTINA (1).

Texananus serrellus DeLong, 1944:229. On mesquite (2).

1. Metcalf 1967 (6:10):663. 2. TTU.

MEXICO (1, 2).

Texananus spatulatus (Van Duzee), 1892:78. On *Prosopis glandulosa* (2); mesquite (3).

1. Metcalf 1967 (6:10):685. 2. Swenson 1969:57. 3. TTU.

SYN: *Phlepsius spatulatus* Osborn, 1892:126; *Texananus spatulatus* DeLong and Caldwell, 1937:44; *Iowanus spatulatus* Oman, 1947:189.

MEXICO, AZ, CA, CO, IA, ID, IN, KS, MT, NM, NV, OH, OK, TX, UT (1), TX[HP (3), RP (2)].

Tiaja interrupta (Ball), 1902:21. On *Prosopis* (2).

1. Metcalf 1962 (6:5):36. 2. R. F. Wilkey, pers. comm.

SYN: *Paropulopa interrupta* Ball; *Koebeilia interrupta* Van Duzee, 1914:51; *Tiaja interrupta* Oman, 1941:208.

PACIFIC COAST STATES (1), CA (1, 2).

Cicadidae

Beameria venosa (Uhler), 1888:82. On *Prosopis*, mesquite (2).

1. Metcalf 1963 (8:1):383. 2. TTU.

SYN: *Prunasis venosa* Uhler; *Proarna venosa* Distant, 1911:134; *Beameria venosa* Davis, 1934:48.

AZ, CO, KS, NE, NM, OK, TX (1), TX[HP, RP] (2).

Cacama valvata (Uhler), 1888:84. On *Prosopis*—causes some ovipositional damage (2); mesquite (2, 3).

1. Metcalf 1963 (8:1):330. 2. F. G. Werner, pers. comm. 3. TTU.

SYN: *Proarna valvata* Uhler; *Cacama valvata* Van Duzee, 1915:23.

MEXICO, ROCKY MOUNTAIN STATES (1), AZ (1, 2), CA, CO, NM, UT (1), TX[RP] (3).

Cicadetta calliope (Walker), 1825:333. On *Prosopis glandulosa* (2).

1. Metcalf 1963 (8:2):296. 2. Swenson 1969:32.

SYN: *Cicada parvula* Say, 1825:333; *C. pallascens* Germar, 1830:44; *C. calliope* Walker, 1850:212; *Melampsalta calliope* Stål, 1862:484; *M. parvula* Woodworth, 1888:68; *Carineta parvula* Uhler, 1888:22.

AL, AR, CO, FL, GA, IA, IL, KS, LA, MO, MS, NC, NE, NJ, OH, TN, TX, VA (1), TX[RP] (2).

Diceroprocta sp. On *Prosopis glandulosa* (1, 2).

1. Swenson 1969:57. 2. TTU.

TX[HP (2), RP (1)].

Diceroprocta apache (Davis), 1921:3. On *Prosopis*, associated with alfalfa, asparagus, date palm and grapefruit; possible disease vector (2).

1. Metcalf 1963 (8:1):185. 2. Wymore 1934:888.

SYN: *Tibicen apache* Davis; *Cicada vitripennis* (nec Say) Howard, 1901:13; *Diceroprocta apache* Davis, 1928:441.

MEXICO, AZ (1), CA (1, 2), CO, NV, TX, UT (1).

Diceroprocta cinctifera (Uhler), 1892:156. On *Prosopis glandulosa* leaves (2).

1. Metcalf 1963 (8:1):191. 2. TTU.

SYN: *Cicada cinctifera* Uhler; *Tibicen cinctifera* Van Duzee, 1915:23; *Diceroprocta cinctifera* Davis, 1928:441.

AZ, CA (1), NM (1, 2), TX (1), TX[TP] (2).

Diceroprocta semicincta (Davis), 1925:41. On mesquite—causes some ovipositional damage (2).

1. Metcalf 1963 (8:1):201. 2. F. G. Werner, pers. comm.

SYN: *Tibicen semicincta* Davis; *Tibicen* [sic] *semicincta* Davis, 1925:42; *Diceroprocta semicincta* Davis, 1928:441.

MEXICO (1), AZ (1, 2), NM (1).

Pacarina puella Davis, 1923:11. On *Prosopis glandulosa* (2), mesquite—causes severe ovipositional damage (3).

1. Metcalf 1963 (8:1):414. 2. Swenson 1969:57. 3. TTU.

SYN: *Cicada signifera* Walker, 1858:22; *Proarna signifera* Distant, 1881:13; *Pacarina signifera* Distant, 1905:314.

GUATEMALA (1), MEXICO (3), AZ, LA, OK (1), TX[HP, (3), RP (2)].

Tibicen sp. On *Prosopis glandulosa* (1).

1. TTU.

TX[STP] (1).

Cixiidae

Oliarus spp. On *Prosopis rubriflora*, *P.* sp. (1).

1. TTU.

ARGENTINA, TX[STP] (1).

Oliarus acicus Caldwell, 1974:76. On mesquite (2).

1. Caldwell 1947:76. 2. TTU.

MEXICO, TX (1, 2), TX [GP, STP, TP] (2).

Oliarus aridus Ball, 1902:151. On mesquite (2).

1. Metcalf 1936 (4:2):52. 2. TTU.

SYN: *Oliarus breviceps* Fowler, 1904:94.

MEXICO (1, 2), CA, CO, KS, NM (1), TX[GP,

- HP, RP, STP, TP] (2).
Oliarus sonoitus Ball, 1937:179. On mesquite (2).
 1. Ball 1937:179. 2. TTU.
 AZ (1), TX[RP] (2).
Oliarus texanus Metcalf, 1923:181. On *Prosopis laevigata*, mesquite (2).
 1. Metcalf 1936 (4:2):106. 2. TTU.
 MEXICO (2), TX (1), TX[CTP, STP] (2).
Oliarus zyxus Caldwell, 1947:76. On mesquite (2).
 1. Caldwell 1947:76. 2. TTU.
 MEXICO, AZ, TX (1), TX[CTP, STP] (2).

Coccidae

- Ancepaspis tridentata** Ferris. On *Prosopis glandulosa* (1).
 1. TAMU.
 TX[EP, STP] (1).
Ceroplastodes acaciae Ckll. On *Prosopis* (1).
 1. R. F. Wilkey, pers. comm.
 AZ (1).
Icerya rileyi Ckll. On *Prosopis glandulosa* (1).
 1. TAMU.
 TX[TP] (1).
Ophisthocelis prosopidis Kieff. and Jorg. On *Prosopis torquata*—found in galls (1).
 1. Hayward 1958:39.
 ARGENTINA (1).
Protargionia larrae Leon. On *Prosopis alba*, *P. nigra*, *Bulnesia retama* (1).
 1. Hayward 1958:42.
 ARGENTINA (1).
Toumeyella mirabilis (Ckll.). On *Prosopis* (1), mesquite (1, 2, 3, 4)—could probably cause serious damage under high populations (1, 3).
 1. F. G. Werner, pers. comm. 2. TAMU. 3. TTU.
 4. UAT.
 AZ (1, 4), TX[CTP, HP, RP, TP] (2, 3).
Velataspis mimosarum (Ckll.). On *Prosopis* (1, 2), *Castela*, *Mimosa* (1).
 1. TAMU. 2. TTU.
 TX (1, 2).

Diaspididae

- Aspidiotus candidulus** Ckll. On *Prosopis* (1).
 1. Essig 1934:312.
 AZ (1).
Aspidiotus lataniae Signoret. On *Prosopis chilensis*, *Baccharis neglecta*, *Cercidium floridum*, *Condalia obovata* (1).
 1. Bibby 1931:191.
 TX[STP] (1).
Aspidiotus subsimilis Ckll. On *Prosopis chilensis*, *Jatropha spathulata* (1).

1. Bibby 1931:191.
 MEXICO (1).
Chrysomphalus sp. On *Prosopis chilensis*—on galls (1).
 1. Bibby 1931:192.
 TX[STP] (1).
Crenulaspidotus mini Davidson. On *Prosopis* (1).
 1. R. F. Wilkey, pers. comm.
 AZ (1).
Diaspis townsendi. On *Prosopis* (1), mesquite (2).
 1. R. F. Wilkey, pers. comm. 2. TTU.
 MEXICO (2), AZ (1).
Hemiberlesia candidula (Ckll.). On *Prosopis* (1).
 1. R. F. Wilkey, pers. comm.
 CA (1).
Lepidosaphes mimosarum (Ckll.). On *Prosopis chilensis*, *Pithecellobium brevifolium*, *P. flexicaule* (1).
 1. Bibby 1931:193.
 TX[STP] (1).
Tachardiella mexicana (Comstock). On *Prosopis chilensis*, *Acacia amentaceae*, *A. farnesiana*, *Pithecellobium brevifolium*, *P. flexicaule* (1).
 1. Bibby 1931:190.
 TX[STP] (1).
Xerophilaspis prosopidis Ckll. On *Prosopis chilensis* (3), *P. sp.* (1, 2).
 1. Bibby 1931:193. 2. R. F. Wilkey, pers. comm. 3. TAMU.
 MEXICO, CA (2), TX[TP] (1, 3).

Flatidae

- Flatoides fecalfusca** Caldwell, 1939:306. On mesquite (2).
 1. Metcalf 1957 (4:13):505. 2. TTU.
 AZ, TX (1), TX[TP] (2).
Metcalfa pruinosa (Say), 1830:238. On *Prosopis* (2).
 1. Metcalf 1957 (4:13):343. 2. TAMU.
 SYN: *Flata pruinosa* Say; *Poeciloptera pruinosa* Schaum, 1850:72; *P. farinosa* Walker, 1958:55; *P. prumosa* [sic] Dohrn, 1859:66; *Paciloptera* [sic] *pruinosa* Rathvon, 1869:550; *Ormenis pruinosa* Glover, 1876:28; *Paeciloptera* [sic] *pruinosa* Riley, 1894:91; *Melormenis pruinosa* Metcalf and Bruner, 1948:96; *Oremis* [sic] *pruinosa* Wene, 1950:90; *Metcalfa pruinosa* Caldwell and Martorell, 1951:36.
 BERMUDA, BRAZIL, CUBA, JAMAICA, MEXICO, PUERTO RICO, ONTARIO, QUEBEC, AR, AZ, CA, CT, DC, DE, FL, GA, IA, IL, IN, KS, KY, LA, MA, MD, MI, MN, MO, MS, NC, NE, NJ, NM, NY, OH, PA, RI, TN,

- TX, VA (1), TX [RP, STP] (2).
Mistharnophantia sp. On *Prosopis* sp. (1, 2).
 1. F. G. Werner, pers. comm. 2. TTU.
 MEXICO (2), AZ (1).
Ormenis saucia Van Duzee, 1918:498. On *Prosopis glandulosa* (2, 3), mesquite (3).
 1. Metcalf 1957 (4:13):297. 2. Swenson 1969:58. 3. TTU.
 NM (3), NV, UT (1), TX [HP (3), RP (2, 3)].
Ormenis yumana Ball, 1933:148. On *Prosopis* (2).
 1. Metcalf 1957 (4:13):299. 2. R. F. Wilkey, pers. comm.
 AZ (1, 2), CA (1).

Fulgoridae

- Cyrpoptus vanduzeei** Ball, 1933:146. On *Prosopis glandulosa* (2).
 1. Metcalf 1947 (4:9):76. 2. TTU.
 AZ (1), TX [HP, RP, STP] (2).

Issidae

- Thionia** sp. On *Prosopis nigra*, *P.* sp. (1).
 1. TTU.
 ARGENTINA (1).
Tylana ustulata Uhler, 1876:354. On *Prosopis juliflora*, mesquite (2).
 1. Metcalf 1957 (4:15):537. 2. UCR.
 AZ (1, 2), CO, NM (1).
Tylanira bifurca Ball, 1936:155. On mesquite (2).
 1. Metcalf 1957 (4:15):408. 2. TTU.
 SYN: *Tylanira bifurcata* [sic] Caldwell, 1945:106.
 MEXICO (2), AZ, TX (1), TX [HP, TP] (2).

Membracidae

- Bajulata bajula** (Goding), 1893:437. On mesquite (2, 3).
 1. Metcalf 1965 (1:Suppl.):895. 2. F. G. Werner, pers. comm. 3. TTU.
 SYN: *Evashmeadea bajula* Goding; *E. arizonensis* Goding, 1893:437; *Vanduzeeia bajula* Van Duzee, 1908:102; *Bajulata bajula* Ball, 1933:27.
 SOUTHWESTERN STATES (1), AZ (1, 2, 3).
Enchenopa sp. On *Prosopis nigra*, *P.* sp. (1).
 1. TTU.
 ARGENTINA (1).
Entylia gemmata (Germar), 1821:16. On mesquite (2).
 1. Metcalf 1965 (1:Suppl.):910. 2. TTU.
 SYN: *Membracis gemmata* Germar; *Hemiptycha gemmata* Burmeister, 1835:140; *Entylia*

- gemmata* Germar, 1835:248; *E. fallax* Funkhouser, 1927:311; *E. turrita* Funkhouser, 1927:313.
 ARGENTINA, BRAZIL, CHILE, COLOMBIA, EQUADOR, GUATEMALA (1), MEXICO (1, 2), PERU, VENEZUELA (1).
Entylia sinuata (Fabr.), 1803:16. On mesquite (2).
 1. Metcalf 1965 (1:Suppl.):912. 2. TTU.
 SYN: *Membracis emarginata* Fabr., 1803:16; *Cicada sinuata* Donovan, 1820:2; *C. emarginata* Donovan, 1820:2; *Entylia sinuata* Germar, 1833:178; *Hemiptycha sinuata* Burmeister, 1835:140; *Thelia sinuata* Walker, 1852:1144; *Entilia* [sic] *carinata* (nec Forster) Glover, 1877:29; *E. mira* Butler, 1877:211; *E. inaequalis* Goding, 1893:398; *E. inaequalis* [sic] Goding, 1929:272.
 BRAZIL, BRITISH GUIANA, CANADA, COSTA RICA, GUATEMALA, MEXICO, NICARAGUA, PANAMA, PERU, CT, DC, DE, FL, GA, ID, IL, KS, LA, MA, MD, MI, MO, MN, MS, NC, NE, NH, NJ, NV, NY, OH, PA, SC, TX, VA (1), TX[STP] (2).
Platycentrus sp. On mesquite (1).
 1. TTU.
 MEXICO (1).
Platycentrus auriculatus Pelaez, 1941:54. On mesquite (2).
 1. Metcalf 1965 (1:Suppl.):1040. 2. TTU.
 MEXICO (1, 2).
Publilia modesta (Uhler), 1872:472. On *Prosopis* (3); mesquite (2, 3); chrysanthemums, wild licorice and other plants (2).
 1. Metcalf 1965 (1:Suppl.):924. 2. Essig 1934:205. 3. TTU.
 SYN: *Entilia* [sic] *modesta* Uhler; *Publilia modestus* Goding, 1892:200; *Publilia bicinctura* Goding, 1893:399.
 CANADA, AL (1), AZ, CA, CO (1, 2), IA, KS, NE (1), NM (1, 2), NY, SD, UT (1), TX[TP] (3).
Smiliorachis proxima Berg, 1883:292. On *Prosopis nigra* (1).
 1. Metcalf 1965 (1:Suppl.):647. 2. TTU.
 SYN: *Smiliorachis* [sic] *proxima* Berg; *Smiliorachis proxima* Funkhouser, 1927:156.
 ARGENTINA (1, 2), BRAZIL, COLOMBIA, URUGUAY (1).
Spissistilus festinus Say, 1830:243. On mesquite (3); alfalfa, disease vector (2).
 1. Metcalf 1965 (1:Suppl.):809. 2. Poos 1938:24. 3. F. G. Werner, pers. comm.
 SYN: *Membracis festivus* [sic] Harris, 1835:

- 579; *Ceresa festiva* [sic] Walker, 1852:1141; *C. uniformi(s)* (nec Fairmaire) Stål., 1859:284; *Stictocephala festina* Stål., 1869:246; *S. dubia* Fowler, 1895:110; *Spissistilus festinus* Caldwell, 1949:513; *Stictocephala fusca* Funkhouser, 1951:134.
- CANADA, CANAL ZONE, COSTA RICA, CUBA, GUATEMALA, HAITI, HONDURAS, MEXICO, PUERTO RICO, AL (1), AZ (1, 3), CA, CO, CT, FL, GA, HI, IA, IN, KS, LA, MA, MI, MO, MS, MT, NC, NE, NJ, NM, NY, OK, PA, SD, TN, TX, UT, VA (1).
- Stictocephala* sp.** On mesquite (1).
1. TTU.
TX[STP] (1).
- Stictopelta flaviceps* (Burmeister)**, 1836:173. On *Prosopis nigra* (2).
1. Metcalf 1965 (1:Suppl.):595. 2. TTU.
SYN: *Darnis limbata* Burmeister; *Leptosticta flaviceps* Butler, 1878:341; *Hebetica flaviceps* Fowler, 1894:53; *Stictopelta limbata* Goding, 1914:397; *Stictopelta flaviceps* Funkhouser, 1927:159.
ARGENTINA (1, 2), BRAZIL, EQUADOR, URUGUAY (1).
- Stictopelta indeterminata* Walker**, 1858:149. On *Prosopis nigra*, *P. sp.*, *Acacia sp.* (2).
1. Metcalf 1965 (1:Suppl.):597. 2. TTU.
SYN: *Darnis indeterminata* Walker; *D. luisae* Berg, 1883:290; *Stictopelta indeterminata* Fowler, 1895:59; *Stictocephala indeterminata* Haviland, 1925:276.
ARGENTINA (1, 2), BRAZIL, BRITISH GUIANA, BRITISH HONDURAS, GUATEMALA, MEXICO, PANAMA (1).
- Stictopelta marmorata* Goding**, 1893:448. On *Prosopis glandulosa* (4); mesquite (2, 3, 4)—feed on small stems and buds (2).
1. Metcalf 1965 (1:Suppl.):598. 2. F. G. Werner, pers. comm. 3. TAMU. 4. TTU.
MEXICO (1, 3, 4), AZ (1, 2), NM (1, 3, 4), TX (1), TX [BP (3), HP, RP, STP (4)].
- Stictopelta varians* Fowler**, 1894:56. On *Prosopis chilensis* (3); mesquite (2, 3); *Acacia greggii* (3).
1. Metcalf 1965 (1:Suppl.):600. 2. TTU. 3. UCR.
SYN: *Stictopelta arizona* Van Duzee, 1908:129.
MEXICO (1, 2), AZ (1, 2, 3), CA (3).
- Tylocentrus quadricornis* Funkhouser**, 1927:507 or near. On mesquite (2).
1. Metcalf 1965 (1:Suppl.):65. 2. F. G. Werner, pers. comm.
MEXICO (1), AZ (1, 2), CA, UT (1).
- Tylocentrus reticulatus* Van Duzee**, 1908:125. On *Prosopis glandulosa* (2); *P. juliflora* (3); mesquite (2).
1. Metcalf 1965 (1:Suppl.):65. 2. TTU. 3. UCR.
SYN: *Orthobelus felinus* Funkhouser, 1927:451.
MEXICO (2), AZ, CA (1), NM (2), NV, TX, UT (1), TX[HP, TP] (2).
- Vanduzeeea* sp.** On *Prosopis glandulosa* blooms (2); mesquite (1, 2)—associated with *Crematogaster punctulata* (1).
1. Swenson 1969:32. 2. TTU.
MEXICO, AZ (2), TX [CTP (2), HP (1), RP (2)].
- Vanduzeeea laeta* Goding**, 1893:441 or near. On *Prosopis* (2).
1. Metcalf 1965 (1:Suppl.):891. 2. F. G. Werner, pers. comm.
SYN: *Amastris laeta* Goding, 1893:481.
MEXICO (1), AZ (1, 2), CA, CO (1).
- Vanduzeeea segmentata* Fowler**, 1895:94. On *Prosopis glandulosa* (2).
1. Metcalf 1965 (1:Suppl.):892. 2. TTU.
SYN: *Hypamastris segmentata* Fowler; *Vanduzeeea segmentata* Van Duzee, 1908:102.
COSTA RICA, GUATEMALA, MEXICO, PANAMA, AZ, HI, LA, TX (1), TX [STP] (2).

Pseudococcidae

- Phenacoccus helianthi* (Ckll.)**. On *Prosopis* (1).
1. R. F. Wilkey, pers. comm.
CA (1).

Psyllidae

- Aphalara pulchella* Crawford**, 1911:500. On *Prosopis juliflora* var. *glandulosa*, *Carex*, *Ceanothus*, *Frankenia* (2).
1. Van Duzee 1917:787. 2. Klyver 1932:10.
CA (2).
- Aphalaroida* sp.** On *Prosopis* (1).
1. R. F. Wilkey, pers. comm.
CA (1).
- Aphalaroida inermis* Crawford**, 1914:41. On *Prosopis juliflora* (2); *P. sp.* (3); *Mimosa* (2).
1. Van Duzee 1917:788. 2. Crawford 1914:41. 3. R. F. Wilkey, pers. comm.
AZ (1, 2), CA (1, 2, 3), TX (1, 2).
- Aphalaroida spinifera* Crawford**, 1914:40. On *Prosopis juliflora*, *Phoradendron* (2).
1. Van Duzee 1917:788. 2. Crawford 1914:40.
AZ, CA (1, 2).
- Euphalerus* sp.** On *Prosopis alba*, *P. caldenia*, *P. nigra*, *P. sp.* (1).
1. TTU.

ARGENTINA (1).

Heteropsylla reducta Caldwell and Martorell, 1951:606. On *Prosopis juliflora* (1).

1. Caldwell and Martorell 1951:606.

PUERTO RICO (1).

Heteropsylla texana Crawford, 1914:45. On *Prosopis chilensis* (6); *P. glandulosa* (6, 7); *P. juliflora* (3); *P. laevigata*, mesquite (7); *P. tamarugo* (5); *Acacia*, *Celtis*, *Chrysopsis*, *Monarda*, *Pithecellobium*, *Sphaeralcea* (1); *Mimosa* spp. (7); *Tamarax* (4).

1. Van Duzee 1917:789. 2. Crawford 1914:45. 3. Jensen 1945:74. 4. Klyver 1932:12. 5. C. Klein, pers. comm. 6. R. F. Wilkey, pers. comm. 7. TTU. 8. UAT.

CHILE (1), MEXICO (7), AZ (1, 5, 6, 7), CA (5), CO, KS (1), NM (6), TX (1), TX [EP, GP, HP, RP, STP, TP] (6).

Tachardiidae

Tachardia fulgens (Ckll.). On *Prosopis*, coursetia, mimosa (1).

1. Essig 1934:287.

MEXICO, AZ (1).

HYMENOPTERA

Andrenidae

Perdita difficilis Timb., 1964:323. On *Prosopis glandulosa*, *P. juliflora*, mesquite (1).

1. UCR.

CA (1).

Perdita duplicata Timb., 1964:327. On mesquite (1).

1. UCR.

MEXICO (1).

Perdita exclamans Ckll., 1895:5. On *Prosopis juliflora* (2); [both subspecies, *Perdita exclamans* and *P. e. imperialis*, are recorded from *Prosopis* flowers (1)].

1. Muesebeck et al. 1951:1090. 2. UCR.

MEXICO, CA, NM (1, 2), KS, TX (2).

Perdita genalis panamintensis Timb., 1964:360. On mesquite (1).

1. UCR.

CA (1).

Perdita gentilis gentilis Timb., 1962:78. On *Prosopis glandulosa*, mesquite (2).

1. Krombein and Burks 1967:442. 2. UCR.

CA (2), NV (1, 2).

Perdita halictoides Smith, 1853:128. On mesquite, *Larrea divaricata* (3); *Physalis*, *Solidago* (2).

1. Krombein and Burks 1967:442. 2. Muesebeck et al. 1951:1091. 3. UCR.

SYN: *Perdita sexmaculata* var. *punctata* Ckll., 1896:71; *P. punctata* Ckll.; *P. maura* Ckll., 1901:191; *P. bisignata* Ckll., 1922:11.

IN, MI, west to CO, ND, TX (1), NE (2), FL (1, 2).

Perdita howardi Ckll., 1899:492. On *Prosopis chilensis*, mesquite (2).

1. Muesebeck et al. 1951:1091. 2. UCR.

MEXICO, NM (1, 2), AZ, CA, TX (2).

Perdita luciae Ckll., 1899:494. On *Prosopis chilensis* (2).

1. Muesebeck et al. 1951:1092. 2. UCR.

MEXICO, AZ (1), CA (2).

Perdita mimosae Timb., 1964:270. On mesquite, mimosa (1).

1. UCR.

NM, TX (1).

Perdita numerata hesperia Timb., 1960:62. On *Prosopis glandulosa*, *P. juliflora* (2); *Prosopis* (1, 2); mesquite (2); *Geraea*, *Larrea*, *Melilotus* (1).

1. Krombein and Burks 1967:447. 2. UCR.

MEXICO (1, 2), CA (2).

Perdita pallidipes Timb., 1964:332. On Mesquite (1).

1. UCR.

CA (1).

Perdita prosopidis Timb., 1964:318. On *Prosopis juliflora* (1).

1. UCR.

CA (1).

Perdita puntosignata sulphurea Timb., 1964:353. On *Prosopis juliflora*, mesquite, *Acacia greggii* (1).

1. UCR.

CA (1).

Perdita sonorensis Ckll., 1899:493. On *Prosopis glandulosa*, mesquite (1).

1. UCR.

MEXICO, AZ, CA (1).

Perdita stathamae stathamae Timb., 1964:356. On *Prosopis juliflora*, mesquite (1).

1. UCR.

AZ, CA (1).

Perdita triangulifera Timb., 1964:328. On *Prosopis juliflora*, mesquite (1).

1. UCR.

CA (1).

Perdita vierecki Ckll., 1907:129. On *Prosopis chilensis* (2).

1. Muesebeck et al. 1951:1096. 2. UCR.

SYN: *Perdita vierecki* Ckll.
AZ (2), NM (1, 2).

Apidae

***Bombus pennsylvanicus* (DeGeer)**, 1773:575. On mesquite (3).

1. Krombein and Burks 1967:517. 2. Muesebeck et al. 1951:1249. 3. TTU.

SYN: *Apis pennsylvanica* DeGeer; *A. americanorum* Fabr., 1775:575; *A. nidulans* Fabr., 1798:274; *Bombus pallidus* Cresson, 1863:92; *Psithyrus cevalliae* Ckll., 1899:157; *Bombus titusi* Ashm., 1902:50; *B. americanorum* var. *umbratus* Friese, 1931:301.

NORTH AMERICA (2), MEXICO (2, 3), TX[RP] (3).

***Melissodes* sp.** On *Prosopis glandulosa* (2).

1. Muesebeck et al. 1951:1222. 2. TTU. MEXICO (2).

***Xylocopa (Neoxylocopa)* sp.** On mesquite (2).

1. Muesebeck et al. 1951:1245. 2. TTU. MEXICO (2).

Bethylidae

***Epyris* sp.** On mesquite (2).

1. Muesebeck et al. 1951:728. 2. TTU. MEXICO (2).

***Goniozus* sp.** On mesquite (2).

1. Muesebeck et al. 1951:732. 2. TTU. MEXICO (2).

***Holepyris* sp.** On mesquite (2).

1. Muesebeck et al. 1951:730. 2. TTU. MEXICO (2).

***Parasierola* sp.** On mesquite (3).

1. Muesebeck et al. 1951:734. 2. TTU. MEXICO (3).

***Scleroderma immigrans* Bridwell**, 1917:484. On *Prosopis juliflora*—parasitic on bruchid larvae (1).

1. Bridwell 1917:484.
HI (1).

Braconidae

***Agathis* spp.** On mesquite (2, 3)—parasitoid of *Ithome concorella* (2).

1. Muesebeck et al. 1951:117. 2. C. E. Rogers, pers. comm. 3. TTU. MEXICO (3), TX[RP] (2).

***Allorhogas* sp.** On *Prosopis nigra* (2).

1. Muesebeck et al. 1951:180. 2. TTU. ARGENTINA (2).

***Apanteles* spp.** On *Prosopis alba*, mesquite (2).

1. Muesebeck et al. 1951:123. 2. TTU.

ARGENTINA, MEXICO (2).

***Bracon* spp.** On *Prosopis alba*, *P. nigra*, *P. sp.*, mesquite (2).

1. Muesebeck et al. 1951:163. 2. TTU.

ARGENTINA, MEXICO (2).

***Bracon thurberiphagae* (Mues.)**, 1925:12. Mesquite (3).

1. Krombein and Burks 1967:57. 2. Muesebeck et al. 1951:168. 3. TTU.

SYN: *Microbracon thurberiphagae* Mues. MEXICO (3), AZ, TX (2).

***Chelonus* sp.** On mesquite (2).

1. Muesebeck et al. 1951:143. 2. TTU. TX[HP] (2).

***Eubadizon* sp.** On *Prosopis glandulosa* (2).

1. Muesebeck et al. 1951:111. 2. TTU. TX[STP] (2).

***Glyptocolastes* sp.** On *Prosopis glandulosa*—parasite of *Oncideres rhodosticta* (2).

1. Muesebeck et al. 1951:178. 2. Polk 1971:45. TX[RP] (2).

***Glyptocolastes texanus* Ashm.**, 1900:142. On *Prosopis*, mesquite (2).

1. Muesebeck et al. 1951:178. 2. TTU. AZ, TX (1), TX[HP, RP] (2).

***Heterospilus prosopidis* Vier.**, 1910:381. On *Prosopis juliflora* (3); mesquite (4)—parasitic on *Bruchus prosopis* (3); *Acanthoselides horni*, *Algarobius prosopis*, *Bruchus* spp. (2).

1. Krombein and Burks 1967:60. 2. Muesebeck et al. 1951:180. 3. Bridwell 1920b:404. 4. TTU.

MEXICO (1, 2), AZ, CA (1), HI (2, 3), LA, OK (1), TX (3), TX[HP, RP] (4).

***Iphiaulax* spp.** On *Prosopis glandulosa* (2), *P. sp.*, mesquite (3)—parasitic on *Oncideres rhodosticta* (2) and various wood boring beetles (1).

1. Muesebeck et al. 1951:158. 2. Polk 1971:45. 3. TTU.

ARGENTINA, MEXICO (3), TX[RP] (2, 3).

***Macrocentrus* spp.** On *Prosopis glandulosa*, *Prosopis nigra* (2).

1. Muesebeck et al. 1951:104. 2. TTU. ARGENTINA, TX[HP] (2).

***Microgaster* sp.** On *Prosopis* (2).

1. Muesebeck et al. 1951:135. 2. TTU. ARGENTINA (2).

***Microplitis brassicae* Mues.**, 1922:45. On mesquite (2)—parasitic on *Trichoplusia ni* (Hbn.), *Autographa* sp. (1).

1. Muesebeck et al. 1951:137. 2. TTU. AZ, CO, NE (1), NM (1, 2), TX (1), TX[HP] (2).

***Odontobracon elaphidiovorus* Rohwer.**, 1917:168.

On *Prosopis* (3)—host: *Elaphidion* sp. (2).
1. Krombein 1958:36. 2. Muesebeck et al. 1951:182. 3. TTU.
AZ, FL, GA (2), NC, NJ, OH (1), TX, VA (2), WI (1), TX[RP] (3).

Odontobracon nigriceps Cam., 1887:384. On mesquite (2).

1. Muesebeck et al. 1951:181. 2. TTU.
TX[RP] (2).

Rogas sp. On *Prosopis nigra*, *P.* sp. (2).
1. Muesebeck et al. 1951:170. 2. TTU.
ARGENTINA (2).

Urosigalphus bruchi Cwfd., 1907:181. In *Prosopis*—parasitic on *Algarobius* sp. and *Amblycerus robiniae* (1); on mesquite (2).

1. Muesebeck et al. 1951:113. 2. TTU.
PANAMA, WEST INDIES, AZ, HI, TX (1), TX[RP] (2).

Vipio sp. On mesquite (2).

1. Muesebeck et al. 1951:157. 2. TTU.
NM (2).

Chalcidectidae

Euchrysia hyalinipennis Ashm., 1896:231. On mesquite (3)—parasitic on *Chrysobothris deleta* LeC., *Phloeotribus frontalis* (Oliv.) (1); *Oncideres rhodosticta* (2).

1. Krombein and Burks 1967:276. 2. Muesebeck et al. 1951:584. 3. TTU.

AZ (1), CA (2), FL (1), MO, NC (2), NM, TX (1), TX[RP] (3).

Chalcididae

Invreia sp. On mesquite (1).

1. TTU.
AZ (1).

Spilochalcis xantha Burks, 1940:320. On mesquite (2).

1. Muesebeck et al. 1951:592. 2. TTU.
AZ, NM, TX (1), TX[RP] (2).

Colletidae

Colletes spp. On mesquite (2).

1. Muesebeck et al. 1951:1044. 2. TTU.
MEXICO (2).

Cynipidae

Eschatocerus niger Kieff. and Jorg. In *Prosopis alpacato*, *P. nigra* (1); *P. alba* (1, 2)—causes galls (1).

1. Hayward 1958:47. 2. TTU.
ARGENTINA (1, 2).

Encyrtidae

Copidosoma sp. On *Prosopis alba*, *P. nigra* (2).

1. Muesebeck et al. 1951:481. 2. TTU.
ARGENTINA (2).

Psyllaephagus sp. On *Prosopis caldenia* (2).

1. Muesebeck et al. 1951:487. 2. TTU.
ARGENTINA (2).

Eucharitidae

Orasema sp. On *Prosopis nigra* (2).

1. Muesebeck et al. 1951:515. 2. TTU.
ARGENTINA (2).

Eulophidae

Galeopsomyia sp. On mesquite—parasitoid of *Asphondylia prosopidis* (2).

1. Muesebeck et al. 1951:442. 2. C. E. Rogers, pers. comm.
TX[RP] (2).

Horismenus spp. On *Prosopis caldenia*, *P. nigra* (3); *P. juliflora* (1); mesquite (3); *Acacia farnesiana*—reared from seed pods infested with *Bruchus* sp. (2).

1. Muesebeck et al. 1951:467. 2. Wolcott 1936:523. 3. TTU.

ARGENTINA (3), PUERTO RICO (2), TX[TP] (3).

Horismenus lixivorus (Cwfd.), 1907:180. On *Prosopis glandulosa* (3); parasitic on *Lixus musculus*, *L. perforatus*, *L. scrobicollis* (1, 2).

1. Krombein and Burks 1967:234. 2. Muesebeck et al. 1951:467. 3. TTU.

SYN: *Horisemus lixivorus* Cwfd.
AZ, TX (1, 2), TX[RP] (3).

Paracrias sp. On mesquite (2).

1. Muesebeck et al. 1951:470. 2. TTU.
TX[TP] (2).

Tetrastichus spp. On *Prosopis nigra* (3); mesquite—parasitoid of *Asphondylia prosopidis* (2).

1. Muesebeck et al. 1951:443. 2. C. E. Rogers, pers. comm. 3. TTU.

ARGENTINA, TX (3), TX[RP] (2).

Eupelmidae

Eupelmus sp. On *Prosopis caldenia*, *P. rubriflora*, *P.* sp. (2).

1. Muesebeck et al. 1951:508. 2. TTU.
ARGENTINA (2).

Eupelmus brevicauda (Cwfd.), 1908:158. On *Prosopis pubescens* (3); parasitic on *Acanthoscelides horni* (2).

1. Krombein and Burks 1967:245. 2. Muesebeck et al. 1951:509. 3. R. F. Wilkey, pers. comm.

SYN: *Cerambycobius brevicauda* Cwfd.
AZ (2), CA (1, 3), TX (2).

Eurytomidae

Bephratoides maculatus Brues, 1909:158. On *Prosopis* (2).

1. Muesebeck et al. 1951:574. 2. TTU.
TX (1, 2).

Bruchophagus sp. On *Prosopis caldenia* (2).

1. Muesebeck et al. 1951:582. 2. TTU.
ARGENTINA (2).

Eurytoma spp. On *Prosopis glandulosa*, *P. nigra*, *P. sp.* (3); mesquite—parasitoid on *Asphondylia prosopidis* (2).

1. Muesebeck et al. 1951:576. 2. C. E. Rogers, pers. comm. 3. TTU.

ARGENTINA (3), TX[RP (2), TP (3)].

Eurytoma dorcasmatae Ashm., 1888:11. On *Prosopis glandulosa* (2).

1. Muesebeck et al. 1951:576. 2. Polk 1971:45.
CT, KS, NC (1), TX[RP] (2).

Eurytoma magdalis Ashm., 1894:326. On *Prosopis glandulosa* (3)—parasitic on *Magdalis armicollis* (Say) (2); and *Oncideres cingulata* (Say) (1).

1. Krombein and Burks 1967:273. 2. Muesebeck et al. 1951:577. 3. TTU.

CO (2), NC (1), NJ, VA (2), TX[RP] (3).

Tenuipetiolus spp. On mesquite (2, 3)—parasitoid on *Asphondylia prosopidis* (2).

1. Krombein 1958:80. 2. C. E. Rogers, pers. comm. 3. TTU.

TX (3), TX[RP] (2).

Formicidae

Atta mexicana (F. Smith), 1858:185. On mesquite (5).

1. Kempf 1972:27. 2. Krombein 1958:138. 3. Krombein and Burks 1967:363. 4. Muesebeck et al. 1951:832. 5. TTU.

SYN: ?*Formica fervens* Drury, 1782:58; *Oecodoma mexicana* F. Smith.

CENTRAL AMERICA (1, 2), GUATEMALA, HONDURAS (2), MEXICO (1, 2, 3, 5), AZ (1, 2, 3, 4).

Camponotus spp. On *Prosopis alba*, *P. caldenia*, *P. nigra*, *P. sp.*, mesquite (3).

1. Kempf 1972:42. 2. Muesebeck et al. 1951:843. 3. TTU.

ARGENTINA, MEXICO, TX [STP] (3).

Camponotus abdominalis transvectus Wheeler, 1910:229. On mesquite (3).

1. Kempf 1972:59. 2. Muesebeck et al. 1951:844. 3. TTU.

SYN: *Formica abdominalis* Fabr., 1804:409; *Camponotus taeniatus* Roger, 1863:149.

TX (2), TX [STP, TP] (3).

Camponotus fumidus festinatus (Buckley), 1866:164. On mesquite (4).

1. Kempf 1972:67. 2. Krombein 1958:144. 3. Muesebeck et al. 1951:843. 4. TTU.

SYN: *Formica festinata* Buckley; *Camponotus fumidus* var. *pubicornis* Emery, 1893:668; *C. fumidus spurcus* Wheeler, 1910:299.

MEXICO (1, 3, 4), AZ, CO (1, 3), NM (2), TX (1, 3).

Camponotus sayi Emery, 1897:669. On *Prosopis glandulosa*, mesquite (2).

1. Muesebeck et al. 1951:845. 2. TTU.

MEXICO (2), AZ, CA, ?ND (1), TX[RP, STP] (2).

Conomyrma bicolor (Wheeler), 1906:342. On mesquite (5).

1. Kempf 1972:78. 2. Krombein 1958:140. 3. Krombein and Burks 1967:365. 4. Muesebeck et al. 1951:837. 5. TTU.

SYN: *Dorymyrmex bicolor* Wheeler; *D. pyramicus bicolor* Wheeler.

ARGENTINA (1), MEXICO (1, 4, 5), AZ, CA (1, 4), NM (5), TX (1, 4), UT (4).

Conomyrma bitubera (Santschi), 1916:394. On *Prosopis nigra* (2).

1. Kempf 1972:78. 2. TTU.

SYN: *Dorymyrmex bituberus* Santschi.

ARGENTINA (1, 2).

Conomyrma pyramicus pyramicus (Roger), 1863:160. On *Prosopis glandulosa*, *P. laevigata*, mesquite (5).

1. Kempf 1972:79. 2. Krombein 1958:141. 3. Krombein and Burks 1967:365. 4. Muesebeck et al. 1951:837. 5. TTU.

SYN: *Prenolepis pyramica* Roger; *Dorymyrmex pyramica* (Roger); *Formica insana* Buckley, 1866:165.

UNITED STATES south to SOUTH AMERICA (4), TX[HP, TP] (5).

Crematogaster brevispinosa Mayr, 1870:403. On *Prosopis nigra* (2).

1. Kempf 1972:84. 2. TTU.

CENTRAL AMERICA, SOUTH AMERICA (1), ARGENTINA (2).

Crematogaster depilis Wheeler, 1908:478. On mesquite (3, 4); in *Acacia* sp., *Larrea*, *Ocotillo* (2).

1. Krombein 1958:126. 2. Muesebeck et al. 1951:810. 3. Buren 1968:110. 4. TTU.

- SYN: *Crematogaster lineolata opaca* var. *depilis* Wheeler; *C. opaca depilis* Wheeler.
MEXICO, AZ, NM, TX (2), TX[TP] (4).
- Crematogaster laeviuscula* Mayr**, 1870:990. On *Prosopis glandulosa* (3); in mesquite, oak—commonly nests in twigs, galls, hollow trees, and logs (1).
1. Krombein 1958:126. 2. Muesebeck et al. 1951:809. 3. TTU.
SYN: *Oecodoma (Atta) arborea* Buckley, 1867:349.
MEXICO (1), KS, LA, MO, OK, TX (2), TX [STP] (3).
- Crematogaster opuntiae* Buren**, 1968:120. On mesquite (1).
1. Buren 1968:120. 2. TTU.
AZ (1, 2), NM (1).
- Crematogaster punctulata* Emery**, 1895:287. On *Prosopis glandulosa*, mesquite (4).
1. Krombein 1958:127. 2. Krombein and Burks 1967:356. 3. Muesebeck et al. 1951:810. 4. TTU.
SYN: *Crematogaster opaca punctulata* Emery; *C. lineolata subopaca* Emery, 1895:283; *C. opaca* var. *texana* Santschi, 1929:91.
MEXICO (1, 4), CO, KS, south to AZ, NM, TX, east to VA, FL (1), TX[HP, RP] (4).
- Dorymyrmex planidens* Mayr**, 1868:165. On *Prosopis* (2).
1. Kempf 1972:100. 2. TTU.
ARGENTINA (1, 2).
- Ectatomma quadridens* (Fabr.)**, 1793:362. On *Prosopis nigra* (2).
1. Kempf 1972:105. 2. TTU.
SYN: *Ectatomma brunneum* F. Smith, 1858:103.
ARGENTINA (1, 2) north to PANAMA (1).
- Ectatomma tuberculatum* (Ol.)**, 1791:498. On mesquite (2).
1. Kempf 1972:105. 2. TTU.
SYN: *Formica tuberculatum* Ol.; *Ectatomma ferrugineum* Norton, 1868:61; *E. tuberculatum* var. *punctigerum* Emery, 1890:56; *E. t.* var. *acrista* Forel, 1909:254; *E. t.* var. *irregulare*, Santschi, 1921:83.
ARGENTINA north to MEXICO (1), MEXICO (2).
- Ephebomyrmex naegeli* (Forel)**, 1886:41. On *Prosopis nigra* (2).
1. Kempf 1972:106. 2. TTU.
SYN: *Pogonomyrmex naegeli* Forel; *Ephebomyrmex venezuelensis* Weber, 1943:69; *E. venezuelensis* var. *rupununi* Weber, 1943:71.
GUIANAS (1), ARGENTINA (1, 2), BOLIVIA, BRAZIL, PARAGUAY, PERU, VENEZUELA (1).
- Euponera* sp.** On *Prosopis* sp. (2).
1. Muesebeck et al. 1951:785. 2. TTU.
TX[CTP, RP, TP] (2).
- Forelius chalybaeus* Emery**, 1905:176. On *Prosopis* (2).
1. Kempf 1972:109. 2. TTU.
ARGENTINA (1, 2).
- Forelius foetidus foetidus* (Buckley)**, 1866:167. On *Prosopis glandulosa*, *P. laevigata*, *P. sp.*, mesquite (4).
1. Kempf 1972:109. 2. Krombein and Burks 1967:365. 3. Muesebeck et al. 1951:836. 4. TTU.
SYN: *Formica foetidus* Buckley; *Iridomyrmex mccoocki* Forel, 1878:382.
JAMAICA (1), MEXICO (1, 2, 4), AZ (1, 3, 4), CA (1, 2, 3), CO, KS, OK, NV, UT (2), TX (1, 2, 3), TX[TP] (4).
- Forelius nigriventris* Forel**, 1912:44. On *Prosopis nigra* (2).
1. Kempf 1972:109. 2. TTU.
ARGENTINA (1, 2).
- Formica perpilosa* Wheeler**, 1902:141. On *Prosopis glandulosa*, mesquite (4).
1. Krombein 1958:158. 2. Krombein and Burks 1967:370. 3. Muesebeck et al. 1951:867. 4. TTU.
SYN: *Formica fusca subpolita* var. *perpilosa* Wheeler.
MEXICO (3), NM (3, 4) west to CA (3), KS (1), WY (2).
- Iridomyrmex* sp.** On *Prosopis nigra* (2).
1. Kempf 1972:124. 2. TTU.
ARGENTINA (2).
- Iridomyrmex pruinosus analis* (André)**, 1893:148. On *Prosopis glandulosa*, mesquite (5).
1. Kempf 1972:126. 2. Krombein 1958:140. 3. Krombein and Burks 1967:364. 4. Muesebeck et al. 1951:835. 5. TTU.
SYN: *Tapinoma anale* André; *Iridomyrmex pruinosus* var. *testaceus* Cole, 1936:121.
CUBA (4), GUATEMALA (1), MEXICO (1, 4, 5), CA to KS, OK, TX, north to ID, ND (3), AZ, NM, TX[STP] (5).
- Iridomyrmex pruinosus pruinosus* (Roger)**, 1863:165. On mesquite (5).
1. Kempf 1972:126. 2. Krombein 1958:140. 3. Krombein and Burks 1967:364. 4. Muesebeck et al. 1951:836. 5. TTU.
SYN: *Tapinoma pruinosum* Roger.
BAHAMAS, CUBA, MEXICO (1), NY to FL,

- west to WI, NM, TX (4), TX[HP, TP] (5).
- Liometopum sp.** On mesquite (2)—form nests beneath the bark and in crevices of trees (1).
1. Muesebeck et al. 1951:835. 2. TTU. MEXICO (2).
- Monomorium minimum (Buckley)**, 1867:338. On *Prosopis glandulosa*, mesquite (5).
1. Kempf 1972:144. 2. Krombein 1958:128. 3. Krombein and Burks 1967:356. 4. Muesebeck et al. 1951:810. 5. TTU.
SYN: *Myrmica minima* Buckley; *M. atra* Buckley, 1867:342; *Monomorium minimum ergatogyna* Wheeler, 1904:269; *M. m. emersoni* Gregg, 1945:66.
CANADA (4), MEXICO (1, 4, 5), PARAGUAY (1), UNITED STATES (4), TX [EP] (5).
- Monomorium viridum peninsulatum** Gregg, 1945:62. On *Prosopis* (4).
1. Krombein 1958:128. 2. Krombein and Burks 1967:356. 3. Muesebeck et al. 1951:811. 4. TTU.
SYN: *Monomorium peninsulatum* Gregg.
MEXICO (4), FL (2, 3) and GULF COAST STATES to AZ, CO (2).
- Myrmecocystus melliger melliger** Forel, 1886:201. On *Prosopis laevigata*, *P. sp.*, mesquite (3).
1. Krombein 1958:151. 2. Muesebeck et al. 1951:855. 3. TTU.
SYN: ?*Formica melligera* Llave, 1832:463; *Myrmecocystes melliger* Forel; *M. m. orbiceps* Wheeler, 1908:349.
MEXICO (2, 3), AZ (2), NM (2, 3), TX (2).
- Myrmecocystus mimicus** Wheeler, 1908:353. On mesquite (3).
1. Krombein 1958:152. 2. Muesebeck et al. 1951:855. 3. TTU.
SYN: *Myrmecocystus melliger mimicus* Wheeler; *M. melliger mimicus* var. *jesuita* Wheeler, 1908:354; *M. m. lomaensis* Wheeler, 1912:174; *M. m. semirufus* var. *romainei* Cole, 1936:120.
AZ, CA (2), NM (2, 3), TX (2).
- Neoponera villosa (Fabr.)**, 1804:409. On mesquite (4)—colonies in trees; feed on other insects (3).
1. Kempf 1972:163. 2. Krombein 1958:111. 3. Muesebeck et al. 1951:785. 4. TTU.
SYN: *Formica villosa* Fabr.; *Neoponera bicolor* Guérin, 1845:242; *N. pedunculata* F. Smith, 1858:96; *N. pilosa* F. Smith, 1858:95.
MEXICO south to ARGENTINA (1, 3), TX (3), TX[STP] (4).
- Paracryptocerus spp.** On *Prosopis caldenia*, mesquite (2).
1. Kempf 1972:175. 2. TTU. ARGENTINA, MEXICO (2).
- Paracryptocerus jheringi (Emery)**, 1894:205. On *Prosopis caldenia*, *P. nigra* (2).
1. Kempf 1972:178. 2. TTU.
SYN: *Cryptocerus jheringi* Emery; *C. peltatus* Emery, 1896:633; *C. peltatus ellenriederi* Forel, 1911:258; *C. peltatus ellenriederi* var. *jocans* Forel, 1913:235; *C. p. e.* var. *gaudens* Santschi, 1922:255.
ARGENTINA (1, 2), BRAZIL, PARAGUAY (1).
- Paracryptocerus liogaster (Santschi)**, 1916:381. On *Prosopis nigra* (2).
1. Kempf 1972:178. 2. TTU.
SYN: *Cryptocerus liogaster* Santschi; *C. lanuginosus* Santschi, 1919:46; *C. lobigaster* Santschi, 1919:47; *C. lobigaster* var. *fides* Santschi, 1925:162.
ARGENTINA (1, 2).
- Paratrechina (Nylanderia) sp.** On *Prosopis glandulosa* (2).
1. Muesebeck et al. 1951:848. 2. TTU. TX[TP] (2).
- Pheidole sp.** On mesquite (2).
1. Muesebeck et al. 1951:799. 2. TTU. MEXICO (2).
- Pogonomyrmex barbatus barbatus (F. Smith)**, 1858:130. On *Prosopis glandulosa*, *P. laevigata* (5).
1. Krombein 1958:114. 2. Krombein and Burks 1967:351. 3. Muesebeck et al. 1951:792. 4. Cole 1968:56. 5. TTU.
SYN: *Myrmica barbatus* F. Smith; *M. molefaciens* Buckley, 1860:445; *Pogonomyrmex barbatus* var. *molefaciens* (Buckley).
MEXICO (3, 5), AR (2, 4), AZ, CO, KS, NM, OK (4), TX (3, 4), TX[HP] (5).
- Pseudomyrmex pallidus (F. Smith)**, 1855:159. On mesquite (5).
1. Kempf 1972:222. 2. Krombein 1958:112. 3. Krombein and Burks 1967:348. 4. Muesebeck et al. 1951:788. 5. TTU.
SYN: *Pseudomyrma pallida* F. Smith; *Leptalea pallida* (F. Smith); *Pseudomyrmex pallidus* (F. Smith).
CENTRAL AMERICA, SOUTH AMERICA, MEXICO (1, 4), TRINIDAD (1), WEST INDIES, NC to CA (4), TX[EP, STP] (5).
- Pseudomyrmex gracilis mexicanus (Roger)**, 1863:178. On mesquite (4).

1. Kempf 1972:219. 2. Krombein and Burks 1967:348. 3. Muesebeck et al. 1951:788. 4. TTU.
SYN: *Pseudomyrmex mexicana* Roger; *Lep-
talea gracilis mexicana* (Roger).

MEXICO (1, 3, 4), SOUTH TX to CENTRAL
AMERICA (1, 3), FL (2).

Solenopsis spp. On *Prosopis nigra*, mesquite (3).

1. Kempf 1972:232. 2. Muesebeck et al. 1951:
812. 3. TTU.

ARGENTINA, MEXICO (3).

Trachymyrmex sp. On *Prosopis laevigata* (3).

1. Kempf 1972:252. 2. Muesebeck et al. 1951:
830. 3. TTU.

MEXICO (3).

Xiphomyrmex sp. On mesquite (2).

1. Muesebeck et al. 1951:824. 2. TTU.

MEXICO (2).

Halictidae

Agapostemon tyleri Ckll., 1917:241. On *Prosopis
laevigata* (2).

1. Muesebeck et al. 1951:1124. 2. TTU.

MEXICO (2).

Dialictus spp. On *Prosopis glandulosa*, mesquite
(2).

1. Muesebeck et al. 1951:1119. 2. TTU.

MEXICO, TX[HP, RP] (2).

Halictus ligatus Say, 1837:396. On mesquite (3).

1. Krombein and Burks 1967:459. 2. Muese-
beck et al. 1951:1104. 3. TTU.

SYN: *Halictus poeyi* Lep., 1841:271; *H. capi-
tosus* Smith, 1853:67; *H. armaticeps* Cr., 1872:
250; *H. texanus* Cr., 1872:251; *H. ornatipes* Cr.,
1872:252; *H. townsendii* Ckll., 1896:293.

CENTRAL AMERICA, NORTH AMERICA,
SOUTH AMERICA as far south as COLOM-
BIA, WEST INDIES (2), MEXICO (2, 3).

Sphécodes sp. On *Prosopis laevigata* (2).

1. Muesebeck et al. 1951:1120. 2. TTU.

MEXICO (2).

Ichneumonidae

Anomalon sp. On mesquite (2)—elaterids are the
usual hosts (1).

1. Muesebeck et al. 1951:395. 2. TTU.

NM (2).

Bilira sp. On *Prosopis nigra* (1).

1. TTU.

ARGENTINA (1).

Compsocryptus sp. On mesquite (3).

1. Krombein and Burks 1967:114. 2. Muese-
beck et al. 1951:263. 3. TTU.

MEXICO (3).

Cormobius sp. On *Prosopis nigra* (1).

1. TTU.

ARGENTINA (1).

Diadegma sp. On mesquite (3).

1. Krombein and Burks 1967:203. 2. Muese-
beck et al. 1951:377. 3. TTU.

NM (3).

Gelis sp. On mesquite (2).

1. Muesebeck et al. 1951:238. 2. TTU.

TX[RP] (2).

Lissonota sp. On *Prosopis laevigata* (3).

1. Krombein and Burks 1967:171. 2. Muese-
beck et al. 1951:311. 3. TTU.

TX[STP] (3).

Ophion sp. On *Prosopis laevigata* (3).

1. Krombein and Burks 1967:212. 2. Muese-
beck et al. 1951:401. 3. TTU.

MEXICO (3).

Ophionellus sp. On mesquite (2).

1. Muesebeck et al. 1951:395. 2. TTU.

MEXICO, NM (2).

Physotarsus sp. On *Prosopis glandulosa* (1).

1. TTU.

TX[HP] (1).

Megachilidae

Heriades bispocula (Mich.), 1939:54. On *Proso-
pis* (1, 4).

1. Krombein 1958:237. 2. Krombein and Burks
1967:477. 3. Muesebeck et al. 1951:1155. 4.
Michener 1939:54.

SYN: *Ashmeadiella bispocula* Mich.

AZ (3, 4), NM (3).

Mutillidae

Dasymutilla sp. On *Prosopis glandulosa* (2).

1. Muesebeck et al. 1951:761. 2. TTU.

TX[RP] (2).

Dasymutilla clytemnestra (Fox), 1899:246. On
Prosopis juliflora (3).

1. Krombein 1958:103. 2. Muesebeck et al.
1951:763. 3. A. R. Hardy, pers. comm.

SYN: *Mutilla clytemnestra* Fox.

CA (1, 3).

Pseudomethoca sp. On mesquite (2).

1. Muesebeck et al. 1951:758. 2. TTU.

MEXICO (2).

Pseudomethoca frigida frigida (Smith), 1855:60,
or near. On mesquite (4)—hosts include *Ancis-
trocerus birenimaculatus* (Sauss.) (3); *Augo-
chlorella straita* (Prov.) and *Lasioglossum* spp.
(2).

1. Krombein 1958:103. 2. Krombein and Burks

1967:339. 3. Muesebeck et al. 1951:759. 4. TTU.

SYN: *Mutilla frigida* Smith; *M. canadensis* Blake, 1871:252; *Photopsis cresson* Fox, 1890:138; *Sphaerophthalma alveolata* Prov., 1895:110; *Mutilla neojerseiensis* Dalla Torre, 1897:65; *Pseudomethoca frigida* (Smith).

CANADA (3), MEXICO (3, 4), UNITED STATES east of ROCKY MOUNTAINS (3).

***Sphaerophthalma* sp.** On *Prosopis laevigata* (2).

1. Muesebeck et al. 1951:752. 2. TTU.

MEXICO (2).

***Traumatomutilla claraziana* (Saussure).** On *Prosopis caldenia* (1).

1. TTU.

ARGENTINA (1).

Platygasteridae

***Inostemma* sp.** On mesquite—parasitoid of *Contarinia* sp. (2).

1. Muesebeck et al. 1951:708. 2. C. E. Rogers, pers. comm.

TX[RP] (2).

***Leptacis* sp.** On mesquite (2).

1. Muesebeck et al. 1951:716. 2. TTU.

MEXICO (2).

***Synopeas* sp.** On mesquite—parasitoid of *Contarinia* sp. (2).

1. Muesebeck et al. 1951:716. 2. C. E. Rogers, pers. comm.

TX[RP] (2).

Pompilidae

***Anoplius bellicosus* (Banks)**, 1911:224. On *Prosopis glandulosa* (2).

1. Muesebeck et al. 1951:930. 2. TTU.

SYN: *Psammochares bellicosus* Banks; *Lophopompilus autilone* Banks, 1919:82.

AZ to FL, NJ (1), TX[RP] (2).

***Auplopus caerulescens subcorticalis* (Banks)**, 1910:251. On *Prosopis laevigata* (4)—predaceous on *Anyphaena* sp., *Clubiona* sp., *Phidippus* sp., *Trachvelas* sp. (3); mesquite (4).

1. Krombein 1958:174. 2. Krombein and Burks 1967:380. 3. Muesebeck et al. 1951:916. 4. TTU.

SYN: *Pseudagenia antennalis* Banks, 1910:82; *Auplopus caerulescens antennalis* (Banks); *Pseudagenia ariella* Banks, 1941:122.

MEXICO (4), UNITED STATES east of ROCKY MOUNTAINS (1).

***Hemipepsis ustulata ustulata* Dahlbom**, 1843:123. On *Prosopis glandulosa* (2).

1. Muesebeck et al. 1951:909. 2. TTU.

SYN: *Hemipepsis ustulata* Dahlbom; *Mygnim-*

ia cressoni Banks, 1926:203.

MEXICO, AZ, CO, KS, NM, OK, TX, UT (1), TX[RP] (2).

***Pepsis thisbe* Lucas**, 1895:732. On *Prosopis glandulosa* (4); mesquite (5).

1. Krombein 1958:171. 2. Krombein and Burks 1967:378. 3. Muesebeck et al. 1951:910. 4. Swenson 1969:62. 5. TTU.

SYN: *Pepsis sayi* Banks, 1926:202; *P. sherillae* Hurd, 1948:124.

MEXICO (1, 2), CA east to NE, TX (1), TX[HP] (5), RP (4)].

Pteromalidae

***Dipachystigma* sp.** On mesquite—parasitoid of *Contarinia* sp. (2).

1. Muesebeck et al. 1951:545. 2. C. E. Rogers, pers. comm.

TX[RP] (2).

***Gastracanthus* sp.** On mesquite (2).

1. Krombein and Burks 1967:269. 2. TTU.

TX[TP] (2).

***Halticoptera* sp.** On *Prosopis alba* (2).

1. Muesebeck et al. 1951:541. 2. TTU.

ARGENTINA (2).

***Pachyneuron* spp.** On *Prosopis nigra*, *P.* sp. (2).

1. Muesebeck et al. 1951:539. 2. TTU.

ARGENTINA (2).

***Pseudocatolaccus americanus* Gahan**, 1919:164. On mesquite (2); parasitoid of *Asphondylia websteri* Felt (1).

1. Muesebeck et al. 1951:559. 2. C. E. Rogers, pers. comm.

AZ (1), TX[RP] (2).

Scelionidae

***Gryon* sp.** On mesquite (2).

1. Krombein and Burks 1967:299. 2. TTU.

MEXICO (2).

***Idris* sp.** On *Prosopis*, mesquite (2).

1. Krombein and Burks 1967:297. 2. R. F. Wilkey, pers. comm.

MEXICO (1), CA (1, 2).

***Sparasion* sp.** On mesquite (2).

1. Muesebeck et al. 1951:701. 2. TTU.

TX[RP] (2).

***Trissolcus* sp.** On mesquite (2).

1. Muesebeck et al. 1951:694. 2. TTU.

MEXICO (2).

Sphecidae

***Ammophila breviceps* Smith**, 1856:221. On *Prosopis glandulosa* (2).

1. Muesebeck et al. 1951:975. 2. TTU.
MEXICO (2), SOUTHWESTERN UNITED STATES (1).
***Ammophila ferruginosa* Cr.**, 1865:455. On mesquite (2).
1. Muesebeck et al. 1951:975. 2. TTU.
SYN: *Ammophila collaris* Cr., 1865:456; *Sphex cressoni* Smith, 1908:329.
MEXICO (2), MN to CA (1), NM (2).
***Ammophila pruinosa* Cr.**, 1865:455. On mesquite (2).
1. Muesebeck et al. 1951:976. 2. TTU.
SYN: *Sphex breviceps pruinus* Fernald, 1934:87.
MEXICO (2), WESTERN UNITED STATES (1).
***Astata clypeata* Parker**, 1962:651. On *Prosopis laevigata* (2).
1. Krombein and Burks 1967:387. 2. TTU.
MEXICO (1, 2), EAST SLOPE of ROCKY MOUNTAINS (1).
***Cerceris* sp.** On *Prosopis glandulosa* (2).
1. Muesebeck et al. 1951:1004. 2. TTU.
TX[RP] (2).
***Diodontus* sp.** On mesquite (2).
1. Muesebeck et al. 1951:958. 2. TTU.
NM (2).
***Moniaecera asperata* (Fox)**, 1895:199. On mesquite (3)—predaceous on other insects (1).
1. Krombein and Burks 1967:420. 2. Muesebeck et al. 1951:1019. 3. TTU.
SYN: *Crabro asperatus* Fox.
AZ, CA, NM, TX (2), TX[RP] (3).
***Philanthus gibbosus* (Fabr.)**, 1775:370. On *Prosopis laevigata* (3)—predaceous on various insects, principally halictid bees (1, 2).
1. Krombein and Burks 1967:413. 2. Muesebeck et al. 1951:1001. 3. TTU.
SYN: *Vespa gibbosus* Fabr.; *Philanthus punctatus* Say, 1824:342; *Cheilopogonus punctiger* Westwood, 1835:441; *Anthophilus gibbosus* Dahlbom, 1845:192; ?*A. nodosus* Klug, 1846:42; *Philanthus punctatus* var. *cockerelli* Dunning, 1897:69.
MEXICO (3), UNITED STATES and SOUTHERN CANADA (2).
***Sphex speciosus* (Drury)**, 1773:71. On *Prosopis glandulosa* (4)—predaceous on *Tibicen* spp. (3).
1. Krombein 1958:193. 2. Krombein and Burks 1967:407. 3. Muesebeck et al. 1951:987. 4. TTU.
SYN: *Sphex speciosus* Drury; *Vespa tricincta*

Fabr., 1775:363; *Stizus vespiformis* Latr., 1818: pt. 24, pl. 382.
EAST of ROCKIES, south into MEXICO (3), TX[RP] (4).
***Tachysphex* sp.** On mesquite (2).
1. Muesebeck et al. 1951:949. 2. TTU.
TX[HP] (2).

Stephanidae

***Megischus texanus* Cr.**, 1872:190. On *Prosopis glandulosa* (2).
1. Muesebeck et al. 1951:90. 2. TTU.
MEXICO, AZ, CA, TX (1), TX[RP] (2).

Tanaostigmatidae

***Dendrosema* sp.** On *Prosopis* (1).
1. TTU.
ARGENTINA (1).
***Tanaostigmodes* spp.** On *Prosopis glandulosa*—forms woody galls (2); mesquite (3).
1. Muesebeck et al. 1951:474. 2. Englehardt 1946:77. 3. TTU.
AZ, TX (2), TX[TP] (3).
***Tanaostigmodes howardii* Ashmead**, 1896:19. In *Prosopis* sp., *Acacia greggii*, *Mimosa biuncifera*—forms galls (1).
1. Muesebeck et al. 1951:474.
AZ, CA (1).

Tiphiidae

***Neotiphia parma* A. and K.**, 1964:267. On mesquite (2).
1. Krombein and Burks 1967:323. 2. TTU.
MEXICO (1, 2), AZ, NM (1).
***Paratiphia* spp.** On *Prosopis glandulosa* (2); mesquite (3).
1. Muesebeck et al. 1951:739. 2. Swenson 1969:62. 3. TTU.
TX[HP] (3), RP (2)].
***Tiphia* spp.** On *Prosopis laevigata*, *P. sp.*, mesquite (2).
1. Muesebeck et al. 1951:735. 2. TTU.
ARGENTINA, MEXICO (2).

Torymidae

***Podagrion* sp.** On mesquite (3).
1. Krombein 1958:82. 2. Muesebeck et al. 1951:583. 3. TTU.
NM (3).
***Torymus* spp.** On *Prosopis nigra* (3); mesquite—parasitoid of *Asphondylia prosopidis* (2).
1. Muesebeck et al. 1951:520. 2. C. E. Rogers, pers. comm. 3. TTU.
ARGENTINA (3), TX[RP] (2).

Trichogrammatidae

Uscana semifumipennis Girault, 1911:23. On *Prosopis juliflora*—parasite of bruchid eggs (1, 2).

1. Muesebeck et al. 1951:424. 2. Bridwell 1920b:408.

HI (2), TX (1).

Vespidae

Eumenes bollii bollii Cr., 1872:232. On mesquite (3)—makes nests on twigs and provisions them with caterpillars (1).

1. Krombein 1958:163. 2. Muesebeck et al. 1951:884. 3. TTU.

SYN: *Eumenes bollii* Cr.

MEXICO, WESTERN UNITED STATES, ALBERTA (2), MD (1), TX[RP] (3).

Polistes apachus Saussure, 1857:314. On *Prosopis glandulosa* (2, 3).

1. Muesebeck et al. 1951:878. 2. Swenson 1969:62. 3. TTU.

SYN: *Polistes texanus* Cr., 1872:246.

MEXICO, CA, CO, KS, NM, OK, TX (1), TX [HP (3), RP (2)].

Polistes canadensis comanchus Saussure, 1857:314. On *Prosopis glandulosa* blooms (2).

1. Muesebeck et al. 1951:878. 2. TTU.

SYN: *Polistes comanchus* Saussure.

MEXICO, TX (1), TX[TP] (2).

Polistes canadensis navajoe Cr., 1868:383. On mesquite (2).

1. Muesebeck et al. 1951:878. 2. TTU.

SYN: *Polistes navajoe* Cr.; *P. novajoe* "Cresson" Dalla Torre, 1894:132.

MEXICO (2), AZ, CA, NM, TX (1), TX[TP] (2).

Polistes exclamans exclamans Viereck, 1906:201. On *Prosopis glandulosa*, mesquite (4).

1. Krombein 1958:163. 2. Krombein and Burks 1967:375. 3. Muesebeck et al. 1951:878. 4. TTU.

SYN: *Polistes exclamans* Viereck; *P. e. louisianus* Bequaert, 1940:14.

MEXICO, AL, AR, FL, GA, LA (3), MD (2), NC (3), NJ (2), SC, TX (3), TX[HP] (4).

Polistes flavus Cr., 1868:383. On *Prosopis glandulosa* blooms (2).

1. Muesebeck et al. 1951:878. 2. TTU.

MEXICO, AZ, CO, NM, TX, UT (1), TX[HP] (2).

Polistes instabilis Saussure. On mesquite (1).

1. TTU.

MEXICO (1).

Polybia sp. On *Prosopis* (1).

1. TTU.

ARGENTINA (1).

Stenodynerus sp. On *Prosopis glandulosa*, mesquite blooms (2).

1. Muesebeck et al. 1951:898. 2. TTU.

AZ, TX[HP] (2).

ISOPTERA

Kalotermitidae

Kalotermes (Paraneoterme) simplicicornis Banks, 1920:32. On *Prosopis*, mesquite—causes extensive damage to citrus orchards adjacent to mesquite (2).

1. Light 1933:100. 2. Bynum 1951:996.

SYN: *Neoterme simplicicornis* Light; 1929:68. TX to CA, NE (2) to MEXICO (1, 2), TX[STP] (2).

Rhinotermitidae

Reticulitermes humilis Banks, 1920:51. On mesquite—in stems of *Opuntia*, wood and stumps of various trees (2).

1. Light 1933:105. 2. Essig 1934:118.

MEXICO (1), AZ (1, 2), CA, NV, OR, WA (1).

LEPIDOPTERA

Acrolophidae

Acrolophus sp. near *cressoni* Wlsm. On *Prosopis* (2).

1. Dyar 1902:578. 2. TTU.

MEXICO (2).

Aegeriidae

Carmenta prosopis (Hy. Edwards), 1882:99. On *Prosopis glandulosa*—reared from woody galls of encyrtid (1); larvae inhabit mesquite galls (2).

1. Englehardt 1946:76. 2. Essig 1934:727.

SYN: *Aergeria prosopis* Hy. Edwards; *A. candescens* Hy. Edwards, 1882:123; *Sesia prosopis* Smith, 1891:21; *S. candescens* Beutenmüller, 1901:303; *Synanthedon prosopis* McDunnough, 1939:8737; *S. candescens* McDunnough, 1939:8739.

AZ (1, 2), TX[TP] (1).

Gelechiidae

Friseria cockerelli (Busck), 1903:871. On *Prosopis* (1).

1. Hodges 1966:585.

SYN: *Gelechia cockerelli* Busck.

NORTH AMERICA (1).

Geometridae

Anacamptodes fragilaria (Grossbeck), 1909:194. Feeding on *Prosopis chilensis*—significant defoliation in absence of *Eumenes* wasp predators; however this insect has a wide host range including—*Acacia*, *Amaranthus*, *Antigonon*, *Bauhinia*, *Calliandra*, *Cassia* spp., orange, rose, soybeans, turnip and others (1).

1. Zimmerman 1958a:38.

SYN: *Cleora fragilaria* Grossbeck.

CA, HI (1).

Nephodia marginata Warren. On *Prosopis*—larvae completely defoliate and kill trees over large area, no other hosts recorded (1).

1. Orfila 1966:2.

ARGENTINA (1).

Nipteria marginata Warren. On *Prosopis alba*—larvae sometimes completely defoliate trees (1); *P. nigra* (1, 2).

1. Hayward 1958:56. 2. TTU.

ARGENTINA (1, 2).

Semiothisa cyda (Druce). On *Prosopis glandulosa* (1).

1. TTU.

MEXICO (1).

Lasiocampidae

Tolype guentheri (Berg), 1883:117. On *Prosopis alba*, *P. nigra*, *Acacia macracantha*, *Boehmeria caudata*—larvae may defoliate *Prosopis* spp. and other hosts (1).

1. Hayward 1958:57.

SYN: *Titya candida* Dognin, 1905:151.

ARGENTINA (1).

Tolype viuda Schaus, 1924:48. On *Prosopis alba*, *P. nigra*, *Acacia caven*, *Geoffroea decorticans*, *Mimosa hexandra*, and many other legumes—larvae feed on *Prosopis* spp. (1).

1. Hayward 1958:57.

SYN: *Titya fumosa* Giacomelli, 1922:226.

ARGENTINA (1).

Lycaenidae

Apodemia palmerii marginalis (Skin.), 1920. Feeds on *Prosopis juliflora* var. *glandulosa* (2).

1. dos Passos 1964:51. 2. Comstock and Damers 1932:37.

SYN: *Apodemia palmerii palmerii* (Edwards), 1870.

NORTH AMERICA (2).

Hemiargus gyas (Edw.), 1871:210. On *Prosopis* (2).

1. dos Passos 1964:63. 2. Dyar 1902:45. 3. J.

A. Powell, pers. comm.

SYN: *Hemiargus ceranus gyas* Edwards; *H. ceranus* Fabr., 1793; *H. gyas zachaeina* Butl. and Dru., 1872; *H. astragala* Wright, 1905; *H. florencia* Clem, 1914.

NORTH AMERICA (3), AZ (1).

Leptotes trigemmatum Butl. On *Prosopis tamarugo*—damages fruits, flowers, and seeds (3).

1. dos Passos 1964:62. 2. Dyar 1902:46. 3. C. Klein, pers. comm.

CHILE (3).

Strymon leda Edw., 1882. On *Prosopis* (2).

1. dos Passos 1964:56. 2. J. A. Powell, pers. comm.

SYN: *Strymon leda ines* Edw., 1882; *S. leda leda* Edw., 1882.

NORTH AMERICA (2).

Megalopygidae

Norape sp. On mesquite (1).

1. UAT.

AZ (1).

Noctuidae

Achaea janata (L.), 1758:527. On *Prosopis chilensis* (1, 2); *Acacia farnesiana*, *Leucaena glauca* (1, 2); chili pepper, *Codiaeum*, cowpea, croton, daikon radish, *Desmanthus virgatus*, *Euphorbia bifida*, *E. geniculata*, *E. hirta*, *Macadamia*, *Pedilanthus tithymaloides*, Philippine pole bean, *Poinsetta*, *Polypodium* (?), *Ricinus communis*, rose, *Terminalia catappa*, “wong bok” cabbage—larvae feed on mesquite (1).

1. Zimmerman 1958a:353. 2. Swezey 1946:477.

SYN: *Phalaena (Geometra) janata* L.; *Phalaena (Noctua) melicerta* Drury, 1773:46; *Achaea argilla* Swinhoe, 1901:132; *Ophiusa ekeikei* Bethuen-Baker, 1906:256; *Achaea melicerta*, of Hampton, 1913:536, Fletcher, 1914:386.

WIDESPREAD from INDIA through MALAYA and many PACIFIC ISLANDS to SOUTHEASTERN POLYNESIA (2), HI (1, 2).

Acontia areli complex. On *Prosopis glandulosa* (2).

1. Crumb 1956:50. 2. TTU.

TX[HP] (2).

Bulia sp. On *Prosopis* (2).

1. Crumb 1956:274. 2. TTU.

MEXICO (2).

Bulia deducta (Morr.), 1874:220. On *Prosopis*—larvae feed on *Prosopis* (1).

1. Crumb 1956:274. 2. Dyar 1902:222.

SYN: *Cirrhobolina deducta* Morr.; *C. pavitensis*

Morr.; *C. incandescens* Grt.; *C. albina* Stkr.
MEXICO, AR, AZ, CA, CO, KS, NE, NM,
OK, TX, UT (1).

***Heteranassa mima* (Harv.)**, 1876 : 155. On *Prosopis*, *Acacia* (catsclaw)—feeds on *Prosopis* (1).

1. Crumb 1956 : 284. 2. Dyar 1902 : 237.

SYN: *Campometra mima* Harv.

AZ (1, 2), CO (2), FL (1, 2), TX (1).

***Melipotis* spp.** On *Prosopis* (2).

1. Crumb 1956 : 272. 2. R. F. Wilkey, pers. comm.
AZ, CA (2).

***Melipotis indomita* Walker.** Feeds on *P. glandulosa* (5); on *Prosopis pallida* in Hawaii, damages *Samanea saman* (3); on mesquite (1, 2, 3, 4, 5, 6).

1. Crumb 1956 : 272. 2. Brisley 1924 : 94. 3. F. D. Bennett, pers. comm. 4. TAMU. 5. TTU. 6. UAT.

SYN: *Melipotis ochreipennis* Harv.

PUERTO RICO (3), AZ (1, 3), CA (1, 6), CO (1), HI (3), KS, NM, NV, TX, UT (1), TX[GP (4), HP (5), STP (4)].

***Melipotis nigrescens* G. and R.**, 1866 : 20. On *Prosopis*—stripped mesquite for 150 miles (2).

1. Dyar 1902 : 220. 2. TAMU.

SYN: *Melipotis ochreipennis* Harvey.

CO, TX (1), TX[CTP, EP, RP] (2).

***Melipotis ochrodes* Guenée.** On *Prosopis glandulosa*, *P. juliflora*, *P. pubescens*, *Yauco*—larvae found in crevices in bark of algarrobo trees (1).

1. Wolcott 1936 : 436.

PUERTO RICO (1).

***Rachiplusia ou* (Guen.)**, 1852 : 348. On *Prosopis glandulosa* (3); *Chenopodium anthelminiticum*, clover, cosmos, tobacco (2).

1. Crumb 1956 : 256. 2. Dyar 1902 : 200. 3. TTU.

SYN: *Autographa ou* Guen.; *A. fratella* Grt., 1874 : 161; *A. ouella* Strand.

AZ, CA, CO, FL, GA, IL, KS, LA, MN, MS, NC, NE, NM, NY, PA, TX (1, 2), TX[HP] (3).

***Selensis suero* Guen.** On *Prosopis* (1, 2).

1. Hayward 1958 : 60. 2. TTU.

ARGENTINA (1, 2).

Olethreutidae

***Cryptophlebia carpophagoides* Clarke.** On *Prosopis tamarugo*—damages seeds (1).

1. C. Klein, pers. comm.

CHILE (1).

Phycitidae

***Plodia interpunctella* (Huebner)**, 1827 : 310. On *Prosopis juliflora* (3)—attacks many stored products (2).

1. Dyar 1902 : 437. 2. Zimmerman 1958a : 386. 3. Bridwell 1920a : 337.

SYN: *Tinea interpunctella* Huebner; *Ephestia interpunctella* Meyrick, 1888 : 244; *Plodia interpunctalis* Butler, 1879 : 273.

CANADA, UNITED STATES (1), HI (2, 3).

Psychidae

***Cryptothelea gloverii* (Packard)**, 1869 : 291. On *Prosopis*, *Acacia*, *Carya*, *Citrus aurantium*, *Erythrina*, *Persea gratissima*, *Psidium guajava*, *Quercus*, *Rosa*, *Spondias mombin*, *Yucca* (1).

1. Davis 1964 : 59.

SYN: *Platoeceticus gloverii* Packard; *Psyche gloverii* Neumoegen and Dyer, 1894 : 119; *Mananthes jonesi* (Barnes and Benjamin), 1922 : 47; *Platoeceticus jonesi* (Barnes and Benjamin), 1924 : 188; *Chalia pizote* Schaus, 1927 : 185; *Oiketicoides pizote* (Schaus) Dalla Torre and Strand, 1929 : 100; *O. tristis* Vazquez, 1941 : 296.

GUATEMALA, HONDURAS, MEXICO, AZ, FL, GA, LA, MS, SC, TX[GP, PW, STP] (1).

***Oiketicus bergii* (Weyenbergh)**, 1884 : 17. On *Prosopis strombulifera* (1); *Prosopis* sp. (2); *Cassia aphylla* (1).

1. Davis 1964 : 104. 2. TTU.

SYN: *Psyche bergi* Weyenbergh; *Oiketicus oviformis* Koehler, 1939 : 462; *Clania oviformis* (Koehler), 1953 : 23.

ARGENTINA (1, 2).

***Oiketicus horni* Koehler**, 1938 : 248. On *Prosopis* (1).

1. Davis 1964 : 154.

ARGENTINA (1).

***Oiketicus townsendi mexicanus* Gaede**, 1936 : 1184. On *Prosopis juliflora*, *Acacia* sp., *Araucaria*, *Baccharis conferta*, *Ligustrum japonicum*, *Montonoa tormentosa*, *Pinus leiophylla*, *P. oocarpa*, *P. teocote*, *Quercus* sp., *Rosa* sp., *Schinus molle*, *Stevia* sp., *Taxodium mucronatum* (1); *Prosopis* sp. (2).

1. Davis 1964 : 116. 2. R. F. Wilkey, pers. comm.

SYN: *Oiketicus mexicanus* Gaede; *O. townsendi* form *dendrokomos* Vazquez, 1942 : 280; *O. multidentatus* Vazquez, 1942 : 289.

MEXICO (1).

***Oiketicus townsendi townsendi* Townsend**, 1894 : 356. On *Prosopis odorata* (1); *P.* sp. (1, 2); *Robinia* (1).

1. Davis 1964 : 113. 2. R. F. Wilkey, pers. comm.

SYN: *Oiketicus townsendi* Townsend; *O. bonniwelli* Barnes and Benjamin, 1924 : 24; *O. town-*

sendi var. *bonniwelli* Barnes and Benjamin, 1926:5.

AZ (1), CA (2), NM, TX[CTP] (1).

Oiketicus toumeyii Jones, 1922:12. On *Prosopis juliflora*, *Ailanthus altissima*, *Baccharis ramulosa*, *Juniperus sempervirens*, *Mimosa* sp., *Prunus*, *Pyrus malus*, *Robinia neomexicana*, *Sapindus* sp. (1); *Prosopis* sp. (2).

1. Davis 1964:109. 2. R. F. Wilkey, pers. comm.
SYN: *Oiketicus mortonjonesi* Vazquez, 1949:339.

MEXICO (1), AZ (1, 2), NM (1).

Oiketicus westwoodii Berg, 1882:217. On *Prosopis*, *Piptadenia cebil*, *P. communis* (1).

1. Davis 1964:145.

SYN: *Oeceticus westwoodii* Berg.

ARGENTINA (1).

Thyridopteryx meadi Hy. Edwards, 1881:116. On *Prosopis*, *Larrea tridentata* (1).

1. Davis 1964:131.

SYN: *Thyridopteryx meadii* Kirby, 1892:501.

AZ, CA, TX[TP] (1).

Pyralidae

Cryptoblabes aliena Swezey, 1909:24. Feeding on *Prosopis* blooms, on beans, coffee, corn, cotton, *Cyanea procera*, *Ficus macrophylla*, *Lantana*, mango, mulberry, orange, *Osmanthus*, *Philodendron*, *Plectronia*, *Ricinus*, *Samanea saman*, *Schinus terebinthifolius*, sorghum, sorghop, sugarcane (1).

1. Zimmerman 1958b:360.

HI (1).

Ectomyelois ceratoniae (Zeller), 1939:176. In seeds and pods of *Prosopis juliflora*, *Acacia farnesiana*, *Caesalpinia monosperma*, *Haematoxylon campechianum*, *Samanea saman*; also in prepared dried fruits and nuts (1).

1. Zimmerman 1958b:360.

SYN: *Myelois ceratoniae* Zeller.

Nearly COSMOPOLITAN, HI (1).

Nephtopteryx sp. On *Prosopis* (2).

1. Dyar 1902:422. 2. TTU.

MEXICO (2).

Saturniidae

Automeris aspera (Fldr.), 1874:5. On *Prosopis alba*, *P. algarobilla*, *P. nigra* (1, 2), *Aspidosperma quebrachoblanche*, *Celtis spinosa*, *Mimosa hexandra*, *Tamarix* sp. (2).

1. Jorgensen 1934:60. 2. Hayward 1958:66.

SYN: *A. burmeisteri* Weyenburgh, 1886:117.

ARGENTINA (1, 2), BRAZIL, PARAGUAY (1).

Automeris oberthuri (Boisduval), 1875:241. On *Prosopis alba*, *P. nigra* (1, 2)—larvae live on *Prosopis* (1).

1. Hayward 1958:64. 2. TTU.

SYN: *Automeris flavia* Burmeister, 1878:481.

ARGENTINA (1, 2).

Dryocampa lineata Dognin. On *Prosopis nigra*—larvae on *P. nigra* (1).

1. Hayward 1958:63.

ARGENTINA (1).

Eupeckardia calleta (Westwood), 1853:161. Feeds on *Prosopis* sp., *Acacia* sp., *Fouquieria splendens*, *Leucophyllum frutescens* (= *texana*)—has been reared on other hosts including *Prunus* (1).

1. Ferguson 1972:230.

SYN: *Saturnia calleta* Westwood; *Platysamia polyommata* Tepper, 1883:66; *Eupackardia calleta* ab. *semicaeca* Cockerell, 1914:236; *E. calleta* form *caeca* Draudt, 1929:720; *E. calleta* form *diguetti* Bouvier, 1936:279.

GUATEMALA, MEXICO, AZ, TX[GP, STP, TP] (1).

Hemileuca juno Packard, 1872:87. Feeds on *Prosopis juliflora* (1).

1. Ferguson 1971:125.

SYN: *Hemileuca yavapai* Neumoegen, 1881:172.

MEXICO, AZ, CA, ID, NM, NV, UT (1).

Hemileuca tricolor (Packard), 1872:89. On mesquite (2).

1. Dyar 1902:74. 2. UAT.

SYN: *Euleucophaeus tricolor* Packard.

AZ (2), NM (1).

Sphingicampa heiligbrodti (Harvey), 1877:110. Feeds on *Prosopis juliflora* var. *glandulosa*, *Acacia farnesiana*, *A. rigidula* (1).

1. Ferguson 1971:42.

SYN: *Anisota heiligbrodti* Harvey.

MEXICO, TX[GP, STP, TP] (1).

Sphingicampa hubbardi (Dyar), 1902:76. Feeds on *Prosopis* sp., reared from mesquite (1).

1. Ferguson 1971:44.

SYN: *Syssphinx heiligbrodti hubbardi* Dyar.

MEXICO, AZ, NM, TX[CTP, STP] (1).

Syssphinx formosa Dognin, 1910:17. On *Prosopis* (1).

1. Jorgensen 1934:60.

SYN: *Syssphinx bilineata* (pars.) Giacomelli, 1911:18.

ARGENTINA (1).

Scythridae

Scythris spp. On *Prosopis* (2).

1. Dyar 1902:537. 2. TTU. NM (2).

Tineidae

Dyotopasta yumaella (Kearfott). On mesquite, *Echinocereus* (1).

1. TTU. SYN: *D. angustella* Wlshm. TX[HP] (1).

Tortricidae

Laspeyresia membrosa Heinrich, 1926:49. In *Prosopis*—infesting pods (1, 2).

1. Heinrich 1926:49. 2. J. A. Powell, pers. comm. AZ, CA, NV, TX[EP, STP] (1).

Ofatulena duodecemstriata (Wlsm.), 1884:146. In *Prosopis*—infesting pods (1, 3).

1. Dyar 1902:470. 2. Heinrich 1926:40. 3. J. A. Powell, pers. comm.

SYN: *Grapholitha duodecemstriata* Wlsm.; *Enarmonia duodecemstriata* (Wlsm.), *Laspeyresia duodecemstriata* (Wlsm.).

- AZ (1, 2), CA, NV, TX, UT (2).

Washiidae

Ithome spp. On *Prosopis tamarugo* (1); mesquite (2).

1. C. Klein, pers. comm. 2. C. E. Rogers, pers. comm.

CHILE (1), TX[RP] (2).

Ithome concolorella (Chambers). On mesquite—infests large percentage of mesquite buds (1).

1. Rogers, pers. comm. TX[RP] (1).

NEUROPTERA

Chrysopidae

Chrysopa spp. On mesquite—predaceous on other arthropods (1).

1. TTU. MEXICO (1).

Chrysopa carnea Step., 1836:117. On mesquite—predaceous on other arthropods (2).

1. Tjeder 1960:148. 2. TTU. SYN: *Chrysopa plorabunda* Fitch, 1856:88; *C. californica* Coquillett, 1890:288.

EUROPE, NORTH AMERICA (1), TX[RP] (2).

Chrysopa oculata Say, 1839:45. On *Prosopis*—predaceous on other arthropods (1).

1. TTU.

SYN: *Chrysopa euryptera* Burm. 1902:980. TX[RP] (1).

Hemerobiidae

Nomerobium psychodoides (Blanch.). On *Prosopis caldenia*—predaceous on other arthropods (1).

1. TTU. ARGENTINA (1).

ORTHOPTERA

Acrididae

Aeoloplides turnbulli (Caudell). On mesquite (1).

1. TTU. TX[RP] (1).

Boopedon nubilum (Say), 1825:308. On mesquite (2).

1. Kirby 1910:128. 2. TTU.

SYN: *Gryllus nubilus* Say; *Boopedon nigrum* Thomas, 1870:83; *B. nubilum* Thomas, 1873:341.

- CO, KS, NM (1), TX[HP] (2).

Brachystola magna (Girard), 1854:260. On mesquite (2).

1. Kirby 1910:293. 2. TTU. SYN: *Brachypeplus magnus* Girard. MEXICO (1, 2), TX[HP] (2).

Dactylotum bicolor pictum (Thomas), 1870:78. On mesquite (2).

1. Kirby 1910:542. 2. TTU.

SYN: *Poepodetes pictum* Thomas; *Dactylotum pictum* Brun., 1908:335.

COLOMBIA, MEXICO, WESTERN UNITED STATES (1), TX[HP, RP] (2).

Hesperotettix speciosus Scudder, 1871:250. On mesquite (2).

1. Kirby 1910:500. 2. TTU.

SYN: *Pezotettix speciosa* Scudder; *Acridium frontalis* Thomas, 1872:448; *Hesperotettix speciosa* Scudder, 1898:57.

- NORTH AMERICA (1), TX[HP, RP] (2).

Hesperotettix viridis (Thomas), 1872:450. On *Prosopis glandulosa* (2).

1. Kirby 1910:498. 2. TTU.

SYN: *Caloptenus viridis* Thomas; *Ommatolampis viridis* Thomas, 1873:156; *Pezotettix viridis* Stål, 1878:14.

MEXICO, SOUTHERN UNITED STATES (1), TX[RP, TP] (2).

Melanoplus spp. On *Prosopis*, mesquite (1).

1. TTU.

MEXICO, TX[STP] (1).

Melanoplus differentialis (Thomas), 1865:450. On mesquite—wide host range (2).

1. Kirby 1910:528. 2. TTU.

SYN: *Acridium differentiale* Thomas; *Caloptenus differentialis* Walsh and Riley, 1868:187; *Oedipoda differentialis* Riley, 1873:14; *Pezotettis differentialis* Stål, 1878:14.

WIDESPREAD IN UNITED STATES (1), TX[HP, RP] (2).

Melanoplus ponderosus (Scudder), 1875:473. On *Prosopis glandulosa* (2).

1. Kirby 1910:528. 2. TTU.

SYN: *Caloptenus ponderosus* Scudder; *C. robustus* Scudder, 1875:473; *Melanoplus robustus* (Scudder).

TX[RP] (2).

Mermiria bivittata maculipennis Brun., 1890:54. On mesquite (2).

1. Kirby 1910:104. 2. TTU.

SYN: *Mermiria maculipennis* Brun.

TX (1), TX[HP, RP] (2).

Orphulella pelidna (Burm.), 1838:650. On *Prosopis glandulosa* (2).

1. Kirby 1910:120. 2. TTU.

SYN: *Gomphocerus pelidnus* Burm.; *Stenobothrus maculipennis* Scudder, 1862:458; *S. propinquans* Scudder, 1862:461; *S. pelidnus* Thomas, 1873:95; *Orphula maculipennis* Morse, 1896:326; *O. pelidna* McNeill, 1897:234; *Orphulella pelidna* Scudder, 1899:179.

CUBA (1), TX[STP] (2).

Paraidemona mimica Scudder, 1889:43. On *Prosopis glandulosa*, mesquite (3); grasses (2).

1. Kirby 1910:496. 2. Zimmerman 1948:107. 3. TTU.

MEXICO (1), HI (2), TX[STP] (3).

Poecilotettix pantherinus (Walker), 1870:623. On mesquite—prefers to feed on mesquite but often spreads into crops and pastures (2).

1. Kirby 1910:506. 2. Essig 1934:84.

SYN: *Acridium pantherinum* Walker; *Caloptenus (Hesperotettix) picticornis* Thomas, 1877:124; *Poecilotettix picticornis* Scudder, 1898:386.

MEXICO (1), AZ (1, 2).

Schistocerca shoshone (Thomas), 1873:296. On *Prosopis*, cottonwood, grasses, poplar, willow and many crops (2).

1. Kirby 1910:459. 2. Essig 1934:79.

SYN: *Acridium shoshone* Thomas.

MEXICO (1, 2), AZ, CA, CO, ID, NM, NV, UT (2).

Syrbula admirabilis (Uhler), 1864:553. On mesquite (3).

1. Blatchley 1920:209. 2. Kirby 1910:107. 3. TTU.

SYN: *Stenobothrus admirabilis* Uhler.

FL, IL, IN, NE, NJ, NM, TX (2), TX[RP] (3).

Teichophrys sp. On mesquite (1).

1. TTU.

MEXICO (1).

Blattidae

Diploptera dytiscoides (Serville), 1839:102. On *Prosopis*—damages cypress, *Prosopis*, lime and other plants by girdling and killing the twigs and limbs; *Acacia farnesiana*, *Casuarina*, *Cryptomeria*, *Cupressus macrocarpa*, citrus, geraniums, fruits of mango, orange, papaya (1).

1. Zimmerman 1948:96.

SYN: *Blatta dytiscoides* Serville; *Eleutheroda dytiscoides* (Serville).

AUSTRALIA, CEYLON, EASTER ISLAND, FIJI, INDIA, INDO-PACIFIC, MARQUESAS, SAMOA, SINGAPORE, SOCIETY ISLANDS, HI (1).

Phasmatidae

Diapheromera velii velii Walsh, 1864:410. On *Prosopis glandulosa*, mesquite (2).

1. Kirby 1904:347. 2. TTU.

SYN: *D. veliei* Caud., 1903:876.

MEXICO, SOUTHERN UNITED STATES (1), NM, TX[HP, RP, STP] (2).

Tettigoniidae

Amblycorypha sp. On *Prosopis glandulosa* (2).

1. Kirby 1906:459. 2. TTU.

TX[STP] (2).

Cycloptilum sp. On mesquite (2).

1. Kirby 1906:59. 2. TTU.

MEXICO (2).

Dichopetala sp. On mesquite (2).

1. Kirby 1906:388. 2. TTU.

TX[STP] (2).

Dichopetala brevihastata Morse, 1902:381. On *Prosopis glandulosa* (2); mesquite (3).

1. Kirby 1906:388. 2. Swenson 1969:56. 3. TTU.

SYN: *Dichopetala brevicauda* Scudder, 1902:51.

MEXICO, NM (1), TX[RP] (2, 3).

Dichopetala emarginata Brunner, 1878:76. On mesquite (2).

1. Kirby 1906:388. 2. TTU.

TX[HP] (2).

Insara sp. On mesquite (2).

1. Kirby 1906:442. 2. TTU.

TX[TP] (2).

Scudderia spp. On *Prosopis glandulosa*, mesquite (2).

1. Kirby 1906:444. 2. TTU.

MEXICO, TX[STP] (2).

Scudderia furcata furcata Brunner, 1878:238. On mesquite (2).

1. Kirby 1906:445. 2. TTU.

TX (1), TX[HP, RP] (2).

THYSANOPTERA

Heterothripidae

Heterothrips prosopidis Crawford, 1943:93. On *Prosopis* (1, 3).

1. Bailey and Cott 1954:614. 2. Crawford 1943:93. 3. R. F. Wilkey, pers. comm.

AZ, CA (1, 3), TX (1).

Phlaeothripidae

Haplothrips gowdeyi (Franklin), 1908:724. On *Prosopis chilensis* and in flowers of a wide range of other plants including crops (1).

1. Zimmerman 1948:444.

SYN: *Anthothrips gowdeyi* Franklin; *A. usitatus* Bagnall, 1910:695.

COSMOPOLITAN (1).

Hoplothrips flavitibia Moulton, 1928:117. On *Prosopis*, *Acacia koa*, *Aleurites moluecana*, *Auricularia* sp., *Eucalyptus* sp., *Eugenia cumini*, *Myrsine* (1).

1. Zimmerman 1948:438.

AUSTRAL ISLANDS, TAHITI, HI (1).

Leptothrips mali (Fitch), 1855:806. On *Prosopis juliflora*, *P. pubesens* (3)—a predaceous species found feeding on other arthropods on almost any plant (2).

1. Bailey 1940:539. 2. Watson 1923:68. 3. R. F. Wilkey, pers. comm.

SYN: *Phlaeothrips mali* Fitch; *Cryptothrips aspersus* Hinds, 1902:205; *C. californicus* Daniel, 1904:293; *Phyllothrips aspersus* Hood, 1908:305; *Leptothrips aspersus* Hood, 1909:249; *Liothrips mcconnelli* Crawford, 1910:163.

BRAZIL (1), BARBADOS (2), CANADA, HONDURAS, MEXICO, PANAMA, ENTIRE UNITED STATES (1, 2).

Thripidae

Frankliniella gossypiana Hood, 1936:68. On mesquite, cotton (1).

1. UAT.

SYN: *Eurthrips gossypii* Morgan, 1913:9; *Frankliniella gossypiana* (Morgan).

AZ (1).

Frankliniella occidentalis (Pergande), 1895:392. On mesquite (1)—abundant on blossoms (3, 4); beans, mango, potatoes, and numerous trees and shrubs (2); and other crops (4).

1. Hinds 1903:79. 2. Watson 1923:39. 3. F. G. Werner, pers. comm. 4. TTU.

SYN: *Euthrips occidentalis* Pergande.

AZ (3, 4), CA, FL (2), TX[HP] (4).

Frankliniella rodeos Moulton. On *Prosopis tamarugo*—damages flowers (1).

1. C. Klein, pers. comm.

CHILE (1).

Taeniothrips hawaiiensis (Morgan), 1913:3. On *Prosopis*, widespread flower feeder with broad host range including crops (1).

1. Zimmerman 1948:415.

SYN: *Euthrips hawaiiensis* Morgan; *Thrips albipes* Bagnall, 1914:25; *T. hawaiiensis* var. *imitator* Priesner, 1934:267.

ORIENT, HI (1).

Thrips tabaci Lindeman, 1888:15. *Prosopis chilensis*, *P. juliflora* and a wide variety of other plants including crops (1).

1. Zimmerman 1948:422.

COSMOPOLITAN (1).

LITERATURE CITED

- Anderson, D. M. 1962. The weevil genus *Smicronyx* in America north of Mexico (Coleoptera:Curculionidae). Proc. U.S. Natl. Mus. 113:185-372.
- Bailey, S. F. 1940. The black hunter, *Leptothrips mali* (Fitch). J. Econ. Entomol. 33:539-544.
- Bailey, S. F., and Cott, H. E. 1954. A review of the genus *Heterothrips* Hood (Thysanoptera:Heterothripidae) in North America, with descriptions of two new species. Ann. Entomol. Soc. Am. 47:614-635.
- Ball, E. D. 1937. Some new Fulgoridae from the western United States. Bull. Brooklyn Entomol. Soc. 32:171-183.
- Barber, H. G. 1947. Revision of the genus *Nysius* in the United States and Canada (Hemiptera:Heteroptera:Lygaeidae). J. Wash. Acad. Sci. 37:354-366.
- Barr, W. F.
1941a. New records of *Paratyndaris*. Bull. Brooklyn Entomol. Soc. 36:168-169.
1941b. Distributional notes and new records of *Acmaeodera* (Coleoptera:Buprestidae). Pan-Pac. Entomol. 17:62-69.
1949. A revision of the species of the genus *Polycesta* occurring in the United States (Coleoptera:Buprestidae). Am. Mus. Novit. 1432, 42 pp.
- Barron, J. R. 1971. A review of the Trogositidae of America north of Mexico (Coleoptera:Cleroidea). Mem. Entomol. Soc. Can. 75:79.
- Beutenmuller, W. 1896. Food habits of North American Cerambycidae. J. N.Y. Entomol. Soc. 4:73-81.
- Bibby, F. F. 1931. Coccoids collected on wild plants in semi-arid regions of Texas and Mexico (Homoptera). Bull. Brooklyn Entomol. Soc. 26:189-194.
- Blackman, M. W. 1940. The scolytid beetles of the genus *Renocis* Casey with description of nine new species. Proc. U.S. Natl. Mus. 88:373-401.
- Blackwelder, R. E. 1939. Fourth supplement to the Leng catalogue of Coleoptera of America, north of Mexico. 146 pp. The Freybourg Co., Mount Vernon, N.Y.
- Blackwelder, R. E. Checklist of the coleopterous insects of Mexico, Central America, the West Indies, and South America.
1944a. Pt. I. U.S. Natl. Mus. Bull. No. 185:1-188.
1944b. Pt. II. U.S. Natl. Mus. Bull. No. 185:189-341.
1945. Pt. III. U.S. Natl. Mus. Bull. No. 185:343-550.
1946. Pt. IV. U.S. Natl. Mus. Bull. No. 185:551-763.
1947. Pt. V. U.S. Natl. Mus. Bull. No. 185:765-925.
- Blackwelder, R. E., and Blackwelder, R. M. 1948. Fifth supplement to the Leng catalogue of Coleoptera of America, north of Mexico. 87 pp. The Lane Press, Burlington, Vt.
- Blatchley, W. S. 1920. Orthoptera of northeastern America. 784 pp. The Nature Publishing Co., Indianapolis.
- Blatchley, W. S., and Leng, C. W. 1916. Rhynchophora or weevils of north eastern America. 682 pp. Nature Publishing Co., Indianapolis.
- Bogusch, E. R. 1950. A bibliography on mesquite. Tex. J. Sci. 2:528-538.
- Bosq, J. M. 1942. Segunda lista de coleopteros de la Republica Argentina, dañinos a la agricultura. Ing. Agron. 4:18-22.
- Box, H. E. 1953. List of sugar-cane insects: a synonymic catalogue of the sugar-cane insects and mites of the world, and of their insect parasites and predators, arranged systematically. 100 pp. Commonwealth Institute of Entomology, London.
- Bradley, J. C. 1946. Contributions to our knowledge of the Mylabridae, seu Bruchidae (Coleoptera), with especial reference to the fauna of northeastern America. Psyche 53:33-42.
- Bridwell, J. E.
1917. Notes on the Bruchidae and their parasites in the Hawaiian Islands. Proc. Hawaii. Entomol. Soc. 3(5):465-505.
1919. Some additional notes on Bruchidae and their parasites in the Hawaiian Islands. Proc. Hawaii. Entomol. Soc. 4(1):15-20.
1920a. Insects injurious to the algaroba feed industry. Hawaii. Plant. Rec. 22:337-343.
1920b. Notes on the Bruchidae (Coleoptera) and their parasites in the Hawaiian Islands, 3rd paper. Proc. Hawaii. Entomol. Soc. 4(2):403-409.
1943. A new *Amblycerus* affecting seeds of *Prosopis chilensis* in Puerto Rico and Hispaniola. J. Agric. Univ. P.R. 27:133-135.
- Brisley, H. R. 1924. The mesquite cutworm, *Melipotis indomita* Walker. Pan-Pac. Entomol. 1:94.
- Buren, W. F. 1968. A review of the species of *Crematogaster*, sensu stricto, in North America (Hymenoptera:Formicidae). II. Descriptions of new species. Ga. Entomol. Soc. J. 3:91-121.
- Burke, H. E. 1918. Notes on some southwestern Buprestidae. J. Econ. Entomol. 11:209-211.
- Bynum, W. M. 1951. The desert damp-wood termite in the lower Rio Grande Valley of Texas. J. Econ. Entomol. 44:996-997.
- Caldwell, J. S. 1947. New Fulgoroidea from North America (Homoptera). Ohio J. Sci. 47:76-78.
- Caldwell, J. S., and Martorell, L. F. 1951. New leafhoppers of Puerto Rico. J. Agric. Univ. P.R. 35:88-89.
- Cartwright, O. L. 1963. Two new species of *Megasoma* from the United States and Mexico (Coleoptera:Scarabaeidae). Coleopt. Bull. 17:25-29.
- Cazier, M. A. 1938. Two new California *Acmaeodera* (Coleoptera:Buprestidae) Bull. South. Calif. Acad. Sci. 37:137-140.
- Cole, A. C., Jr. 1968. Pogonomyrmex harvester ants. 59 pp. The University of Tennessee Press, Knoxville.
- Comstock, J., and Dammers, C. M. 1932. Metamorphoses of five California diurnals (Lepidoptera). Bull. South. Calif. Acad. Sci. 31:33-45.

- Corporaal, J. B. 1950. Coleopterorum catalogus supplementa. Pars 23. Editio Segunda. 393 pp. W. Junk, The Haag, Netherlands.
- Craighead, F. C.
1920. Direct sunlight as a factor in forest insect control. Proc. Entomol. Soc. Wash. 22: 106-108.
1949. Insect enemies of eastern forests. U.S. Dep. Agric. Misc. Publ. No. 657, 670 pp.
- Craighead, F. C., and Hofer, G. 1921. Protection of mesquite cordwood and posts from borers. U.S. Dep. Agric. Farmer's Bull. No. 1197, 12 pp.
- Crawford, D. L. 1914. A monograph of the jumping plantlice or Psyllidae of the New World. U.S. Natl. Mus. Bull. No. 85, 186 pp.
- Crawford, J. C. 1943. A new *Heterothrips* on *Prosopis*, Thysanoptera: Heterothripidae. Proc. Entomol. Soc. Wash. 45: 93-94.
- Crumb, S. E. 1956. The larvae of the Phalaenidae. U.S. Dep. Agric. Tech. Bull. No. 1135, 356 pp.
- Davis, D. R. 1964. Bagworm moths of the western Hemisphere (Lepidoptera: Psychidae). U.S. Natl. Mus. Bull. No. 244, 233 pp.
- dos Passos, C. F. 1964. A synonymic list of the nearctic Rhopalocera. Lepid. Soc. Mem. No. 1, 145 pp.
- Duncan, D. K. 1933. Random notes of a Arizona field collector. On some *Polycestini* (Coleoptera: Buprestidae) with description of a new species of *Acamaeodera*. Bull. Brooklyn Entomol. Soc. 28: 229-232.
- Dyar, H. G. 1902. A list of North American Lepidoptera. U.S. Natl. Mus. Bull. No. 58, 723 pp.
- Englehardt, G. P. 1946. The North American clear-winged moths of the family Aegeriidae. U.S. Natl. Mus. Bull. No. 190, 222 pp.
- Essig, E. O.
1913. The western twig borer. Calif. State Comm. Hort. Mon. Bull. 2: 681-684.
1934. Insects of western North America. 1035 pp. The Macmillan Co., N.Y.
- Ferguson, D. C. The moths of America north of Mexico. E. W. Classey Ltd. and R.B.D. Publications, Inc., London. Bombycoidea. Saturniidae (Part).
1971. Fasc. 20.2A: 1-154.
1972. Fasc. 20.2B: 155-275.
- Forister, G. W. 1970. Bionomics and ecology of eleven species of Bruchidae (Coleoptera). 93 pp. M.S. thesis, Northern Arizona University, Flagstaff.
- Foster, D. E., and Barr, W. F. 1972. Notes on the distribution and bionomics of some North American Cleridae. J. Kans. Entomol. Soc. 54: 122-125.
- Froeschner, R. C. 1960. Cydnidae of the Western Hemisphere. Proc. U.S. Natl. Mus. 111: 337-680.
- Gould, F. W. 1975. Texas plants: a checklist and ecological summary. 129 pp. Texas Agricultural Experiment Station.
- Hayward, K. J. 1958. Insectos tucumanos perjudiciales. Rev. Ind. Agric. Tucuman. 42: 1-144.
- Heinrich, C. 1926. Revision of the North American moths of the subfamilies Laspeyresiinae and Olethreutinae. U.S. Natl. Mus. Bull. No. 132, 216 pp.
- Herbert, F. B. 1920. Western twig pruners. J. Econ. Entomol. 13: 360-363.
- High, M. M. 1915. The huisache girdler. U.S. Dep. Agric. Bull. No. 184, pp. 1-8.
- Hinds, W. E. 1903. Contributions to a monograph of the insects of the order Thysanoptera inhabiting North America. Proc. U.S. Natl. Mus. 26: 79-242.
- Hodges, R. W. 1966. Review of New World species of *Batrachedra* with description of three new genera (Lepidoptera: Gelechioidea). Trans. Am. Entomol. Soc. 92: 585-651.
- Hodges, W. H. 1971. The moths of America north of Mexico. Fasc. 21. 158 pp. E. W. Classey Ltd. and R.B.D. Publications, Inc., London.
- Howden, A. T. 1959. A revision of the species of *Pandeleiteius* Schonherr and *Pandeleiteinus* Champion of America north of Mexico (Coleoptera: Curculionidae). Proc. Calif. Acad. Sci., 4th Ser. 29: 361-421.
- Jensen, D. D. 1945. Notes on the synonymy, nymphs, and distribution of *Heteropsylla texana* Crawford (Homoptera: Psyllidae). Pan-Pac. Entomol. 21: 74-76.
- Jørgensen, P. 1934. Neve Schmetterlinge und Raupen aus Sudamerika. Dtsch. Entomol. Z. 48: 60-78.
- Jones, W. W. 1932. Mesquite injured by *Orthotylus translucens* Tucker in Arizona. J. Econ. Entomol. 25: 136.
- Kapur, C. L. 1938. Protection of *Prosopis juliflora* pods. Indian For. 64: 528.
- Keen, F. P. 1952. Insect enemies of western forests. U.S. Dep. Agric. Misc. Publ. No. 273, 209 pp.
- Kempf, W. W. 1972. Catalogo abreviado das formigas da regio neotropical (Hymenoptera: Formicidae). Stud. Entomol. 15: 3-344.
- Kingsolver, J. M.
1964. The genus *Neltumius* (Coleoptera: Bruchidae). Coleopt. Bull. 18: 106.
1967. On the genus *Rhipibruchus* Bridwell, with descriptions of new species and a closely related new genus (Coleoptera: Bruchidae: Bruchinae). Proc. Entomol. Soc. Wash. 69: 318-327.
1968. A new genus of Bruchidae from South America, with the description of a new species (Coleoptera). Proc. Entomol. Soc. Wash. 70: 280-286.
1972. Description of a new species of *Algarobius* Bridwell (Coleoptera: Bruchidae). Coleopt. Bull. 26(3): 116-120.
- Kirby, W. F. A synoptic catalogue of the Orthoptera. British Museum, London.
1904. Vol. 1. Orthoptera. Euplexoptera, Cursoria, et Gressoria. 501 pp.
1906. Vol. 2. Orthoptera. Saltatoria. Pt. 1. Achetidae et Phasgonuridae. 562 pp.
1910. Vol. 3. Orthoptera. Saltatoria. Pt. 1. Locstidae vel Acridiidae. 674 pp.
- Kissinger, D. G.
1968. Curculionidae subfamily Apioninae of North and Central America. 599 pp. Taxonomic Publications, South Lancaster, Mass.
1970. Curculionidae tribe Ophryastini of North America (Coleoptera). 238 pp. Taxonomic Publications, South Lancaster, Mass.
- Klyver, F. D. 1932. Biological notes and new records of North American Chermidae (Homoptera). Entomol. News 43: 7-12, 33-40, 70-75.
- Krombein, K. V. 1958. Hymenoptera of America north of Mexico. U.S. Dep. Agric. Monogr. No. 2. (1st Suppl.), 305 pp.
- Krombein, K. V., and Burks, B. D. 1967. Hymenoptera of

- America north of Mexico. U.S. Dep. Agric. Monogr. No. 2. (2d Suppl.), 584 pp.
- Lebert, C. D. 1931. Arizona insect report of 1929-1930. Ariz. Comm. Agric. Hort. Rep. 31: 54-64.
- Leng, C. W. 1920. Catalogue of the Coleoptera of America, north of Mexico. 470 pp. The Cosmos Press, Cambridge, Mass.
- Leng, C. W., and Mutchler, A. J.
1927. Supplement to catalogue of the Coleoptera of America, north of Mexico. 78 pp. The Cosmos Press, Cambridge, Mass.
1933. Second and third supplements to catalogue of the Coleoptera of America, north of Mexico. 112 pp. The Freybourg Co., Mount Vernon, N.Y.
- Light, S. F. 1933. Termites of western Mexico. Univ. Calif. Publ. Entomol. 6: 79-164.
- Linsley, E. G. 1935. Studies in the longicornia of Mexico. Trans. Am. Entomol. Soc. 61: 67-102.
- Linsley, E. G. The Cerambycidae of North America. Univ. Calif. Berkeley Publ. Entomol.
1962a. Pt. II. Taxonomy and classification of the Parandrinae, Prioninae, Spondyliinae, and Aseminae. Publ. 19, 102 pp.
1962b. Pt. III. Taxonomy and classification of the subfamily Cerambycinae, tribes Opsimini through Megaderini. Publ. 20, 188 pp.
1963. Pt. IV. Taxonomy and classification of the subfamily Cerambycinae, tribes Elaphidionini through Rhinotragini. Publ. 21, 165 pp.
1964. Pt. V. Taxonomy and classification of the subfamily Cerambycinae, tribes Callichromini through Ancylocerini. Publ. 22, 197 pp.
- McDunnough, J. 1938. Check list of the Lepidoptera of Canada and the United States of America. Part I. Macrolepidoptera. Mem. South. Calif. Acad. Sci., 1275 pp.
- Mathur, R. N., and Singh, B. 1959. A list of insect pests of forest plants in India and the adjacent countries. Indian For. Bull. N. S. 171(7): 1-60.
- Metcalf, Z. P. General catalogue of the Homoptera. Fasc. IV. Fulgoroidea. Smith College, Northampton, Mass.
1936. Pt. 2, Cixiidae. 269 pp.
1947. Pt. 9, Fulgoridae. 276 pp.
- Metcalf, Z. P. General catalogue of the Homoptera. North Carolina State College, Raleigh.
1954. Fasc. IV, Pt. 14, Acanaloniidae. 64 pp.
1957. Fasc. IV, Pt. 13, Flatidae and Hypochthonellidae. 574 pp.
1957. Fasc. IV, Pt. 15, Issidae. 570 pp.
1961. Fasc. VII, Pt. 2, Cercopidae. 616 pp.
1962. Fasc. VII, Pt. 3, Aphrophoridae. 608 pp.
1963. Fasc. VIII, Pt. 1, Cicadidae. 585 pp.
1963. Fasc. VIII, Pt. 2, Cicadoidea: Tibicinidae. 492 pp.
1965. Fasc. I, Supplement, Membracidae. 1552 pp. (in two sections).
- Metcalf, Z. P. General catalogue of the Homoptera. Fasc. VI. Cicadelloidea. Agricultural Research Service, U.S. Department of Agriculture, Washington, D.C.
1962. Pt. 5, Ulopidae. 101 pp.
1962. Pt. 3, Gyponidae. 229 pp.
1965. Pt. 1, Tettigellidae. 730 pp.
1966. Pt. 13, Macropsidae. 261 pp.
1966. Pt. 14, Agalliidae. 173 pp.
1967. Pt. 10, Euscelidae. 2695 pp. (in three sections).
- Michener, C. D. 1939. A revision of the genus *Ashmeadiella* (Hymenoptera: Megachilidae). Am. Midl. Nat. 22: 1-84.
- Moldenke, A. R. 1971. Host-plant relations of phytophagous beetles in Mexico. Pan-Pac. Entomol. 47: 105-116.
- Muesebeck, C. F. W.; Krombein, K. V.; and Townes, H. K. 1951. Hymenoptera of America north of Mexico. U.S. Dep. Agric. Monogr. No. 2, 1420 pp.
- Nelson, G. H.
1959. Notes on the Buprestidae. Bull. Brooklyn Entomol. Soc. 54: 21-24.
1960. Notes on the Buprestidae and Schizopodidae. Bull. Brooklyn Entomol. Soc. 55: 70-74.
1962. Notes on the Buprestidae. Part III. Bull. Brooklyn Entomol. Soc. 57: 56-60.
1964. Notes on the Buprestidae. Part IV. With a new synonym in *Chrysobothris*. Bull. Brooklyn Entomol. Soc. 59: 37-41.
1967. Notes on the Buprestidae (Coleoptera). Part V. With descriptions of previously unknown sexes. Coleopt. Bull. 21: 23-27.
1968. A revision of the Acmaeoderoides (Coleoptera: Buprestidae). Proc. Calif. Acad. Sci., 4th Ser. 36: 125-146.
- Orfila, R. N. 1966. La isoca cuarteadora del algarrobo. Inst. Patal. Vegetal. Hoja Inf. 5: 2.
- Polk, K. L. 1971. The ecology of the mesquite twig girdler, *Oncideres rhodostriata* [sic] Bates, and its evaluation as a biological control agent. 65 pp. M.S. thesis, Texas Tech University, Lubbock.
- Poos, F. W. 1938. Insects in relation to diseases of cereal and forage crops. J. Econ. Entomol. 31: 24-38.
- Porter, C. E. 1914. Notas de parasitologica. An. Zool. Apl., Santiago de Chile 1: 42-43.
- Rowell, C. M. 1969. The taxonomy and phylogeography of the genus *Prosope* L. Tex. Tech. Coll., Lubbock, I.C.A.S.A.L.S. Spec. Rep. No. 26: 4-19.
- Schenkling, S. 1925. Coleopterorum catalogus. Pars 80. Elateridae. 132 pp. W. Junk, The Haag, Netherlands.
- Slater, J. A. 1964. A catalogue of the Lygaeidae of the world. Vols. 1 and 2. University of Connecticut Stores.
- Stone, A.; Sabrosky, C. W.; Worth, W. W.; Foote, R. H.; and Coulson, J. R. (eds.) 1965. A catalogue of the Diptera of America north of Mexico. U.S. Dep. Agric. Agric. Handb. No. 276, 1696 pp.
- Swenson, W. H. 1969. Comparisons of insects on mesquite in burned and unburned areas. M.S. thesis, Texas Technological College, Lubbock, 62 pp.
- Swezey, O. H.
1926. Recent introductions of beneficial insects in Hawaii. J. Econ. Entomol. 19: 714-720.
1928. Present status of certain insect pests under biological control in Hawaii. J. Econ. Entomol. 21: 669-676.
1946. Notes and exhibitions. Proc. Hawaii. Entomol. Soc. 12: 469-477.
- Tjeder, B. 1960. Neuroptera from Newfoundland, Miquelon, and Labrador. Opusc. Entomol. 25: 146-149.
- Ueckert, D. N.; Polk, K. L.; and Ward, C. R. 1971. Mesquite twig girdler: a possible means of mesquite control. J. Range Manage. 24: 116-118.
- Van Duzee, E. P. 1917. Catalogue of the Hemiptera of

- America north of Mexico, Univ. Calif. Berkeley Publ. Entomol. No. 2, 902 pp.
- Van Dyke, E. C. 1918. New species of Buprestidae (Coleoptera) from the Pacific States. Entomol. News 29: 53-58.
- Vogt, G. B. 1949. A biologically annotated list of the Buprestidae of the lower Rio Grande Valley, Texas. Ann. Entomol. Soc. Am. 42: 191-202.
- Watson, J. R. 1923. Synopsis and catalog of the Thysanoptera of North America. Univ. Florida Agric. Exp. Stn. Bull. 168, 100 pp.
- Weber, N. A. 1972. Gardening ants, the attines. 24 pp. American Philosophical Society, Philadelphia.
- Werner, F. G. 1949. Additions to *Epicauta*, with new synonymy and a change of names (Coleoptera: Meloidae). Psyche 56: 93-111.
- Werner, F. G.; Enns, W. R.; and Parker, F. H. 1966. The Meloidae of Arizona. Ariz. Agric. Exp. Stn. Tech. Bull. No. 175, 96 pp.
- Wolcott, A. B. 1947. Catalogue of North American beetles of the family Cleridae. Fieldiana, Zool. 32: 63-105.
- Wolcott, G. N.
1921. El caculo taladrador del tallo del cafete (*Apate francisca* Fabr.). P.R. Dep. Agric. Trabaja, Insular Exp. Stn., Río Piedras, Circ. No. 48: 5-7.
1936. Insectae Borinqueneses. J. Agric. Univ. P.R. 20: 1-625.
- Wymore, F. H. 1934. Cicadas in relation to agriculture. J. Econ. Entomol. 27: 884-891.
- Zimmerman, E. C. Insects of Hawaii. University of Hawaii Press, Honolulu.
1948. Apterygota to Thysanoptera. Vol. 2, 475 pp.
- 1958a. Macrolepidoptera. Vol. 7, 542 pp.
- 1958b. Lepidoptera: Pyraloidea. Vol. 8, 456 pp.
-

INSECT SPECIES INDEX

This index contains an alphabetical listing of all species of insects included in the checklist. Specific epithets are given first, followed by the subspecific epithet (if appropriate), author (if known), genus, and the order and family to which the insect belongs. Only the genus is given in cases where a specific determination was not available.

- abbreviatus* (Uhler), *Peribalus* (Hemiptera : Pentatomidae), 40
- abditus* Horn, *Agrilus* (Coleoptera : Buprestidae), 8
- abdominalis* (Say), *Olla* (Coleoptera : Coccinellidae), 23
- abdominalis transvectus* Wheeler, *Camponotus* (Hymenoptera : Formicidae), 51
- acaciae* Ckll., *Ceroplastodes* (Homoptera : Coccidae), 45
- accerra* McAtee, *Thyanta* (Hemiptera : Pentatomidae), 40
- acicus* Caldwell, *Oliarus* (Homoptera : Cixiidae), 44
- Acedra* sp. (Hemiptera : Pentatomidae), 39
- Actenodes* sp. (Coleoptera : Buprestidae), 8
- acutipennis* Chev., *Chrysobothris* (Coleoptera : Buprestidae), 9
- acutissimus* Stål, *Podisus* (Hemiptera : Pentatomidae), 40
- addendus* Cr., *Agrilus* (Coleoptera : Buprestidae), 8
- admirabilis* (Uhler), *Syrbula* (Orthoptera : Acrididae), 62
- adpersa* (Klug), *Epicauta* (Coleoptera : Meloidae), 27
- aenea* (Fabr.), *Physiphora* (Diptera : Otitidae), 34
- aeneipennis* LeC., *Coscinoptera* (Coleoptera : Chrysomelidae), 18
- aenescens* Cr. (or near), *Coscinoptera* (Coleoptera : Chrysomelidae), 18
- aeruginosa* Berg, *Thyanta* (Hemiptera : Pentatomidae), 40
- aestuans* (L.), *Efferia* (Diptera : Asilidae), 31
- affine* Chd., *Calosoma* (Coleoptera : Carabidae), 11
- Agathis* spp. (Hymenoptera : Braconidae), 49
- Agrilus* spp. (Coleoptera : Buprestidae), 8
- akhurstiana* Horn, *Pyrota* (Coleoptera : Meloidae), 28
- alaeris* Horn, *Acmaeodera* (Coleoptera : Buprestidae), 6
- alaeris* (Bates), *Compsa* (Coleoptera : Cerambycidae), 13
- alastor* Skinner, *Epicauta* (Coleoptera : Meloidae), 27
- albigera* Reuter, *Anthocoris* (Hemiptera : Anthocoridae), 36
- albilabris* (Suffr.), *Griburius* (Coleoptera : Chrysomelidae), 19
- albofasciatus* (Reuter), *Spanagonicus* (Hemiptera : Miridae), 39
- alboornatus* Blanchard, *Lygaeus* (Hemiptera : Lygaeidae), 38
- albopicta* Handlirsch, *Phymata* (Hemiptera : Phymatidae), 41
- albopilosus* Dietz, *Anthonomus* (Coleoptera : Curculionidae), 23
- albosignatus* Boh., *Pantomorus* (Coleoptera : Curculionidae), 25
- aldrichii* Tns., *Hyalomya* (Diptera : Tachinidae), 36
- Algarobius* sp. (Coleoptera : Bruchidae), 4
- aliena* Swezey, *Cryptoblates* (Lepidoptera : Pyralidae), 60
- alienus* (LeC.), *Stenelaphus* (Coleoptera : Cerambycidae), 16
- Allorhogas* sp. (Hymenoptera : Braconidae), 49
- alternatus* Parshley, *Nabis* (Hemiptera : Nabidae), 39
- Altica* sp. (Coleoptera : Chrysomelidae), 17
- alticola* Fall, *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- Amblycerus* sp. (Coleoptera : Bruchidae), 5
- Amblycorypha* sp. (Orthoptera : Tettigoniidae), 62
- Amecocerus* sp. (Coleoptera : Melyridae), 29
- americana* Mel., *Phymata* (Hemiptera : Phymatidae), 41
- americanus* Gahan, *Pseudocatolaccus* (Hymenoptera : Pteromalidae), 55
- amicus* (Horn.), *Mimosestes* (Coleoptera : Bruchidae), 5
- Amphelasma* sp. (Coleoptera : Chrysomelidae), 17
- analisis* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- Anarete* sp. (Diptera : Cecidomyiidae), 32
- ancoralis* Germar, *Coccinella* (Coleoptera : Coccinellidae), 22
- Ancylocera* sp. (Coleoptera : Cerambycidae), 12
- angulatum* (Chev.), *Calosoma* (Coleoptera : Carabidae), 11
- angusta* Nielson, *Cuerna* (Homoptera : Cicadellidae), 42
- angustipennis* Loew, *Diognites* (Diptera : Asilidae), 31
- Anisotarsus* sp. (Coleoptera : Carabidae), 11
- annulata* Uhler, *Pronotacantha* (Hemiptera : Berytidae), 36
- annulatum* LeC., *Tragidion* (Coleoptera : Cerambycidae), 16
- anomalis* (Knull), *Ancylotela* (Coleoptera : Buprestidae), 8
- Anomalon* sp. (Hymenoptera : Ichneumonidae), 54
- antennatus* (White), *Megacyllene* (Coleoptera : Cerambycidae), 14

Anthicus sp. (Coleoptera : Anthicidae), 3
apache (Davis), *Diceroprocta* (Homoptera : Cicadidae), 44
apachus Saussure, *Polistes* (Hymenoptera : Vespidae), 57
Apanteles spp. (Hymenoptera : Braconidae), 49
Aphalaroida sp. (Homoptera : Psyllidae), 47
Aphthona sp. (Coleoptera : Chrysomelidae), 17
apicifer (Walk.), *Archytas* (Diptera : Tachinidae), 35
Apion spp. (Coleoptera : Curculionidae), 23
appropinqua (Ad.), *Thaumatomyia* (Diptera : Chloropidae), 33
arborea (Say), *Brochymena* (Hemiptera : Pentatomidae), 39
areli (complex), *Acontia* (Lepidoptera : Noctuidae), 58
argentatus (LeC.), *Ophryastes* (Coleoptera : Curculionidae), 25
argentinus Berg., *Pachylis* (Hemiptera : Coreidae), 37
Arhyssus sp. (Hemiptera : Rhopalidae), 42
arida Oman and Beamer, *Cuerna* (Homoptera : Cicadellidae), 43
aridus Ball, *Oliarus* (Homoptera : Cixiidae), 44
arizonae Knight, *Neurocolpus* (Hemiptera : Miridae), 38
arizonensis (Schffr.), *Neltumius* (Coleoptera : Bruchidae), 5
arizonensis Ruckes, *Mozena* (Hemiptera : Coreidae), 37
arizonica Knull, *Actenodes* (Coleoptera : Buprestidae), 8
arizonica Werner, *Epicauta* (Coleoptera : Meloidae), 27
arizonica Schffr., *Methia* (Coleoptera : Cerambycidae), 14
arizonica Schffr., *Polycesta* (Coleoptera : Buprestidae), 10
armicollis (Say), *Magdalis* (Coleoptera : Curculionidae), 24
aspera (Fldr.), *Automeris* (Lepidoptera : Saturniidae), 60
aspera (LeC.), *Dendrobiella* (Coleoptera : Bostrichidae), 4
asperata (Fox), *Moniaecera* (Hymenoptera : Sphecidae), 56
atrata (Fabr.), *Epicauta* (Coleoptera : Meloidae), 27
atriventris Horn (near), *Glyptina* (Coleoptera : Chrysomelidae), 19
atrivittata (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
Attalus spp. (Coleoptera : Melyridae), 29
Aulacoscelis sp. (Coleoptera : Chrysomelidae), 17
auratus (Fabr.), *Diachus* (Coleoptera : Chrysomelidae), 18
auricephalus Say, *Compsus* (Coleoptera : Curculionidae), 24
auriculatus Pelaez, *Platycentrus* (Homoptera : Membracidae), 46
auripennae Csy., *Tragidion* (Coleoptera : Cerambycidae), 16
avitulus Muls., *Scymnus* (Coleoptera : Coccinellidae), 23
axillaris LeC., *Coscinoptera* (Coleoptera : Chrysomelidae), 18
aymardi Gorham, *Brachyacantha* (Coleoptera : Coccinellidae), 22
Babia spp. (Coleoptera : Chrysomelidae), 17
bacchulus Berg, *Omophres* (Coleoptera : Tenebrionidae), 30
bajula (Goding), *Bajulata* (Homoptera : Membracidae),
balteata LeC., *Diabrotica* (Coleoptera : Chrysomelidae), 18
barbatus barbatus (F. Smith), *Pogonomyrmex* (Hymenoptera : Formicidae), 53
barberi (Felt), *Allarete* (Diptera : Cecidomyiidae), 32
barberi (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
basalis LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
basalis G. and P., *Euphoria* (Coleoptera : Scarabaeidae), 30
basalis (Horn), *Plionoma* (Coleoptera : Cerambycidae), 15
basicornis Linsley, *Stenosphenus* (Coleoptera : Cerambycidae), 16
batesi Horn, *Metaleptus* (Coleoptera : Cerambycidae), 14
bellicosus (Banks), *Anoplius* (Hymenoptera : Pompilidae), 55
bergii (Weyenbergh), *Oiketicus* (Lepidoptera : Psychidae), 59
bibalteatus LeC., *Trichodes* (Coleoptera : Cleridae), 22
bicaudatus (Say), *Amphicerus* (Coleoptera : Bostrichidae), 3
bicolor (Wheeler), *Conomyrma* (Hymenoptera : Formicidae), 51
bicolor pictum (Thomas), *Dactylotum* (Orthoptera : Acrididae), 61
bifurca Ball, *Tylanira* (Homoptera : Issidae), 46
Bilira sp. (Hymenoptera : Ichneumonidae), 54
biscopula (Mich.), *Heriades* (Hymenoptera : Megachilidae), 54
bitubera (Santschi), *Conomyrma* (Hymenoptera : Formicidae), 51
bivittata maculipennis Brun., *Mermiria* (Orthoptera : Acrididae), 62
bivittata (Dup.), *Taranomis* (Coleoptera : Cerambycidae), 16
bivittatus (Cr.), *Oligodranes* (Diptera : Bombyliidae), 32
bivittatus (Dup.), *Sphaenothecus* (Coleoptera : Cerambycidae), 16
bivulnera Horn, *Acmaeodera* (Coleoptera : Buprestidae), 6
bollii bollii Cr., *Eumenes* (Hymenoptera : Vespidae), 57
Bothrotus sp. (Coleoptera : Tenebrionidae), 30
bottimeri Kings., *Algarobius* (Coleoptera : Bruchidae), 5
brachialis Fahr., *Bruchus* (Coleoptera : Bruchidae), 5
Brachyacantha sp. (Coleoptera : Coccinellidae), 22
Bracon spp. (Hymenoptera : Braconidae), 49
Bradycellus sp. (Coleoptera : Carabidae), 11
Bradysia sp. (Diptera : Sciariidae), 35
brassicae Mues., *Microplitis* (Hymenoptera : Braconidae), 49

- brevicauda* (Cwfd.), *Eupelmus* (Hymenoptera : Eupelmidae), 50
- breviceps* Smith, *Ammophila* (Hymenoptera : Sphecidae), 55
- brevihastata* Morse, *Dichopetala* (Orthoptera : Tettigoniidae), 62
- brevispinosa* Mayr, *Crematogaster* (Hymenoptera : Formicidae), 51
- Brochymena* sp. (Hemiptera : Pentatomidae), 39
- bruchi* Cwfd., *Urosigalphus* (Hymenoptera : Braconidae), 50
- Bruchophagus* sp. (Hymenoptera : Eurytomidae), 51
- Bulia* sp. (Lepidoptera : Noctuidae), 58
- caerulescens subcorticalis* (Banks), *Auplopus* (Hymenoptera : Pompilidae), 55
- caerulescens* Loew, *Senopterina* (Diptera : Platystomataidae), 34
- calidus* Fall, *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- californica* Fall, *Monophylla* (Coleoptera : Cleridae), 21
- callata* (Westwood), *Eupeckardia* (Lepidoptera : Saturniidae), 60
- Calligrapha* sp. (Coleoptera : Chrysomelidae), 17
- calliope* (Walker), *Cicadetta* (Homoptera : Cicadidae), 44
- Camponotus* spp. (Hymenoptera : Formicidae), 51
- canadensis comanchus* Saussure, *Polistes* (Hymenoptera : Vespidae), 57
- canadensis navajoe* Cr., *Polistes* (Hymenoptera : Vespidae), 57
- cancellata* Brandt and Erickson, *Megetra* (Coleoptera : Meloidae), 28
- candidula* (Ckll.), *Hemiberlesia* (Homoptera : Diaspididae), 45
- candidulus* Ckll., *Aspidiotus* (Homoptera : Diaspididae), 45
- Cantharis* sp. (Coleoptera : Cantharidae), 11
- caprea* (Say), *Neoclytus* (Coleoptera : Cerambycidae), 14
- cariosa* Stål, *Brochymena* (Hemiptera : Pentatomidae), 39
- carmelitus* Gorham, *Lycus* (Coleoptera : Lycidae), 26
- carnea* Step., *Chrysopa* (Neuroptera : Chrysopidae), 61
- Carneocephala* sp. (Homoptera : Cicadellidae), 42
- carpophagoides* Clarke, *Cryptophlebia* (Lepidoptera : Olethreutidae), 59
- caryae* (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
- catulum* (Uhler), *Eustictus* (Hemiptera : Miridae), 38
- cazicus* (Suffr.), *Griburius* (Coleoptera : Chrysomelidae), 19
- cazieri* Nelson, *Acmæoderoides* (Coleoptera : Buprestidae), 7
- ceratoniae* (Zeller), *Ectomyelois* (Lepidoptera : Pyralidae), 60
- Cerceris* sp. (Hymenoptera : Sphecidae), 56
- Chaetocnema* sp. (Coleoptera : Chrysomelidae), 17
- chalcea* Blanch., *Homonyx* (Coleoptera : Scarabaeidae), 30
- Chalepus* sp. (Coleoptera : Chrysomelidae), 17
- chalybaeus* Emery, *Forelius* (Hymenoptera : Formicidae), 52
- chamaeleonis* (Skinner), *Paratyndaris* (Coleoptera : Buprestidae), 10
- Cheiroplatys* sp. (Coleoptera : Scarabaeidae), 30
- Chelonus* sp. (Hymenoptera : Braconidae), 49
- chiricahuæ* (Fall), *Acanthoscelides* (Coleoptera : Bruchidae), 4
- Chlamisus* sp. (Coleoptera : Chrysomelidae), 17
- Chrysobothris* spp. (Coleoptera : Buprestidae), 9
- Chrysodina* spp. (Coleoptera : Chrysomelidae), 17
- Chrysomphalus* sp. (Homoptera : Diaspididae), 45
- Chrysopa* spp. (Neuroptera : Chrysopidae), 61
- cincta* (Osborn and Ball), *Menosoma* (Homoptera : Cicadellidae), 43
- cinctifera* (Uhler), *Diceroprocta* (Homoptera : Cicadidae), 44
- cinctus* Herrich-Schaeffer, *Largus* (Hemiptera : Largidae), 37
- cinerea* (Say), *Piesma* (Hemiptera : Piesmidae), 41
- cinereoatra* Lj. (near), *Mordella* (Coleoptera : Mordellidae), 29
- cinereus* Horn, *Pandeleiteius* (Coleoptera : Curculionidae), 25
- cingulata* (Say), *Oncideres* (Coleoptera : Cerambycidae), 14
- circumlitus* (Stål), *Neacoryphus* (Hemiptera : Lygaeidae), 38
- claraziana* (Saussure), *Traumatomutilla* (Hymenoptera : Mutillidae), 55
- Clastoptera* sp. (Homoptera : Cercopidae), 42
- clypeata* Van Duzee, *Acanalonia* (Homoptera : Acanaloniidae), 42
- clypeata* Parker, *Astata* (Hymenoptera : Sphecidae), 56
- clytemnestra* (Fox), *Dasymutilla* (Hymenoptera : Mutillidae), 54
- cockerelli* (Busck), *Friseria* (Lepidoptera : Gelechiidae), 57
- cognitum* Csy., *Metoponium* (Coleoptera : Tenebrionidae), 30
- Colaspis* sp. (Coleoptera : Chrysomelidae), 17
- Colaspoides* sp. (Coleoptera : Chrysomelidae), 18
- Colletes* spp. (Hymenoptera : Colletidae), 50
- Colluris* sp. (Coleoptera : Carabidae), 11
- collusor* (Tns.), *Hippelates* (Diptera : Chloropidae), 33
- comata* LeC., *Acmæodera* (Coleoptera : Buprestidae), 6
- combustus* Loew, *Saropogon* (Diptera : Asilidae), 32
- complexa* Caudell, *Sinea* (Hemiptera : Reduviidae), 41
- Compsocryptus* sp. (Hymenoptera : Ichneumonidae), 54
- concolorella* (Chambers), *Ithome* (Lepidoptera : Washiidae), 61
- concoloripes* Bechyne (near), *Meacolaspis* (Coleoptera : Chrysomelidae), 19
- confusa* Caudell, *Sinea* (Hemiptera : Reduviidae), 41
- congruus* (Uhler), *Pangaeus* (Hemiptera : Cydnidae), 37
- Conioscinella* sp. (Diptera : Chloropidae), 33
- Conotrachelus* sp. (Coleoptera : Curculionidae), 24
- constans* (Loew), *Hoplitimyia* (Diptera : Stratiomyidae), 35
- constricta* Van Duzee, *Agallia* (Homoptera : Cicadellidae), 42
- Contarinia* spp. (Diptera : Cecidomyiidae), 32

- convergens* Guérin, *Hippodamia* (Coleoptera : Coccinellidae), 23
convivus Stål, *Largus* (Hemiptera : Largidae), 37
Copidosoma sp. (Hymenoptera : Encyrtidae), 50
coquus (L.), *Tragidion* (Coleoptera : Cerambycidae), 17
Coremia sp. (Coleoptera : Cerambycidae), 13
Cormobius sp. (Hymenoptera : Ichneumonidae), 54
cornutus (Pallas), *Amphicerus* (Coleoptera : Bostrichidae), 3
Corticaria sp. (Coleoptera : Lathridiidae), 26
Corticoris sp. (Hemiptera : Miridae), 38
corynthia (Fairm.), *Psiloptera* (Coleoptera : Buprestidae), 10
Coscinoptera sp. (Coleoptera : Chrysomelidae), 18
costalis (Fabr.), *Cuerna* (Homoptera : Cicadellidae), 43
costalis Gerstäcker, *Diacrita* (Diptera : Otitidae), 34
coxendix (Fitch), *Oscinella* (Diptera : Chloropidae), 33
coxendix (Fitch) (near), *Oscinella* (Diptera : Chloropidae), 33
crassicornis Champ., *Menoceus* (Coleoptera : Alleculidae), 3
crassitarsis Maydell, *Epicauta* (Coleoptera : Meloidae), 27
cressoni Wlsm. (near), *Acrolophus* (Lepidoptera : Acrolophidae), 57
cribripennis LeC., *Cryptocephalus* (Coleoptera : Chrysomelidae), 18
crinicornis Chev., *Cyllene* (Coleoptera : Cerambycidae), 13
cristatus (L.), *Arilus* (Hemiptera : Reduviidae), 41
cryptica (Say), *Glyptoscelis* (Coleoptera : Chrysomelidae), 19
Cryptocephalus sp. (Coleoptera : Chrysomelidae), 18
Cryptorhopalum sp. (Coleoptera : Dermestidae), 26
cuneata (Horn), *Hippomelas* (Coleoptera : Buprestidae), 10
cupreonitens Fisher, *Agrius* (Coleoptera : Buprestidae), 8
cupreopunctata Schffr., *Psiloptera* (Coleoptera : Buprestidae), 10
Cycloptilum sp. (Orthoptera : Tettigoniidae), 62
cyda (Druce), *Semiothisa* (Lepidoptera : Geometridae), 58
Cymatodera sp. (Coleoptera : Cleridae), 21
cyphoides Heller, *Naupactus* (Coleoptera : Curculionidae), 24
Dasymutilla sp. (Hymenoptera : Mutillidae), 54
debilis LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
decora (Fabr.), *Calleida* (Coleoptera : Carabidae), 11
deducta (Morr.), *Bulia* (Lepidoptera : Noctuidae), 58
deleta LeC. (near), *Chrysobothris* (Coleoptera : Buprestidae), 9
Dendrosema sp. (Hymenoptera : Tanaostigmatidae), 56
depilis Wheeler, *Crematogaster* (Hymenoptera : Formicidae), 51
Deraecocoris sp. (Hemiptera : Miridae), 38
derelecta (Walk.), *Ravinia* (Diptera : Sarcophagidae), 35
desmaresti (Guer.), *Calocomus* (Coleoptera : Cerambycidae), 12
desmaresti Thoms., *Psiloptera* (Coleoptera : Buprestidae), 10
Diabrotica sp. (Coleoptera : Chrysomelidae), 18
Diadegma sp. (Hymenoptera : Ichneumonidae), 54
diadema (Fabr.), *Sinea* (Hemiptera : Reduviidae), 41
Dialictus spp. (Hymenoptera : Halictidae), 54
Diceroprocta sp. (Homoptera : Cicadidae), 44
Dichopetala sp. (Orthoptera : Tettigoniidae), 62
differentialis (Thomas), *Melanoplus* (Orthoptera : Acrididae), 62
difficilis Timb., *Perdita* (Hymenoptera : Andrenidae), 48
difficilis (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
dimidiata Lac., *Megalostomis* (Coleoptera : Chrysomelidae), 20
Diodontus sp. (Hymenoptera : Sphecidae), 56
Dipachystigma sp. (Hymenoptera : Pteromalidae), 55
Diplotaxis sp. (Coleoptera : Scarabaeidae), 30
Discodon spp. (Coleoptera : Cantharidae), 11
discoideus (LeC.), *Phyllobaenus* (Coleoptera : Cleridae), 22
Disonycha spp. (Coleoptera : Chrysomelidae), 19
dispar Lac., *Exema* (Coleoptera : Chrysomelidae), 19
dissidens (Tuck.), *Hippelates* (Diptera : Chloropidae), 33
diversicornis (Haag), *Epicauta* (Coleoptera : Meloidae), 27
doeringi (Berg), *Tapajosa* (Homoptera : Cicadellidae), 43
dolosus Horn, *Stenosphenus* (Coleoptera : Cerambycidae), 16
Dolurgus sp. (Coleoptera : Scolytidae), 30
domestica L., *Musca* (Diptera : Muscidae), 34
dorcaschmae Ashm., *Eurytoma* (Hymenoptera : Eurytomidae), 51
Drapetis sp. (Diptera : Empididae), 33
duodecemstriata (Wlsm.), *Ofatulena* (Lepidoptera : Tortricidae), 61
duplicata Timb., *Perdita* (Hymenoptera : Andrenidae), 48
duplicata Monros, *Urodera* (Coleoptera : Chrysomelidae), 21
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
Ectecephala sp. (Diptera : Chloropidae), 33
Efferia spp. (Diptera : Asilidae), 31
elaphidiovorus Rohwer., *Odontobracon* (Hymenoptera : Braconidae), 49
elegans (Er.), *Callotillus* (Coleoptera : Cleridae), 21
elegans vafer Wolcott, *Callotillus* (Coleoptera : Cleridae), 21
elegantula JH., *Thyanta* (Hemiptera : Pentatomidae), 40
elytroplanatus Howden, *Pandeleiteius* (Coleoptera : Curculionidae), 25
emarginata Brunner, *Dichopetala* (Orthoptera : Tettigoniidae), 62
emarginata (Boh.), *Metriona* (Coleoptera : Chrysomelidae), 20

- Emesinae (subfamily) spp. (Hemiptera : Reduviidae), 41
- Empoasca* sp. (Homoptera : Cicadellidae), 43
- Enchenopa* sp. (Homoptera : Membracidae), 46
- Epicauta* sp. (Coleoptera : Meloidae), 27
- Epitrix* sp. (Coleoptera : Chrysomelidae), 19
- Epopteris* sp. (Coleoptera : Endomychidae), 26
- Epyris* sp. (Hymenoptera : Bethylidae), 49
- erythropha* (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
- esterensis* Obenberger, *Psiloptera* (Coleoptera : Buprestidae), 10
- Eubadizon* sp. (Hymenoptera : Braconidae), 49
- Eucelatoria* sp. (Diptera : Tachinidae), 36
- Eugnoriste* sp. (Diptera : Sciaridae), 35
- Eupelmus* sp. (Hymenoptera : Eupelmidae), 50
- Euphalerus* sp. (Homoptera : Psyllidae), 47
- Euphoria* spp. (Coleoptera : Scarabaeidae), 30
- Euphyrytus* sp. (Coleoptera : Chrysomelidae), 19
- Euponera* sp. (Hymenoptera : Formicidae), 52
- Eurygenius* sp. (Coleoptera : Pedilidae), 29
- Euryophthalmus* sp. (Hemiptera : Pyrrhocoridae), 41
- Euryscopa* spp. (Coleoptera : Chrysomelidae), 19
- Eurytoma* spp. (Hymenoptera : Eurytomidae), 51
- Evarthrus* (*Anaferonia*) sp. (Coleoptera : Carabidae), 11
- exclamans exclamans* Viereck, *Polistes* (Hymenoptera : Vespidae), 57
- exclamans* Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
- exesa* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- Exptochiomera* sp. (Hemiptera : Lygaeidae), 38
- fasciatus* Blackm., *Renocis* (Coleoptera : Scolytidae), 30
- fecalfusca* Caldwell, *Flatoides* (Homoptera : Flatidae), 45
- felix* Horn, *Agrilus* (Coleoptera : Buprestidae), 8
- femorialis* (Fabr.), *Polycanon* (Coleoptera : Bostrichidae), 4
- femorata* (Fabr.), *Acanthocephala* (Hemiptera : Coreidae), 36
- ferrugineipennis* (Blanch.), *Acanthoscelides* (Coleoptera : Bruchidae), 4
- ferruginosa* Cr., *Ammophila* (Hymenoptera : Sphecidae), 56
- festinus* Say, *Spissistilus* (Homoptera : Membracidae), 46
- ficta* Werner, *Epicauta* (Coleoptera : Meloidae), 27
- flaviceps* (Burmeister), *Stictopelta* (Homoptera : Membracidae), 47
- flavitibia* Moulton, *Hoplothrips* (Thysanoptera : Phlaeothripidae), 63
- flavus* Cr., *Polistes* (Hymenoptera : Vespidae), 57
- floridensis* (Tns.), *Amobia* (Diptera : Sarcophagidae), 35
- foetidus foetidus* (Buckley), *Forelius* (Hymenoptera : Formicidae), 52
- formosa* Dognin, *Syssphinx* (Lepidoptera : Saturniidae), 60
- forticornis* Reuter, *Rhinocloa* (Hemiptera : Miridae), 39
- fortis* (LeC.), *Apatides* (Coleoptera : Bostrichidae), 4
- fragilaria* (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
- fraternus?* Knight, *Platytylhellus* (Hemiptera : Miridae), 39
- frigida frigida* (Smith), *Pseudomethoca* (Hymenoptera : Mutillidae), 54
- frustra* Pritchard, *Mallophorina* (Diptera : Asilidae), 31
- fulgens* (Ckll.), *Tachardia* (Homoptera : Tachardiidae), 48
- fulguratus* LeC., *Cryptocephalus* (Coleoptera : Chrysomelidae), 18
- fumidus festinatus* (Buckley), *Camponotus* (Hymenoptera : Formicidae), 51
- furcata furcata* Brunner, *Scudderia* (Orthoptera : Tettigoniidae), 63
- galactodes* Loew, *Microstylum* (Diptera : Asilidae), 32
- Galeopsomyia* sp. (Hymenoptera : Eulophidae), 50
- gastoi* Kings., *Scutobrachus* (Coleoptera : Bruchidae), 6
- Gastracanthus* sp. (Hymenoptera : Pteromalidae), 55
- gazella* Lac., *Megalostomis* (Coleoptera : Chrysomelidae), 20
- Gelis* sp. (Hymenoptera : Ichneumonidae), 54
- geminatus geminatus* LeC., *Derobrachus* (Coleoptera : Cerambycidae), 13
- geminatus* (Horn), *Ophryastes* (Coleoptera : Curculionidae), 25
- gemmata* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- gemmata* (Germar), *Entylia* (Homoptera : Membracidae), 46
- genalis panamintensis* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- gentilis gentilis* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- Geocoris* sp. (Hemiptera : Lygaeidae), 38
- germari* Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
- Geron* sp. (Diptera : Bombyliidae), 32
- gibbithorax* (Schffr.), *Neltumius* (Coleoptera : Bruchidae), 6
- gibbosus* (Fabr.), *Philanthus* (Hymenoptera : Sphecidae), 56
- gibbula* LeC., *Acmaeodera* (Coleoptera : Buprestidae), 6
- gibbulus* (Fall), *Tricorynus* (Coleoptera : Anobiidae), 3
- gigas* Jac., *Glyptoscelia* (Coleoptera : Chrysomelidae), 19
- gigas* (Burmeister), *Thasus* (Hemiptera : Coreidae), 37
- Glipa* sp. (Coleoptera : Mordellidae), 29
- gloverii* (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
- Glyphonyx* sp. (Coleoptera : Elateridae), 26
- Glyptocolastes* sp. (Hymenoptera : Braconidae), 49
- gonagra* (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
- Goniozus* sp. (Hymenoptera : Bethylidae), 49
- gossypiana* Hood, *Frankliniella* (Thysanoptera : Thripidae), 63

- gowdeyi* (Franklin), *Haplothrips* (Thysanoptera : Phlaeothripidae), 63
gracilis mexicanus (Roger), *Pseudomyrmex* (Hymenoptera : Formicidae), 53
granulatipennis (Schffr.), *Pyticara* (Coleoptera : Cleridae), 22
griffithi Fall, *Acmaeodera* (Coleoptera : Buprestidae), 7
Gryon sp. (Hymenoptera : Scelionidae), 55
guentheri (Berg), *Tolyte* (Lepidoptera : Lasiocampidae), 58
guttulata Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
gyas (Edw.), *Hemiargus* (Lepidoptera : Lycaenidae), 58
Haarupia sp. (Hemiptera : Miridae), 38
hadesensis Caldwell, *Acanalonia* (Homoptera : Acanaloniidae), 42
halictoides Smith, *Perdita* (Hymenoptera : Andrenidae), 48
Halticoptera sp. (Hymenoptera : Pteromalidae), 55
hamatifera Lac., *Urodera* (Coleoptera : Chrysomelidae), 21
hassayampae Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
haulapaiana Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
hawaiiensis (Morgan), *Taeniothrips* (Thysanoptera : Thripidae), 63
heiligbrodti (Harvey), *Sphingicampa* (Lepidoptera : Saturniidae), 60
helianthi (Ckll.), *Phenacoccus* (Homoptera : Pseudococcidae), 47
Helops sp. (Coleoptera : Tenebrionidae), 30
hemipterus (L.), *Carpophilus* (Coleoptera : Nitidulidae), 29
heringi Aczel, *Tomoplagia* (Diptera : Tephritidae), 36
hexacantha (Fairm.), *Xyloprista* (Coleoptera : Bostrichidae), 4
hilaris (Say), *Acrosternum* (Hemiptera : Pentatomidae), 39
hirsutipubescens (Maydell), *Epicauta* (Coleoptera : Meloidae), 27
hispidae Horn, *Peritaxia* (Coleoptera : Curculionidae), 25
hispidus (Csy.), *Microtychius* (Coleoptera : Curculionidae), 24
histrionica (Hahn), *Murgantia* (Hemiptera : Pentatomidae), 40
Holepyris sp. (Hymenoptera : Bethyliidae), 49
Horismenus spp. (Hymenoptera : Eulophidae), 50
horni Koehler, *Oiketicus* (Lepidoptera : Psychidae), 59
howardi Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
howardii Ashmead, *Tanaostigmatodes* (Hymenoptera : Tanaostigmatidae), 56
hubbardi (Dyar), *Sphingicampa* (Lepidoptera : Saturniidae), 60
hulli Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
humilis Banks, *Reticulitermes* (Isoptera : Rhinotermitidae), 57
hyalinipennis Ashmead, *Euchrysia* (Hymenoptera : Chalcididae), 50
Hylemyza sp. (Diptera : Anthomyiidae), 31
Hylocrinus spp. (Coleoptera : Tenebrionidae), 30
Hymenorus sp. (Coleoptera : Alleculidae), 3
Idris sp. (Hymenoptera : Scelionidae), 55
imbricata (Csy.), *Smicronyx* (Coleoptera : Curculionidae), 25
imitabilis, *Harmostes* (Hemiptera : Coreidae), 36
immaculata (Say), *Epicauta* (Coleoptera : Meloidae), 27
immigrans Bridwell, *Scleroderma* (Hymenoptera : Bethyliidae), 49
impolitus LeC., *Helops* (Coleoptera : Tenebrionidae), 30
impressicollis Stål, *Aufeius* (Hemiptera : Coreidae), 36
impresses Beck., *Hippelates* (Diptera : Chloropidae), 33
incompleta (Walker), *Deois* (Homoptera : Cercopidae), 42
indeterminata Walker, *Stictopelta* (Homoptera : Membracidae), 47
indomita Walker, *Melipotis* (Lepidoptera : Noctuidae), 59
indutus Csy., *Hymenorus* (Coleoptera : Alleculidae), 3
inermis Crawford, *Aphalaroida* (Homoptera : Psyllidae), 47
Inostemma sp. (Hymenoptera : Platygasteridae), 55
Insara sp. (Orthoptera : Tettigoniidae), 63
instabilis Saussure, *Polistes* (Hymenoptera : Vespidae), 57
insulata LeC., *Mordella* (Coleoptera : Mordellidae), 29
insulata (LeC.), *Pyrota* (Coleoptera : Meloidae), 28
interpunctella (Huebner), *Plodia* (Lepidoptera : Phycitidae), 59
interrupta (Ball), *Tiaja* (Homoptera : Cicadellidae), 44
invenusta Doering, *Acanalonia* (Homoptera : Acanaloniidae), 42
Invreia sp. (Hymenoptera : Chalcididae), 50
Iphiaulax spp. (Hymenoptera : Braconidae), 49
Iridomyrmex sp. (Hymenoptera : Formicidae), 52
irroratus irroratus Say, *Anthrax* (Diptera : Bombyliidae), 32
Ischiodontus sp. (Coleoptera : Elateridae), 26
Ithome spp. (Lepidoptera : Washiidae), 61
jaguarina Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
japonicum Reitter, *Lyctoxyloa* (Coleoptera : Lyctidae), 26
jheringi (Emery), *Paracryptocerus* (Hymenoptera : Formicidae), 53
junki Théry, *Acmaeodera* (Coleoptera : Buprestidae), 7
juno Packard, *Hemileuca* (Lepidoptera : Saturniidae), 60
knausi Schffr., *Saxinis* (Coleoptera : Chrysomelidae), 21
knoblauchii (Berg), *Deois* (Homoptera : Cercopidae), 42
Lacon sp. (Coleoptera : Elateridae), 26
lacteipennis (Loew), *Milichiella* (Diptera : Milichiidae), 34
laeta Goding, *Vanduzeeae* (Homoptera : Membracidae), 47

- laevicollis* (LeC.), *Rhopalophora* (Coleoptera : Cerambycidae), 15
laevis Bowd., *Pachybrachys* (Coleoptera : Chrysomelidae), 20
laeviuscula Mayr, *Crematogaster* (Hymenoptera : Formicidae), 52
Largus sp. (Hemiptera : Largidae), 37
larreae Leon, *Protargionia* (Homoptera : Coccidae), 45
lataniae Signoret, *Aspidiotus* (Homoptera : Diaspididae), 45
lateralis (Say), *Arhyssus* (Hemiptera : Rhopalidae), 42
lateralis Waterh., *Chrysobothris* (Coleoptera : Buprestidae), 9
lateralis (Dallas), *Neacoryphus* (Hemiptera : Lygaeidae), 38
laticosta Doering, *Acantonia* (Homoptera : Acanaloniidae), 42
latiflava latiflava Fall, *Acmaeodera* (Coleoptera : Buprestidae), 7
latifrons Loew, *Eristalis* (Diptera : Syrphidae), 35
latifrons Loew, *Helophilus* (Diptera : Syrphidae), 35
latipennis (Loew), *Ospricerus* (Diptera : Asilidae), 32
latirostris LeC., *Ophryastes* (Coleoptera : Curculionidae), 25
latisetosa Parker, *Ravinia* (Diptera : Sarcophagidae), 35
lebasi Lefev., *Colaspis* (Coleoptera : Chrysomelidae), 17
Lebia spp. (Coleoptera : Carabidae), 11
lecontei Cr., *Euryscopa* (Coleoptera : Chrysomelidae), 19
lecontei Cr., *Griburius* (Coleoptera : Chrysomelidae), 19
leda Edw., *Strymon* (Lepidoptera : Lycaenidae), 58
Leia sp. (Diptera : Mycetophilidae), 34
Leptacis sp. (Hymenoptera : Platygasteridae), 55
Leucopis spp. (Diptera : Chamaemyiidae), 33
levrati (Muls.), *Hyperaspis* (Coleoptera : Coccinellidae), 23
liebecki Werner, *Epicauta* (Coleoptera : Meloidae), 27
ligata (Say), *Chlorochroa* (Hemiptera : Pentatomidae), 40
ligatus Say, *Halictus* (Hymenoptera : Halictidae), 54
limbatus (Horn), *Stator* (Coleoptera : Bruchidae), 6
lineata Dognin, *Dryocampa* (Lepidoptera : Saturniidae), 60
lineolaris (Palisot de Beauvois), *Lygus* (Hemiptera : Miridae), 38
lineolata (Herrich-Schaeffer), *Mozena* (Hemiptera : Coreidae), 37
lineolatus (Herrich-Schaeffer), *Podisus* (Hemiptera : Pentatomidae), 40
liogaster (Santschi), *Paracryptocerus* (Hymenoptera : Formicidae), 53
Liometopum sp. (Hymenoptera : Formicidae), 53
Liorhyssus spp. (Hemiptera : Rhopalidae), 42
Liriomyza sp. (Diptera : Agromyzidae), 31
Lissonota sp. (Hymenoptera : Ichneumonidae), 54
littoralis Blanch., *Epiplagiops* (Diptera : Tachinidae), 35
lixa Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
lixivorus (Cwfd.), *Horismenus* (Hymenoptera : Eulophidae), 50
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
Lobiopa sp. (Coleoptera : Nitidulidae), 29
Lobopoda sp. (Coleoptera : Alleculidae), 3
Lonchaea spp. (Diptera : Lonchaeidae), 34
longescutus (Pic), *Acanthoscelides* (Coleoptera : Bruchidae), 4
longicollis (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
longicornis (Coq.), *Odontoloxozus* (Diptera : Neriidae), 34
longiscutus Kings., *Pectinibruchus* (Coleoptera : Bruchidae), 6
Longitarsus sp. (Coleoptera : Chrysomelidae), 19
longus Bowd., *Pachybrachys* (Coleoptera : Chrysomelidae), 20
loripes Chev., *Lycus* (Coleoptera : Lycidae), 26
louisianica, *Niesthrea* (Hemiptera : Coreidae), 37
lowei Muls., *Scymnus* (Coleoptera : Coccinellidae), 23
luciae Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
lucidillus Howden, *Pandeleiteius* (Coleoptera : Curculionidae), 25
lugens Lefev., *Promecosoma* (Coleoptera : Chrysomelidae), 20
lugubris Murr., *Carpophilus* (Coleoptera : Nitidulidae), 29
lunata (Burmeister), *Mozena* (Hemiptera : Coreidae), 37
lutarium Burmeister, *Achryson* (Coleoptera : Cerambycidae), 12
Lygaeus sp. (Hemiptera : Lygaeidae), 38
macellaria (Fabr.), *Cochliomyia* (Diptera : Calliphoridae), 32
Macrocentrus spp. (Hymenoptera : Braconidae), 49
macrocephala Schffr., *Colaspoides* (Coleoptera : Chrysomelidae), 18
Macrosiagon sp. (Coleoptera : Rhipiphoridae), 30
maculata (Say), *Epicauta* (Coleoptera : Meloidae), 27
maculatus Brues, *Bephratoides* (Hymenoptera : Eurytomidae), 51
maculatus (Er.), *Carpophilus* (Coleoptera : Nitidulidae), 29
maculifera Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
maculipennis Suffr., *Cryptocephalus* (Coleoptera : Chrysomelidae), 18
maculosa (Loew), *Parectecephala* (Diptera : Chloropidae), 33
magdalidis Ashm., *Eurytoma* (Hymenoptera : Eurytomidae), 51
magna (Girard), *Brachystola* (Orthoptera : Acrididae), 61
mali Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
mali (Fitch), *Leptothrips* (Thysanoptera : Phlaeothripidae), 63
mandibularis Serv., *Dendrobias* (Coleoptera : Cerambycidae), 13
marginata Melsh., *Mordella* (Coleoptera : Mordellidae), 29

- marginata* Warren, *Nephodia* (Lepidoptera : Geometridae), 58
- marginata* Warren, *Nipteria* (Lepidoptera : Geometridae), 58
- marginatus* (Fabr.), *Chauliognathus* (Coleoptera : Cantharidae), 11
- marginella* (Herrich-Schaeffer), *Stenomacra* (Hemiptera : Pyrrhocoridae), 41
- marginipennis* LeC., *Exochomus* (Coleoptera : Coccinellidae), 22
- marmorata* Goding, *Stictopelta* (Homoptera : Membracidae), 47
- marmoratus* Horn, *Colecerus* (Coleoptera : Curculionidae), 24
- martini* (Fall), *Pseudozonitis* (Coleoptera : Meloidae), 28
- martorelli* Bridwell, *Amblycerus* (Coleoptera : Bruchidae), 5
- Mastogenius* sp. (Coleoptera : Buprestidae), 10
- meadi* Hy. Edwards, *Thyridopteryx* (Lepidoptera : Psychridae), 60
- Medetera* sp. (Diptera : Dolichopodidae), 33
- Melanagromyza* spp. (Diptera : Agromyzidae), 31
- Melanoplus* sp. (Orthoptera : Acrididae), 61
- melanopogon* Hermann, *Atomosia* (Diptera : Asilidae), 31
- melanopus serrulatus* (LeC.), *Archodontes* (Coleoptera : Cerambycidae), 12
- Melipotis* spp. (Lepidoptera : Noctuidae), 59
- Melissodes* sp. (Hymenoptera : Apidae), 49
- melliger melliger* Forel, *Myrmecocystus* (Hymenoptera : Formicidae), 53
- membrosa* Heinrich, *Laspeyresia* (Lepidoptera : Tortricidae), 61
- mendax* Horn, *Actenodes* (Coleoptera : Buprestidae), 8
- merkei* Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- Metoponium* sp. (Coleoptera : Tenebrionidae), 30
- mevarna* (Walk.), *Trupanea* (Diptera : Tephritidae), 36
- mexicana* (F. Smith), *Atta* (Hymenoptera : Formicidae), 51
- mexicana* Chd., *Galerita* (Coleoptera : Carabidae), 11
- mexicana* (Comstock), *Tachardiella* (Homoptera : Diaspididae), 45
- mexicanus* Distant, *Neurocolpus* (Hemiptera : Miridae), 39
- mexicanus* Linsley, *Tetranodus* (Coleoptera : Cerambycidae), 16
- micans* Lac., *Ischiopachys* (Coleoptera : Cerambycidae), 13
- Microgaster* sp. (Hymenoptera : Braconidae), 49
- micropteryx* (Thomson), *Calythea* (Diptera : Anthomyiidae), 31
- Microtychius* sp. (Coleoptera : Curculionidae), 24
- mima* (Harv.), *Heteranassa* (Lepidoptera : Noctuidae), 59
- mimica* Scudder, *Paridemona* (Orthoptera : Acrididae), 62
- mimicus* Wheeler, *Myrmecocystus* (Hymenoptera : Formicidae), 53
- mimosae* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- mimosarum* (Ckll.), *Lepidosaphes* (Homoptera : Diaspididae), 45
- mimosarum* (Ckll.), *Velataspis* (Homoptera : Coccidae), 45
- mini* Davidson, *Crenulaspidiotus* (Homoptera : Diaspididae), 45
- minimum* (Buckley), *Monomorium* (Hymenoptera : Formicidae), 53
- mirabilis* (Ckll.), *Toumeyella* (Homoptera : Coccidae), 45
- Mistharnophantia* sp. (Homoptera : Flatidae), 46
- Mitostylus* sp. (Coleoptera : Curculionidae), 24
- modesta* (Uhler), *Pubilia* (Homoptera : Membracidae), 46
- Monoxia* sp. (Coleoptera : Chrysomelidae), 20
- montezuma* (Suffr.), *Griburius* (Coleoptera : Chrysomelidae), 19
- montezumae* Muls., *Thalassa* (Coleoptera : Coccinellidae), 23
- Mordella* sp. (Coleoptera : Mordellidae), 29
- Mordellistena* sp. (Coleoptera : Mordellidae), 29
- morosus* White, *Calocomus* (Coleoptera : Cerambycidae), 12
- Mozena* spp. (Hemiptera : Coreidae), 37
- multiguttata* Stål, *Calligrapha* (Coleoptera : Chrysomelidae), 17
- muricata* Csy., *Telabis* (Coleoptera : Tenebrionidae), 31
- mutabilis* Lac., *Anomoea* (Coleoptera : Chrysomelidae), 17
- mutabilis* (G. and P.), *Cotinis* (Coleoptera : Scarabaeidae), 30
- mutilatus* Er., *Carpophilus* (Coleoptera : Nitidulidae), 29
- mystica* Csy., *Onychobaris* (Coleoptera : Curculionidae), 25
- Mythicomyia* sp. (Diptera : Bombyliidae), 32
- naegeli* (Forel), *Ephebomyrmex* (Hymenoptera : Formicidae), 52
- Naucles* sp. (Coleoptera : Mordellidae), 29
- nearno* Martin, *Proctacanthus* (Diptera : Asilidae), 32
- necopinus* Knight, *Eustictus* (Hemiptera : Miridae), 38
- Nemognatha* sp. (Coleoptera : Meloidae), 28
- Nephopteryx* sp. (Lepidoptera : Pyralidae), 60
- niger* Loew, *Coniceps* (Diptera : Richardiidae), 34
- niger* Kieff. and Jorg., *Eschatocerus* (Hymenoptera : Cynipidae), 50
- nigrescens* G. and R., *Melipotis* (Lepidoptera : Noctuidae), 59
- nigriceps* Cam., *Odontobracon* (Hymenoptera : Braconidae), 50
- nigricornis* Wulp., *Micropeza* (Diptera : Micropezidae), 34
- nigritarsis* (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
- nigriventris* Forel, *Forelius* (Hymenoptera : Formicidae), 52
- nitidus* Wiedemann, *Systropus* (Diptera : Bombyliidae), 32

- nobilis* LeC., *Heterachthes* (Coleoptera : Cerambycidae), 13
- Nodonota* sp. (Coleoptera : Chrysomelidae), 20
- Norape* sp. (Lepidoptera : Megalopygidae), 58
- Norvellina* sp. (Homoptera : Cicadellidae), 43
- Novus* spp. (Hemiptera : Miridae), 39
- nubilum* (Say), *Boopedon* (Orthoptera : Acrididae), 61
- nuda* (Ad.), *Conioscinella* (Diptera : Chloropidae), 33
- numerata hesperia* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- Nysius* sp. (Hemiptera : Lygaeidae), 38
- oberthuri* (Boisduval), *Automeris* (Lepidoptera : Saturniidae), 60
- obliqua* (Say), *Allograpta* (Diptera : Syrphidae), 35
- obliquus* Uhler, *Microporus* (Hemiptera : Cydnidae), 37
- obliquus* Uhler, *Orectoderus* (Hemiptera : Miridae), 39
- oblita* Horn, *Cymatodera* (Coleoptera : Cleridae), 21
- obscura* (Fallén), *Discocerina* (Diptera : Ephydriidae), 33
- obscurinervis* (Stål), *Exitianus* (Homoptera : Cicadellidae), 43
- obtusa* Uhler, *Mozena* (Hemiptera : Coreidae), 37
- occidentalis* (Pergande), *Frankliniella* (Thysanoptera : Thripidae), 63
- ochrodes* Guenée, *Melipotis* (Lepidoptera : Noctuidae), 59
- Octinodes* sp. (Coleoptera : Elateridae), 26
- octocola* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- octonotata* Csy., *Hyperaspis* (Coleoptera : Coccinellidae), 23
- oculata* Say, *Chrysopa* (Neuroptera : Chrysopidae), 61
- Oedionychus* sp. (Coleoptera : Chrysomelidae), 20
- Olcella* spp. (Diptera : Chloropidae), 33
- Oliarus* spp. (Homoptera : Cixiidae), 44
- Olibrus* sp. (Coleoptera : Phalacridae), 29
- olneyae* (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
- omogera* Lac. (near), *Saxinis* (Coleoptera : Chrysomelidae), 21
- Oncideres* sp. (Coleoptera : Cerambycidae), 14
- Oncideres* spp. (Coleoptera : Cerambycidae), 14
- opacicollis* Horn, *Colaspoides* (Coleoptera : Chrysomelidae), 18
- Ophion* sp. (Hymenoptera : Ichneumonidae), 54
- Ophionellus* sp. (Hymenoptera : Ichneumonidae), 54
- opuntiae* Buren, *Crematogaster* (Hymenoptera : Formicidae), 52
- Orasema* sp. (Hymenoptera : Eucharitidae), 50
- ornatus* (Reuter), *Reuteroscopus* (Hemiptera : Miridae), 39
- Orthotylus* sp. (Hemiptera : Miridae), 39
- osborni* (Van Duzee), *Rhytidolomia* (Hemiptera : Pentatomidae), 40
- Oscinella* spp. (Diptera : Chloropidae), 33
- ou* (Guen.), *Rachiplusia* (Lepidoptera : Noctuidae), 59
- ovipennis* LeC., *Cymatodera* (Coleoptera : Cleridae), 21
- Pachybrachys* sp. (Coleoptera : Chrysomelidae), 20
- Pachyneuron* spp. (Hymenoptera : Pteromalidae), 55
- pallidipes* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- pallido-virens spinosa* (Stål), *Thyanta* (Hemiptera : Pentatomidae), 40
- pallidus* (F. Smith), *Pseudomyrmex* (Hymenoptera : Formicidae), 53
- pallipennis* (Say), *Carpophilus* (Coleoptera : Nitidulidae), 29
- pallipes* Jac., *Euphrytus* (Coleoptera : Chrysomelidae), 19
- palmacollis* Horn, *Agrilus* (Coleoptera : Buprestidae), 8
- palmerii marginalis* (Skin.), *Apodemia* (Lepidoptera : Lycaenidae), 58
- Pandeleiteius* sp. (Coleoptera : Curculionidae), 25
- pantherinus* (Walker), *Poecilotettix* (Orthoptera : Acrididae), 62
- paracalvatus* Knull, *Aneflus* (Coleoptera : Cerambycidae), 12
- Paracrias* sp. (Hymenoptera : Eulophidae), 50
- Paracryptocerus* spp. (Hymenoptera : Formicidae), 53
- Paradidyma* sp. (Diptera : Tachinidae), 36
- parallelopipedus* (Melsh.), *Trogoxylon* (Coleoptera : Lyctidae), 26
- Parasierola* sp. (Hymenoptera : Bethyridae), 49
- Paratanus* sp. (Homoptera : Cicadellidae), 43
- Paratiphia* spp. (Hymenoptera : Tiphidae), 56
- Paratrechina* (*Nylanderia*) sp. (Hymenoptera : Formicidae), 53
- pardalis* LeC., *Epicauta* (Coleoptera : Meloidae), 28
- parkeri* Cazier, *Acmaeodera* (Coleoptera : Buprestidae), 7
- parma* A. and K., *Neotiphia* (Hymenoptera : Tiphidae), 56
- parva* (Ruskes), *Brochymena* (Hemiptera : Pentatomidae), 39
- paupercula* Spangberg, *Gypona* (*Obtusana*) (Homoptera : Cicadellidae), 43
- pechumani* Curran, *Euxesta* (Diptera : Otitidae), 34
- pedinoides* LeC., *Eleodes* (Coleoptera : Tenebrionidae), 30
- pelidna* (Burm.), *Orphulella* (Orthoptera : Acrididae), 62
- peltifera* Berg, *Lobepomis* (Hemiptera : Pentatomidae), 40
- peninsulare peninsulare* Schffr., *Tragidion* (Coleoptera : Cerambycidae), 17
- pennsylvanicus* (DeGeer), *Bombus* (Hymenoptera : Apidae), 49
- Pentaria* sp. (Coleoptera : Mordellidae), 29
- perpilosa* Wheeler, *Formica* (Hymenoptera : Formicidae), 52
- Petalium* sp. (Coleoptera : Anobiidae), 3
- Phalacrus* sp. (Coleoptera : Phalacridae), 29
- Pheidole* sp. (Hymenoptera : Formicidae), 53
- Phora* sp. (Diptera : Phoridae), 34
- Phthiria* sp. (Diptera : Bombyliidae), 32
- Phyllobaenus* spp. (Coleoptera : Cleridae), 22
- phyloppus* (L.), *Leptoglossus* (Hemiptera : Coreidae), 36
- Physotarsus* sp. (Hymenoptera : Ichneumonidae), 54
- Phytobia* sp. (Diptera : Agromyzidae), 31
- phytobioides* Champ., *Hypocoeliodes* (Coleoptera : Curculionidae), 24
- Phytocoris* spp. (Hemiptera : Miridae), 39

- picicollis* Stål, *Zygogramma* (Coleoptera : Chrysomelidae), 21
- picum* Chemsak, *Peranoplium* (Coleoptera : Cerambycidae), 15
- picturatus* (Fabr.), *Rhipibruchus* (Coleoptera : Bruchidae), 6
- pilatei* Lac., *Euryscopa* (Coleoptera : Chrysomelidae), 19
- pilosa* (Forster), *Chariessa* (Coleoptera : Cleridae), 21
- pinalorum* Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
- Pipunculus* sp. (Diptera : Pipunculidae), 34
- pisi* (Harris), *Macrosiphum* (Homoptera : Aphididae), 42
- piurae* Pierce, *Amblycerus* (Coleoptera : Bruchidae), 5
- plagiata* (Gory), *Psiloptera* (Coleoptera : Buprestidae), 11
- plagiatus* (Fabr.), *Laemosaccus* (Coleoptera : Curculionidae), 24
- plagiatus* (Fabr.) (near), *Laemosaccus* (Coleoptera : Curculionidae), 24
- planidens* Mayr, *Dorymyrmex* (Hymenoptera : Formicidae), 52
- Platycentrus* sp. (Homoptera : Membracidae), 46
- Podagrion* sp. (Hymenoptera : Torymidae), 56
- Podisus* sp. (Hemiptera : Pentatomidae), 40
- Poecilanthrax* sp. (Diptera : Bombyliidae), 32
- polita* Fabr., *Meoneura* (Diptera : Milichiidae), 34
- pollinosus* Will., *Silvius* (Diptera : Tabanidae), 35
- Polybia* sp. (Hymenoptera : Vespidae), 57
- ponderosus* (Scudder), *Melanoplus* (Orthoptera : Acrididae), 62
- porosus* LeC., *Ophryastes* (Coleoptera : Curculionidae), 25
- porracea* Harold, *Diabrotica* (Coleoptera : Chrysomelidae), 18
- postica* LeC., *Pyrota* (Coleoptera : Meloidae), 28
- Prionis* sp. (Coleoptera : Cerambycidae), 15
- Promasiphya* sp. (Diptera : Tachinidae), 36
- propheticus* Sharp, *Sciadrusus* (Coleoptera : Curculionidae), 25
- prospidis* Fisher, *Agrilus* (Coleoptera : Buprestidae), 8
- prospidis* Ckll., *Asphondylia* (Diptera : Cecidomyiidae), 32
- prospidis* Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
- prospidis* Vier., *Heterospilus* (Hymenoptera : Braconidae), 49
- prospidis* Crawford, *Heterothrips* (Thysanoptera : Heterothripidae), 63
- prospidis* Kieff. and Jorg., *Ophisthocelis* (Homoptera : Coccidae), 45
- prospidis* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- prospidis* Knight, *Phymatopsallus* (Hemiptera : Miridae), 39
- prospidis* Ckll., *Xerophilaspis* (Homoptera : Diaspididae), 45
- prosopis* (LeC.), *Algarobius* (Coleoptera : Bruchidae), 5
- prosopis* (Hy. Edwards), *Carmenta* (Lepidoptera : Aegeriidae), 57
- prosopis* Schffr., *Glyptoscelis* (Coleoptera : Chrysomelidae), 19
- prosopis* Fall, *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- prosopis* Kings., *Rhipibruchus* (Coleoptera : Bruchidae), 6
- protensus* (LeC.), *Aneflus* (Coleoptera : Cerambycidae), 12
- protractus* (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5
- proxima* Berg, *Smiliorachis* (Homoptera : Membracidae), 46
- pruininus* (Horn), *Stator* (Coleoptera : Bruchidae), 6
- pruinosa* Cr., *Ammophila* (Hymenoptera : Sphecidae), 56
- pruinosa* (Say), *Metcalfa* (Homoptera : Flatidae), 45
- pruinus analis* (André), *Iridomyrmex* (Hymenoptera : Formicidae), 52
- pruinus pruinus* (Roger), *Iridomyrmex* (Hymenoptera : Formicidae), 52
- Psallus* sp. (Hemiptera : Miridae), 39
- Pseudomethoca* sp. (Hymenoptera : Mutillidae), 54
- psychodoides* (Blanch.), *Nomerobium* (Neuroptera : Hemerobiidae), 61
- Psyllaephagus* sp. (Hymenoptera : Encyrtidae), 50
- Ptilodactyla* sp. (Coleoptera : Helodidae), 26
- Ptinus* sp. (Coleoptera : Ptinidae), 30
- puella* Davis, *Pacarina* (Homoptera : Cicadidae), 44
- pugnax* (Fabr.), *Oebalus* (Hemiptera : Pentatomidae), 40
- pulchella* (complex), *Acmaeodera* (Coleoptera : Buprestidae), 7
- pulchella* Crawford, *Aphalara* (Homoptera : Psyllidae), 47
- pulchella* Baly, *Phrynocephala* (Coleoptera : Chrysomelidae), 20
- punctata* LeC., *Cymatodera* (Coleoptera : Cleridae), 21
- punctifrons* (Van Duzee), *Macropsis* (Homoptera : Cicadellidae), 43
- punctipennis* (Wiedemann), *Paralimna* (Diptera : Ephyridae), 34
- punctulata* Emery, *Crematogaster* (Hymenoptera : Formicidae), 52
- puntosignata sulphurea* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- purpuratum* Cole, *Notogramma* (Diptera : Otitidae), 34
- purpureoplagiata* Schffr., *Chrysobothris* (Coleoptera : Buprestidae), 10
- purus* Curran, *Saropogon* (Diptera : Asilidae), 32
- pusillus* Dietz, *Smicronyx* (Coleoptera : Curculionidae), 26
- pusio* (Schiner), *Palaeosepsis* (Diptera : Sepsidae), 35
- pustulata* LeC., *Oncideres* (Coleoptera : Cerambycidae), 15
- pyramicus pyramicus* (Roger), *Conomyrma* (Hymenoptera : Formicidae), 51
- Pyrracita* sp. (Coleoptera : Chrysomelidae), 20
- quadricornis* Funkhouser, *Tylocentrus* (Homoptera : Membracidae), 47

- quadridens* (Fabr.), *Ectatomma* (Hymenoptera : Formicidae), 52
- quadriifer* Csy., *Smicronyx* (Coleoptera : Curculionidae), 26
- quadripustulata* (Fabr.), *Brochymena* (Hemiptera : Pentatomidae), 40
- quadrisignatus* (Say), *Enoclerus* (Coleoptera : Cleridae), 21
- quadrispinosus* (LeC.), *Xyloblaptus* (Coleoptera : Bostrichidae), 4
- quadrivittata* Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- rapax* (Walk.), *Helicobia* (Diptera : Sarcophagidae), 35
- raphanus* Howard, *Nysius* (Hemiptera : Lygaeidae), 38
- reducta* Caldwell and Martorell, *Heteropsylla* (Homoptera : Psyllidae), 48
- regina* (Meigen), *Phormia* (Diptera : Calliphoridae), 32
- reichei exilis* Csy., *Eudercus* (Coleoptera : Cerambycidae), 13
- renardii* Kolenati, *Zelus* (Hemiptera : Reduviidae), 41
- reticulatus* Van Duzee, *Tylocentrus* (Homoptera : Membracidae), 47
- Rhabdopterus* sp. (Coleoptera : Chrysomelidae), 20
- Rhinocloa* sp. (Hemiptera : Miridae), 39
- rhodosticta* Bates, *Oncideres* (Coleoptera : Cerambycidae), 15
- rileyi* Ckll., *Icerya* (Homoptera : Coccidae), 45
- rileyi* Montandon, *Sinea* (Hemiptera : Reduviidae), 41
- rimosa* (Buquet), *Callona* (Coleoptera : Cerambycidae), 12
- robertsoni* Sabr., *Hippelates* (Diptera : Chloropidae), 33
- robiniae* (Forster), *Megacyllene* (Coleoptera : Cerambycidae), 14
- robusta* Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- robustus* Schffr., *Mastogenius* (Coleoptera : Buprestidae), 10
- rodeos* Moulton, *Frankliniella* (Thysanoptera : Thripidae), 63
- Rogas* sp. (Hymenoptera : Braconidae), 50
- rossi* (Cazier), *Acmaeoderoides* (Coleoptera : Buprestidae), 8
- rossi* Van D., *Chrysobothris* (Coleoptera : Buprestidae), 10
- rotundicollis* (Eichh.) (near), *Hypothenemus* (Coleoptera : Scolytidae), 30
- rubens* (Csy.), *Plionoma* (Coleoptera : Cerambycidae), 15
- rufangulas* (Gyll.), *Conoderus* (Coleoptera : Elateridae), 26
- rufesens* Nelson, *Acmaeoderoides* (Coleoptera : Buprestidae), 8
- ruficornis* Say, *Ptilinus* (Coleoptera : Anobiidae), 3
- rufifrons* Lac., *Anomoea* (Coleoptera : Chrysomelidae), 17
- rufipedes* Dugès, *Epicauta* (Coleoptera : Meloidae), 28
- rufobrunnea* Csy., *Euphoria* (Coleoptera : Scarabaeidae), 30
- rugicollis* Linsley, *Aneflus* (Coleoptera : Cerambycidae), 12
- sacculicornis* (End.), *Elachiptera* (Diptera : Chloropidae), 33
- sallaei* (Sharp), *Mimosestes* (Coleoptera : Bruchidae), 5
- Sarcophaga* spp. (Diptera : Sarcophagidae), 35
- saucia* Van Duzee, *Ormenis* (Homoptera : Flatidae), 46
- Saxinis* sp. (Coleoptera : Chrysomelidae), 21
- sayi* Emery, *Camponotus* (Hymenoptera : Formicidae), 51
- sayi* Stål, *Chlorochroa* (Hemiptera : Pentatomidae), 40
- Schizactia* sp. (Diptera : Tachinidae), 36
- Scudderia* spp. (Orthoptera : Tettigoniidae), 63
- sculpticollis* Champ., *Rhyssomatus* (Coleoptera : Curculionidae), 25
- scutellaris* LeC., *Chauliognathus* (Coleoptera : Cantharidae), 11
- Scutobruchus* sp. (Coleoptera : Bruchidae), 6
- Scymnus* spp. (Coleoptera : Coccinellidae), 23
- Scythris* spp. (Lepidoptera : Scythridae), 61
- secabile* (Walk.), *Blepharepium* (Diptera : Asilidae), 31
- segmenta* (Say), *Epicauta* (Coleoptera : Meloidae), 28
- segmentata* Fowler, *Vanduzeeia* (Homoptera : Membracidae), 47
- semiaurata* Lefev., *Chrysodina* (Coleoptera : Chrysomelidae), 17
- semicincta* (Davis), *Diceroprocta* (Homoptera : Cicadidae), 44
- semifumipennis* Girault, *Uscana* (Hymenoptera : Trichogrammatidae), 57
- semimarginatum* Latr., *Phaedon* (Coleoptera : Chrysomelidae), 20
- senex* LeC., *Schizax* (Coleoptera : Cerambycidae), 16
- Sennius* sp. (Coleoptera : Bruchidae), 6
- sericans* (LeC.), *Dendrobiella* (Coleoptera : Bostrichidae), 4
- sericans* LeC., *Epicauta* (Coleoptera : Meloidae), 28
- serpentina* Rogers, *Calligrapha* (Coleoptera : Chrysomelidae), 17
- serrellus* DeLong, *Texananus* (Homoptera : Cicadellidae), 44
- setosus* (LeC.), *Microtychius* (Coleoptera : Curculionidae), 24
- sexnotata* Fall (near), *Systema* (Coleoptera : Chrysomelidae), 21
- sextuberculatum* (LeC.), *Xylobiops* (Coleoptera : Bostrichidae), 4
- shoshone* (Thomas), *Schistocerca* (Orthoptera : Acrididae), 62
- siccifolius* (Walker), *Cephisus* (Homoptera : Cercopidae), 42
- signifer* Stål (near), *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- Silis* sp. (Coleoptera : Cantharidae), 11
- simplex* (Horn), *Amphicerus* (Coleoptera : Bostrichidae), 3
- simplicicornis* Banks, *Kaloterme* (*Paraneoterme*) (Isoptera : Kalotermitidae), 57
- sinuata* (Fabr.), *Entylia* (Homoptera : Membracidae), 46
- sobera* Barr, *Cymatodera* (Coleoptera : Cleridae), 21
- socius* Uhler, *Zelus* (Hemiptera : Reduviidae), 41
- Solenopsis* spp. (Hymenoptera : Formicidae), 54

- solitaria* (Say), *Stenaspis* (Coleoptera : Cerambycidae), 16
- sonoitus* Ball, *Oliarus* (Homoptera : Cixiidae), 45
- sonoranus* Csy., *Aneflus* (Coleoptera : Cerambycidae), 12
- sonorensis* Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
- sonorensis* Jac., *Saxinis* (Coleoptera : Chrysomelidae), 21
- sordida* (LeC.) (near), *Monoxia* (Coleoptera : Chrysomelidae), 20
- sordidum* Smith, *Apion* (Coleoptera : Curculionidae), 23
- sordidus* (Reuter), *Anthocoris* (Hemiptera : Anthocoridae), 36
- Sparasion* sp. (Hymenoptera : Scelionidae), 55
- spatulatus* (Van Duzee), *Texanus* (Homoptera : Cicadellidae), 44
- speciosus* Scudder, *Hesperotettix* (Orthoptera : Acrididae), 61
- speciosus* (LeC.), *Ophryastes* (Coleoptera : Curculionidae), 25
- speciosus* (Drury), *Sphecius* (Hymenoptera : Sphecidae), 56
- Sphaerophthalma* sp. (Hymenoptera : Mutillidae), 55
- Sphecodes* sp. (Hymenoptera : Halictidae), 54
- sphenica* (LeC.), *Hippomelas* (Coleoptera : Buprestidae), 10
- spinifera* Crawford, *Aphalaroida* (Homoptera : Psyllidae), 47
- spinifera* Newman, *Cyllene* (Coleoptera : Cerambycidae), 13
- spinipes* (Herrich-Schaeffer), *Sinea* (Hemiptera : Reduviidae), 41
- spinosa* Poppius, *Haarupia* (Hemiptera : Miridae), 38
- spinosus* (Say), *Jalysus* (Hemiptera : Berytidae), 36
- spissipes* (Say), *Apiomerus* (Hemiptera : Reduviidae), 41
- spretus* Dietz, *Smicronyx* (Coleoptera : Cuculionidae), 26
- spuria* LeC. (near), *Glyptina* (Coleoptera : Chrysomelidae), 19
- stathamae stathamae* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- Stenodynerus* sp. (Hymenoptera : Vespidae), 57
- stercoraria* (L.), *Scatophaga* (Diptera : Anthomyiidae), 31
- sternalis* Jayne, *Trogoderma* (Coleoptera : Dermestidae), 26
- Stictocephala* sp. (Homoptera : Membracidae), 47
- stigma* (Say), *Chilocorus* (Coleoptera : Coccinellidae), 22
- stigmatica* Coq., *Euaresta* (Diptera : Tephritidae), 36
- Strategus* sp. (Coleoptera : Scarabaeidae), 30
- strictus* (Ball), *Ollarianus* (Homoptera : Cicadellidae), 43
- subfasciatus* (LeC.), *Phyllobaenus* (Coleoptera : Cleridae), 22
- subglaber* (Walger), *Melanaethus* (Hemiptera : Cydidae), 37
- subornatum* Fall, *Apion* (Coleoptera : Curculionidae), 24
- subpubescens* Schffr., *Saxinis* (Coleoptera : Chrysomelidae), 21
- subrutiliceps* (Pic), *Tricorynus* (Coleoptera : Anobiidae), 3
- subs similis* Ckll., *Aspidiotus* (Homoptera : Diaspididae), 45
- subvittatus* Csy., *Pechalius* (Coleoptera : Tenebrionidae), 30
- sueno* Guen., *Selensis* (Lepidoptera : Noctuidae), 59
- sulcatulus* (Csy.), *Microtychius* (Coleoptera : Curculionidae), 24
- surinamum* (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- suturalis* (Say), *Eleodes* (Coleoptera : Tenebrionidae), 30
- suturalis* Oliv., *Euryscelis* (Coleoptera : Cerambycidae), 13
- suturalis* (Schffr.), *Microtychius* (Coleoptera : Cerambycidae), 13
- suturalis* (LeC.), *Plionoma* (Coleoptera : Cerambycidae), 15
- Synopeas* sp. (Hymenoptera : Platygasteridae), 55
- Syrphus* sp. (Diptera : Syrphidae), 35
- tabaci* Lindeman, *Thrips* (Thysanoptera : Thripidae), 63
- Tachyspex* sp. (Hymenoptera : Sphecidae), 56
- Tanaostigmodes* spp. (Hymenoptera : Tanaostigmatidae), 56
- tarsalis* Loew, *Desmometopa* (Diptera : Milichiidae), 34
- Teichophrys* sp. (Orthoptera : Acrididae), 62
- Telabis* spp. (Coleoptera : Tenebrionidae), 31
- Tenebroides* spp. (Coleoptera : Troglitidae), 31
- tenellus* (Baker), *Circulifer* (Homoptera : Cicadellidae), 42
- tenellus* Barber, *Nysius* (Hemiptera : Lygaeidae), 38
- tenuicostata* Dugès, *Pyrota* (Coleoptera : Meloidae), 28
- Tenuipetiolus* spp. (Hymenoptera : Eurytomidae), 51
- teres* Horn, *Amphicerus* (Coleoptera : Bostrichidae), 4
- terminata* (Say), *Monophylla* (Coleoptera : Cleridae), 22
- terminatus* (Say), *Scymnus* (Coleoptera : Coccinellidae), 23
- Tetrastichus* spp. (Hymenoptera : Eulophidae), 50
- texana* LeC., *Helluomorpha* (Coleoptera : Carabidae), 11
- texana* Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- texanum* (Horn), *Xylobiops* (Coleoptera : Bostrichidae), 4
- texanus* Schffr., *Cryptocephalus* (Coleoptera : Chrysomelidae), 18
- texanus* Ashm., *Glyptocolastes* (Hymenoptera : Braconidae), 49
- texanus* Cr., *Megischus* (Hymenoptera : Stephanidae), 56
- texanus* Metcalf, *Oliarus* (Homoptera : Cixiidae), 45
- texanus* Schffr., *Paragrillus* (Coleoptera : Buprestidae), 10
- Thaumatomyia* sp. (Diptera : Chloropidae), 33
- Thicanus* sp. (Coleoptera : Anthicidae), 3
- Thinobatis* sp. (Coleoptera : Tenebrionidae), 31
- Thionia* sp. (Homoptera : Issidae), 46

- thisbe* Lucas, *Pepsis* (Hymenoptera : Pompilidae), 55
Thrypticus sp. (Diptera : Dolichopodidae), 33
thurberiphagae (Mues.), *Bracon* (Hymenoptera : Braconidae), 49
tibialis Muls., *Exoplectra* (Coleoptera : Coccinellidae), 23
Tibicen sp. (Homoptera : Cicadidae), 44
timbouvae Lameere, *Lophopoeum* (Coleoptera : Cerambycidae), 13
Tiphia spp. (Hymenoptera : Tiphidae), 56
tomentosa Jac., *Megalostomis* (Coleoptera : Chrysomelidae), 20
Torymus spp. (Hymenoptera : Torymidae), 56
toumeji Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
townsendi, *Diaspis* (Homoptera : Diaspididae), 45
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
townsendi townsendi Townsend, *Oiketicus* (Lepidoptera : Psychidae), 59
trachyderoides Thoms., *Gnaphalodes* (Coleoptera : Cerambycidae), 13
Trachymyrmex sp. (Hymenoptera : Formicidae), 54
translucens Tucker, *Orthotylus* (Hemiptera : Miridae), 39
triangulifera Timb., *Perdita* (Hymenoptera : Andrenidae), 48
Trichodesma sp. (Coleoptera : Anobiidae), 3
tricincta (Say), *Diabrotica* (Coleoptera : Chrysomelidae), 18
tricolor (Packard), *Hemileuca* (Lepidoptera : Saturniidae), 60
Tricorynus spp. (Coleoptera : Anobiidae), 3
tridentata Ferris, *Anceaspis* (Homoptera : Coccidae), 45
trigemmatum Butl., *Leptotes* (Lepidoptera : Lycaenidae), 58
triquetra (Fabr.), *Homalodisca* (Homoptera : Cicadellidae), 43
Trissolcus sp. (Hymenoptera : Scelionidae), 55
tricolor (White), *Orius* (Hemiptera : Anthoridae), 36
tuberculata (Coq.), *Efferia* (Diptera : Asilidae), 31
tuberculatum (Ol.), *Ectatomma* (Hymenoptera : Formicidae), 52
tucumana (Guer. and Perch.), *Psiloptera* (Coleoptera : Buprestidae), 11
tumidum (Fall), *Tricorynus* (Coleoptera : Anobiidae), 3
turbinata (Champ.), *Ophryastes* (Coleoptera : Curculionidae), 25
turnbulli (Caudell), *Aeoloplides* (Orthoptera : Acrididae), 61
tuta Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
tyleri Ckll., *Agapostemon* (Hymenoptera : Halictidae), 54
uhleri (Stål), *Craspeduchus* (Hemiptera : Lygaeidae), 38
uhleri Handlirsch, *Macrocephalus* (Hemiptera : Phymatidae), 41
undecimpunctata Mannh., *Diabrotica* (Coleoptera : Chrysomelidae), 18
undulatum Burm., *Achryson* (Coleoptera : Cerambycidae), 12
unicolor Bruch., *Achryson* (Coleoptera : Cerambycidae), 12
ursina (Fabr.), *Brachyacantha* (Coleoptera : Coccinellidae), 22
ustulata Uhler, *Tylana* (Homoptera : Issidae), 46
ustulata ustulata Dahlbom, *Hemipepsis* (Hymenoptera : Pompilidae), 55
uteana Csy., *Novelsis* (Coleoptera : Dermestidae), 26
uvaldensis Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
vagenotatus (Pic), *Acanthoscelides* (Coleoptera : Bruchidae), 4
validum (LeC.), *Eustomula* (Coleoptera : Cerambycidae), 13
valvata (Uhler), *Cacama* (Homoptera : Cicadidae), 44
Vanduzeeae sp. (Homoptera : Membracidae), 47
vanduzeei Ball, *Cyrtoptus* (Homoptera : Fulgoridae), 46
variabilis (Pierce), *Ophryastes* (Coleoptera : Curculionidae), 25
varians Fowler, *Stictopelta* (Homoptera : Membracidae), 47
variipennis occidentalis Wirth and Jones, *Culicoides* (Diptera : Ceratopogonidae), 33
varipilis Van D., *Acmaeodera* (Coleoptera : Buprestidae), 7
varivestis Muls., *Epilachna* (Coleoptera : Coccinellidae), 22
velasco Cast. and Gory, *Polycesta* (Coleoptera : Buprestidae), 10
velii velii Walsh, *Diapheromera* (Orthoptera : Phasmatidae), 62
velutinus group, *Scenopinus* (Diptera : Scenopinidae), 35
venosa (Uhler), *Beameria* (Homoptera : Cicadidae), 44
ventralis Cr., *Micropeza* (Diptera : Micropezidae), 34
ventricosum LeC., *Apion* (Coleoptera : Curculionidae), 24
vicina LeC., *Hololepta* (Coleoptera : Histeridae), 26
virecki Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
viginti-maculata (Say), *Psyllobora* (Coleoptera : Coccinellidae), 23
villosa (Fabr.), *Neoponera* (Hymenoptera : Formicidae), 53
Vipio sp. (Hymenoptera : Braconidae), 50
virescens (Fabr.), *Kleidocerys* (Hemiptera : Coreidae), 36
virescens (Fabr.), *Temnochila* (Coleoptera : Trogositidae), 31
virginalis (Wickham), *Anovia* (Coleoptera : Coccinellidae), 22
virgulata (LeC.), *Epicauta* (Coleoptera : Meloidae), 28
viridescens Knull, *Agrilus* (Coleoptera : Buprestidae), 8
viridicollis (LeC.), *Philophuga* (Coleoptera : Carabidae), 11
viridimicans Horn, *Colaspoides* (Coleoptera : Chrysomelidae), 18
viridimicans Hust., *Naupactus* (Coleoptera : Curculionidae), 25

- viridipilis* (Say) (near), *Chalcolepidius* (Coleoptera : Elateridae), 26
- viridis* (Thomas), *Hesperotettix* (Orthoptera : Acrididae), 61
- viridis* Jac., *Promecosoma* (Coleoptera : Chrysomelidae), 20
- viridum peninsulatum* Gregg, *Monomorium* (Hymenoptera : Formicidae), 53
- virisimilis* Fall (near), *Psylliodes* (Coleoptera : Chrysomelidae), 20
- vittata* Ball, *Driotura* (Homoptera : Cicadellidae), 43
- vittata* LeC., *Euryscopa* (Coleoptera : Chrysomelidae), 19
- vittatus* (Say), *Ophryastes* (Coleoptera : Curculionidae), 25
- vittipenne* (Horn), *Exora* (Coleoptera : Chrysomelidae), 19
- viuda* Schaus, *Tolype* (Lepidoptera : Lasiocampidae), 58
- vogti* Cartwright, *Megasoma* (Coleoptera : Scarabaeidae), 30
- wenzeli* Knull, *Agrilus* (Coleoptera : Buprestidae), 8
- westwoodii* Berg, *Oiketicus* (Lepidoptera : Psychidae), 60
- wickhami* Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
- wilti* (Horn), *Sternidius* (Coleoptera : Cerambycidae), 16
- xantha* Burks, *Spilochalcis* (Hymenoptera : Chalcididae), 50
- Xiphomyrmex* sp. (Hymenoptera : Formicidae), 54
- Xylobiops* spp. (Coleoptera : Bostrichidae), 4
- Xylocopa* (*Neoxyicopa*) sp. (Hymenoptera : Apidae), 49
- yumaella* (Kearfott), *Dyotopasta* (Lepidoptera : Tineidae), 61
- yumana* Ball, *Ormenis* (Homoptera : Flatidae), 46
- Zygogramma* sp. (Coleoptera : Chrysomelidae), 21
- zyxus* Caldwell, *Oliarus* (Homoptera : Cixiidae), 45
-

HOST PLANT INDEX

This index contains an alphabetical listing of all host plants given in the checklist. The insects recorded on these hosts are listed alphabetically by specific epithet under the plant entry. All *Prosopis*, *Prosopis* sp., *Prosopis* spp., and mesquite entries are divided into general geographic areas to help in the interpretation of the species of *Prosopis* involved. All such entries for Texas are listed under "United States" and under *Prosopis glandulosa*, because this is the only species of *Prosopis* found in the State.

Acacia spp.

- antennatus* (White), *Megacyllene* (Coleoptera : Cerambycidae), 14
batesi Horn, *Metaleptus* (Coleoptera : Cerambycidae), 14
calleta (Westwood), *Eupeckardia* (Lepidoptera : Saturniidae), 60
depilis Wheeler, *Crematogaster* (Hymenoptera : Formicidae), 51
difficilis (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
dolosus Horn, *Stenosphenus* (Coleoptera : Cerambycidae), 16
fragilaria (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
gazella Lac., *Megalostomis* (Coleoptera : Chrysomelidae), 20
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
indeterminata Walker, *Stictopelta* (Homoptera : Membracidae), 47
mandibularis Serv., *Dendrobias* (Coleoptera : Cerambycidae), 13
mima (Harv.), *Heteranassa* (Lepidoptera : Noctuidae), 59
pruininus (Horn), *Stator* (Coleoptera : Bruchidae), 6
pustulata LeC., *Oncideres* (Coleoptera : Cerambycidae), 15
quadrifera Csy., *Smicronyx* (Coleoptera : Curculionidae), 26
rossi (Cazier), *Acmaeoderoides* (Coleoptera : Buprestidae), 8
solitaria (Say), *Stenaspis* (Coleoptera : Cerambycidae), 16
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
townsendi mexicanus Gaede, *Oiketeticus* (Lepidoptera : Psychidae), 59
turbinata (Champ.), *Ophryastes* (Coleoptera : Curculionidae), 25
- Acacia amentaceae*
sallaei (Sharp), *Mimosestes* (Coleoptera : Bruchidae), 5

Acacia aroma

- germari* Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
guttulata Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
- Acacia berlandieri*
acutipennis Chev., *Chrysobothris* (Coleoptera : Buprestidae), 9
rhodosticta Bates, *Oncideres* (Coleoptera : Cerambycidae), 15
solitaria (Say), *Stenaspis* (Coleoptera : Cerambycidae), 16
- Acacia caven*
germari Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
guttulata Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
viuda Schaus, *Tolype* (Lepidoptera : Lasiocampidae), 58
- Acacia constricta*
argentatus (LeC.), *Ophryastes* (Coleoptera : Curculionidae), 25
- Acacia dealbata*
guttulata Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
- Acacia farnesiana*
alacris (Bates), *Compsa* (Coleoptera : Cerambycidae), 13
basalis LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
ceratoniae (Zeller), *Ectomyelois* (Lepidoptera : Pyralidae), 60
cupreopunctata Schffr., *Psiloptera* (Coleoptera : Buprestidae), 10
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
gonagra (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
heilbrodti (Harvey), *Sphingicampa* (Lepidoptera : Saturniidae), 60
Horismenus spp. (Hymenoptera : Eulophidae), 50
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
limbatus (Horn), *Stator* (Coleoptera : Bruchidae), 6
lunata (Burmeister), *Mozena* (Hemiptera : Coreidae), 37

- mexicana* (Comstock), *Tachardiella* (Homoptera : Diaspididae), 45
- prospidis* Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
- reichei exilis* Csy., *Eudercus* (Coleoptera : Cerambycidae), 13
- rhodosticta* Bates, *Oncideres* (Coleoptera : Cerambycidae), 15
- rimosa* (Buquet), *Callona* (Coleoptera : Cerambycidae), 12
- sallaei* (Sharp), *Mimosestes* (Coleoptera : Bruchidae), 5
- trachyderoides* Thoms., *Gnaphalodes* (Coleoptera : Cerambycidae), 13
- Acacia greggii*
- cuneata* (Horn), *Hippomelas* (Coleoptera : Buprestidae), 10
- griffithi* Fall, *Acmaeodera* (Coleoptera : Buprestidae), 7
- hassayampae* Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
- howardii* Ashmead, *Tanaostigmodes* (Hymenoptera : Tanaostigmatidae), 56
- junki* Théry, *Acmaeodera* (Coleoptera : Buprestidae), 7
- olneyae* (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
- puntosignata sulphurea* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- rubens* (Csy.), *Plionoma* (Coleoptera : Cerambycidae), 15
- variabilis* (Pierce), *Ophryastes* (Coleoptera : Curculionidae), 25
- varians* Fowler, *Stictopelta* (Homoptera : Membracidae), 47
- varipilis* Van D., *Acmaeodera* (Coleoptera : Buprestidae), 7
- velasco* Cast. and Gory, *Polycesta* (Coleoptera : Buprestidae), 10
- wenzeli* Knull, *Agrilus* (Coleoptera : Buprestidae), 8
- Acacia koa*
- flavitibia* Moulton, *Hoplothrips* (Thysanoptera : Phlaeothripidae), 63
- Acacia macracantha*
- guentheri* (Berg), *Tolyte* (Lepidoptera : Lasiocampidae), 58
- Acacia rigidula*
- heiligbrodti* (Harvey), *Sphingicampa* (Lepidoptera : Saturniidae), 60
- lunata* (Burmeister), *Mozena* (Hemiptera : Coreidae), 37
- prospidis* Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
- subornatum* Fall, *Apion* (Coleoptera : Curculionidae), 24
- Acacia roemeriana*
- subornatum* Fall, *Apion* (Coleoptera : Curculionidae), 24
- Acacia tortuosa*
- reichei exilis* Csy., *Eudercus* (Coleoptera : Cerambycidae), 13
- Acacia vernicosa*
- hirsutipubescens* (Maydell), *Epicauta* (Coleoptera : Meloidae), 27
- variabilis* (Pierce), *Ophryastes* (Coleoptera : Curculionidae), 25
- Adenostema fasciculatum*
- sonorensis* Jac. (near), *Saxinis* (Coleoptera : Chrysomelidae), 21
- Agave* sp.
- martini* (Fall), *Pseudozonitis* (Coleoptera : Meloidae), 28
- Ailanthus altissima*
- toumeyii* Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
- Albizia lebbek*
- limbatus* (Horn), *Stator* (Coleoptera : Bruchidae), 6
- Albizia saponaria*
- pruininus* (Horn), *Stator* (Coleoptera : Bruchidae), 6
- Aleurites moluecana*
- flavitibia* Moulton, *Hoplothrips* (Thysanoptera : Phlaeothripidae), 63
- Alfalfa
- alastor* Skinner, *Epicauta* (Coleoptera : Meloidae), 27
- apache* (Davis), *Diceroprocta* (Homoptera : Cicadidae), 44
- arida* Oman and Beamer, *Cuerna* (Homoptera : Cicadellidae), 43
- balteata* LeC., *Diabrotica* (Coleoptera : Chrysomelidae), 18
- crassitarsis* Maydell, *Epicauta* (Coleoptera : Meloidae), 27
- festinus* Say, *Spissistilus* (Homoptera : Membracidae), 46
- pardalis* LeC., *Epicauta* (Coleoptera : Meloidae), 28
- Amaranthus* sp.
- fragilaria* (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
- maculata* (Say), *Epicauta* (Coleoptera : Meloidae), 27
- Ambrosia* sp.
- quadrifer* Csy., *Smicronyx* (Coleoptera : Curculionidae), 26
- Antigonon* sp.
- fragilaria* (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
- Aplopappus gracilis*
- arida* Oman and Beamer, *Cuerna* (Homoptera : Cicadellidae), 43
- Apple
- mali* Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- Apricot
- mali* Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- senex* LeC., *Schizax* (Coleoptera : Cerambycidae), 16
- Araucaria* sp.
- townsendi mexicanus* Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
- Argemone* sp.
- pardalis* LeC., *Epicauta* (Coleoptera : Meloidae), 28
- Artemisia* sp.
- geminatus* (Horn), *Ophryastes* (Coleoptera : Curculionidae), 25

- sordidum* Smith, *Apion* (Coleoptera : Curculionidae), 23
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
Asclepias sp.
Lygaeus sp. (Hemiptera : Lygaeidae), 38
Asparagus
apache (Davis), *Diceroprocta* (Homoptera : Cicadidae), 44
Aspidosperma sp.
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
Aspidosperma quebrachoblanche
aspera (Fldr.), *Automeris* (Lepidoptera : Saturniidae), 60
Aster consinnus
sericans LeC., *Epicauta* (Coleoptera : Meloidae), 28
Atriplex canescens
clypeata Van Duzee, *Acanalonia* (Homoptera : Acanaloniidae), 42
elytropolanatus Howden, *Pandeleteius* (Coleoptera : Curculionidae), 25
geminatus (Horn), *Ophryastes* (Coleoptera : Curculionidae), 25
maculata (Say), *Epicauta* (Coleoptera : Meloidae), 27
Atriplex lentiformis
balteata LeC., *Diabrotica* (Coleoptera : Chrysomelidae), 18
cazieri Nelson, *Acmaeoderoides* (Coleoptera : Buprestidae), 7
Auricularia sp.
flavitibia Moulton, *Hoplothrips* (Thysanoptera : Phlaeothripidae), 63
Baccharis spp.
clypeata Van Duzee, *Acanalonia* (Homoptera : Acanaloniidae), 42
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
Baccharis conferta
townsendi mexicanus Gaede, *Oiketeticus* (Lepidoptera : Psychidae), 59
Baccharis emoryi
balteata LeC., *Diabrotica* (Coleoptera : Chrysomelidae), 18
Baccharis neglecta
lataniae Signoret, *Aspidiotus* (Homoptera : Diaspididae), 45
Baccharis ramulosa
toumeyii Jones, *Oiketeticus* (Lepidoptera : Psychidae), 60
Baccharis sarothroides
Brochymena sp. (Hemiptera : Pentatomidae), 39
Baccharis sergilioides
annulatum LeC., *Tragidion* (Coleoptera : Cerambycidae), 16
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
Basket grass
annulatum LeC., *Tragidion* (Coleoptera : Cerambycidae), 16
Bauhinia sp.
fragilaria (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
Bauhinia monandra
gonagra (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
Bauhinia tomentosa
gonagra (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
Beans (inc. Philippine pole)
aliena Swezey, *Cryptoblabs* (Lepidoptera : Pyralidae), 60
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
occidentalis (Pergande), *Frankliniella* (Thysanoptera : Thripidae), 63
varivestis Muls., *Epilachna* (Coleoptera : Coccinellidae), 22
Bebbia sp.
robusta Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
Beech
ruficornis Say, *Ptilinus* (Coleoptera : Anobiidae), 3
Beta sp.
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
Bigelovia sp.
sordidum Smith, *Apion* (Coleoptera : Curculionidae), 23
Blackbrush
addendus Cr., *Agrilus* (Coleoptera : Buprestidae), 8
cupreonitens Fisher, *Agrilus* (Coleoptera : Buprestidae), 8
prosopidis Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
Boehmeria caudata
guentheri (Berg), *Tolype* (Lepidoptera : Lasiocampidae), 58
Brya sp.
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
Bulnesia retama
larreae Leon, *Protargionia* (Homoptera : Coccidae), 45
Bumelia celastrina
chamaeleonis (Skinner), *Paratyndaris* (Coleoptera : Buprestidae), 10
cupreopunctata Schffr., *Psiloptera* (Coleoptera : Buprestidae), 10
suturalis (LeC.), *Plionoma* (Coleoptera : Cerambycidae), 15
Bumelia lanuginosa
cinereus Horn, *Pandeleteius* (Coleoptera : Curculionidae), 25
Cabbage (inc. "Wong bok")
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
Cactus
quadrivittata Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
Caesalpinia monosperma
ceratoniae (Zeller), *Ectomyelois* (Lepidoptera : Pyralidae), 60
Caesalpinia pulcherrima
gonagra (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
Caldén
hexacantha (Fairm.), *Xyloprista* (Coleoptera : Bostriichidae), 4
Calliandra sp.

- fragilaria* (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
- Callirhoe
texanus Schffr., *Paragrilus* (Coleoptera : Buprestidae), 10
- Carex* sp.
pulchella Crawford, *Aphalara* (Homoptera : Psyllidae), 47
- Carya* sp.
caprea (Say), *Neoclytus* (Coleoptera : Cerambycidae), 14
caryae (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
- Cassia* sp.
fragilaria (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
- Cassia aphylla*
bergii (Weyenbergh), *Oiketicus* (Lepidoptera : Psychidae), 59
corynthia (Fairm.), *Psiloptera* (Coleoptera : Buprestidae), 10
- Cassia fistula*
gonagra (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
- Cassia grandis*
gonagra (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
- Cassia nodosa*
gonagra (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
- Castela
mimosarum (Ckll.), *Velataspis* (Homoptera : Coccidae), 45
- Casuarina* sp.
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattellidae), 62
femoralis (Fabr.), *Polycaon* (Coleoptera : Bostrichidae), 4
- Catsclaw (also catclaw)
merkeli Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
sphenica (LeC.), *Hippomelas* (Coleoptera : Buprestidae), 10
ventricosum LeC., *Apion* (Coleoptera : Curculionidae), 24
- Catsclaw (tree)
octocola LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- Ceanothus* sp.
pulchella Crawford, *Aphalara* (Homoptera : Psyllidae), 47
- Ceanothus buxifolia*
plagiatus (Fabr.), *Laemosaccus* (Coleoptera : Curculionidae), 24
- Cedar elm
analis LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- Celtis* sp.
laevicollis (LeC.), *Rhopalophora* (Coleoptera : Cerambycidae), 15
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- Celtis laevigata*
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- Celtis occidentalis*
caryae (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
- Celtis reticulata*
senex LeC., *Schizax* (Coleoptera : Cerambycidae), 16
- Celtis spinosa*
aspera (Fldr.), *Automeris* (Lepidoptera : Saturniidae), 60
- Cercidium* sp.
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- Cercidium floridum*
amicus (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5
bivulnera Horn, *Acmaeodera* (Coleoptera : Buprestidae), 6
lataniae Signoret, *Aspidiotus* (Homoptera : Diaspididae), 45
rossi (Cazier), *Acmaeoderoides* (Coleoptera : Buprestidae), 8
senex LeC., *Schizax* (Coleoptera : Cerambycidae), 16
validum (LeC.), *Eustromula* (Coleoptera : Cerambycidae), 13
velasco Cast. and Gory, *Polycesta* (Coleoptera : Buprestidae), 10
- Cercidium microphyllum*
rubens (Csy.), *Plionoma* (Coleoptera : Cerambycidae), 15
senex LeC., *Schizax* (Coleoptera : Cerambycidae), 16
- Cercidium plurifoliolatum*
alacris Horn, *Acmaeodera* (Coleoptera : Buprestidae), 6
- Cercidium torreyanum*
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
olneyae (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
rubens (Csy.), *Plionoma* (Coleoptera : Cerambycidae), 15
- Ceanothus integarrimus*
auratus (Fabr.), *Diachus* (Coleoptera : Chrysomelidae), 18
- Cevallia sinuata*
speciosus (LeC.), *Ophryastes* (Coleoptera : Curculionidae), 25
- Chenopodium anthelminiticum*
ou (Guen.), *Rachiplusia* (Lepidoptera : Noctuidae), 59
- Cherry
mali Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- Chionactius* sp.
robusta Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- Chlorophora tinctoria*
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- Chrysanthemums

- modesta* (Uhler), *Publilia* (Homoptera : Membracidae), 46
- Chrysopsis* spp.
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- Chrysothamnus* sp.
geminatus (Horn), *Ophryastes* (Coleoptera : Curculionidae), 25
scutellaris LeC., *Chauliognathus* (Coleoptera : Cantharidae), 11
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
- Citrus
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
fragilaria (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
mandibularis Serv., *Dendrobias* (Coleoptera : Cerambycidae), 13
simplicicornis Banks, *Kaloterme* (*Paraneoterme*) (Isoptera : Kalotermitidae), 57
- Citrus aurantium*
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
- Clover
ou (Guen.), *Rachiplusia* (Lepidoptera : Noctuidae), 59
pusillus Dietz, *Smicronyx* (Coleoptera : Curculionidae), 26
- Codiaeum* sp.
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Coffee
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
- Coma
chamaeleonis (Skinner), *Paratyndaris* (Coleoptera : Buprestidae), 10
cupreopunctata Schffr., *Psiloptera* (Coleoptera : Buprestidae), 10
- Composite
piceicollis Stål, *Zygogramma* (Coleoptera : Chrysomelidae), 21
- Condalia lineata*
tucumana (Guer. and Perch.), *Psiloptera* (Coleoptera : Buprestidae), 11
- Condalia lycioides*
elytroplanatus Howden, *Pandeleiteius* (Coleoptera : Curculionidae), 25
- Condalia obovata*
laevicollis (LeC.), *Rhopalophora* (Coleoptera : Cerambycidae), 15
lataniae Signoret, *Aspidiotus* (Homoptera : Diaspididae), 45
reichi exilis Csy., *Euderces* (Coleoptera : Cerambycidae), 13
- Condalia obtusifolia*
gibbula LeC., *Acmaeodera* (Coleoptera : Buprestidae), 6
- Coralbean
hirsutipubescentis (Maydell), *Epicauta* (Coleoptera : Meloidae), 27
- Corn
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
undecimpunctata Mannh., *Diabrotica* (Coleoptera : Chrysomelidae), 18
- Cosmos
ou (Guen.), *Rachiplusia* (Lepidoptera : Noctuidae), 59
- Cotton
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
arizonae Knight, *Neurocolpus* (Hemiptera : Miridae), 38
gossypiana Hood, *Frankliniella* (Thysanoptera : Thripidae), 63
obtusa Uhler, *Mozena* (Hemiptera : Coreidae), 37
spretus Dietz, *Smicronyx* (Coleoptera : Curculionidae), 26
- Cottonwood
melanopus serrulatus (LeC.), *Archodontes* (Coleoptera : Cerambycidae), 12
shoshone (Thomas), *Schistocerca* (Orthoptera : Acrididae), 62
- Coursetia* sp.
fulgens (Ckll.), *Tachardia* (Homoptera : Tachardidae), 48
- Cowpeas
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
varivestis Muls., *Epilachna* (Coleoptera : Coccinellidae), 22
- Croton
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
Croton morifolius
piceicollis Stål, *Zygogramma* (Coleoptera : Chrysomelidae), 21
- Cryptomeria* sp.
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
- Cupressus macrocarpa*
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
- Cyanea procera*
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
- Cypress
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
- Daikon radish
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Dalea polyadenia*
geminatus (Horn), *Ophryastes* (Coleoptera : Curculionidae), 25
robusta Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- Dalia spinosa*
velasco Cast. and Gory, *Polycesta* (Coleoptera : Buprestidae), 10
- Date palm
apache (Davis), *Diceroprocta* (Homoptera : Cicadidae), 44
- Desmanthus* sp.
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
pruininus (Horn), *Stator* (Coleoptera : Bruchidae), 6
- Dodder

- quadrifer* Csy., *Smicronyx* (Coleoptera : Curculionidae), 26
- Ebony**
merkeli Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
prosopidis Fisher, *Agrilus* (Coleoptera : Buprestidae), 8
- Echinocereus* sp.
yumaella (Kearfott), *Dyotopasta* (Lepidoptera : Tineidae), 61
- Elaphrium* sp.
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
- Elm**
armicollis (Say), *Magdalis* (Coleoptera : Curculionidae), 24
cinereus Horn, *Pandeleiteius* (Coleoptera : Curculionidae), 25
- Elm, Chinese**
pardalis LeC., *Epicauta* (Coleoptera : Meloidae), 28
- Encelia* spp.
robusta Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- Encelia californica*
sordidum Smith, *Apion* (Coleoptera : Curculionidae), 23
- Encelia farinosa*
rubens (Csy.), *Plionoma* (Coleoptera : Cerambycidae), 15
- Ephedra* sp.
rossi (Cazier), *Acmaeoderoidea* (Coleoptera : Buprestidae), 8
- Ericameria ericoides*
auratus (Fabr.), *Diachus* (Coleoptera : Chrysomelidae), 18
- Erigeron* sp.
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
- Eriogonum* spp.
arida Oman and Beamer, *Cuerna* (Homoptera : Cicadellidae), 43
rossi (Cazier), *Acmaeoderoidea* (Coleoptera : Buprestidae), 8
- Eriogonum fasciculatum*
aeneipennis LeC., *Coscinoptera* (Coleoptera : Chrysomelidae), 18
auratus (Fabr.), *Diachus* (Coleoptera : Chrysomelidae), 18
geminatus (Horn), *Ophryastes* (Coleoptera : Curculionidae), 25
- Eriogonum gracile*
aeneipennis LeC., *Coscinoptera* (Coleoptera : Chrysomelidae), 18
- Eriogonum paniculatum*
auratus (Fabr.), *Diachus* (Coleoptera : Chrysomelidae), 18
- Erythrina* sp.
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
- Eucalyptus**
flavitibia Moulton, *Hoplothrips* (Thysanoptera : Phlaeothripidae), 63
hexacantha (Fairm.), *Xyloprista* (Coleoptera : Bostriichidae), 4
- Eugenia cumini*
flavitibia Moulton, *Hoplothrips* (Thysanoptera : Phlaeothripidae), 63
Eupatorium adenophorum
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
Eupatorium lasium
piceicollis Stål, *Zygogramma* (Coleoptera : Chrysomelidae), 21
- Euphorbia* spp.
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Ficus* sp.
aliena Swezey, *Cryptoblabe* (Lepidoptera : Pyralidae), 60
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- Figs**
cornutus (Pallas), *Amphicerus* (Coleoptera : Bostriichidae), 3
Fouquieria splendens
callea (Westwood), *Eupeckardia* (Lepidoptera : Saturniidae), 60
- Frankenia* sp.
pulchella Crawford, *Aphalara* (Homoptera : Psyllidae), 47
- Fraxinus* spp.
caprea (Say), *Neoclytus* (Coleoptera : Cerambycidae), 14
caryae (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
- Fruit trees (various species)**
cingulata (Say), *Oncideres* (Coleoptera : Cerambycidae), 14
longescutus (Pic), *Acanthoscelides* (Coleoptera : Bruchidae), 4
- Geoffroea decorticans*
viuda Schaus., *Tolyte* (Lepidoptera : Lasiocampidae), 58
- Geraea* sp.
numerata hesperia Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- Geraea canescens*
rufesens Nelson, *Acmaeoderoidea* (Coleoptera : Buprestidae), 8
- Geraniums**
dytisoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
- Gleditsia triacanthos*
caryae (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
sallaei (Sharp), *Mimosestes* (Coleoptera : Bruchidae), 5
- Grapefruit**
apache (Davis), *Diceroprocta* (Homoptera : Cicadidae), 44
- Grapes**
cornutus (Pallas), *Amphicerus* (Coleoptera : Bostriichidae), 3
- Grasses**
mimica Scudder, *Paraidemona* (Orthoptera : Acrididae), 62
shoshone (Thomas), *Schistocerca* (Orthoptera : Acrididae), 62

- Guajillo
merkeli Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- Gutierrezia sp.
annulatum LeC., *Tragidion* (Coleoptera : Cerambycidae), 16
geminatus (Horn), *Ophryastes* (Coleoptera : Curculionidae), 25
- Gutierrezia sarothrae
aeneipennis LeC., *Coscinoptera* (Coleoptera : Chrysomelidae), 18
- Gymnosperma gultinosum
amicus (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5
chiricahuae (Fall), *Acanthoscelides* (Coleoptera : Bruchidae), 4
- Hackberry
octocola LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- Haematoxylon sp.
ceratoniae (Zeller), *Ectomyelois* (Lepidoptera : Pyralidae), 60
- Hardwood (various species)
ruficornis Say, *Ptilinus* (Coleoptera : Anobiidae), 3
- Helianthus sp.
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
- Helianthus annuus
auratus (Fabr.), *Diachus* (Coleoptera : Chrysomelidae), 18
- Heterotheca sp.
auratus (Fabr.), *Diachus* (Coleoptera : Chrysomelidae), 18
- Huajilla
rhodosticta Bates, *Oncideres* (Coleoptera : Cerambycidae), 15
- Huisache
addendus Cr., *Agrilus* (Coleoptera : Buprestidae), 8
analís LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
basalis LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
chamaeleonis (Skinner), *Paratyndaris* (Coleoptera : Buprestidae), 10
cupreonitens Fisher, *Agrilus* (Coleoptera : Buprestidae), 8
cupreopunctata Schffr., *Psiloptera* (Coleoptera : Buprestidae), 10
octocola LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
pustulata LeC., *Oncideres* (Coleoptera : Cerambycidae), 15
texanus Schffr., *Paragrilus* (Coleoptera : Buprestidae), 10
- Huisachillo
octocola LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- Hymenoclea salsola
amicus (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5
bivulnera Horn, *Acmaeodera* (Coleoptera : Buprestidae), 6
- Hymenothrix sp.
bivittatus (Dup.), *Sphaenothecus* (Coleoptera : Cerambycidae), 16
- Hyptis emoryi*
rossi (Cazier), *Acmaeoderoidea* (Coleoptera : Buprestidae), 8
- Inga edulis*
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- Jatropha spathulata*
subsimilis Ckll., *Aspidiotus* (Homoptera : Diaspididae), 45
- Juglans* spp.
caryae (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
- Juniperus* sp.
cinereus Horn, *Pandeleiteius* (Coleoptera : Curculionidae), 25
- Juniperus sempervirens*
toumeyii Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
- Kallstroemia* sp.
maculata (Say), *Epicauta* (Coleoptera : Meloidae), 27
- Lantana* sp.
aliena Swezey, *Cryptoblabe* (Lepidoptera : Pyralidae), 60
- Lapidium* sp.
robusta Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- Larrea* spp.
depilis Wheeler, *Crematogaster* (Hymenoptera : Formicidae), 51
geminatus (Horn), *Ophryastes* (Coleoptera : Curculionidae), 25
numerata hesperia Timb., *Perdita* (Hymenoptera : Andrenidae), 48
turbinata (Champ.), *Ophryastes* (Coleoptera : Curculionidae), 25
- Larrea divaricata*
halictoides Smith, *Perdita* (Hymenoptera : Andrenidae), 48
renardii Kolenati, *Zelus* (Hemiptera : Reduviidae), 41
senex LeC., *Schizax* (Coleoptera : Cerambycidae), 16
speciosus (LeC.), *Ophryastes* (Coleoptera : Curculionidae), 25
variabilis (Pierce), *Ophryastes* (Coleoptera : Curculionidae), 25
velasco Cast. and Gory, *Polycesta* (Coleoptera : Buprestidae), 10
- Larrea tridentata*
argentatus (LeC.), *Ophryastes* (Coleoptera : Curculionidae), 25
meadi Hy. Edwards, *Thyridopteryx* (Lepidoptera : Psychidae), 60
rossi (Cazier), *Acmaeoderoidea* (Coleoptera : Buprestidae), 8
- Leguminosae
desmaresti (Guer.), *Calocomus* (Coleoptera : Cerambycidae), 12
erythrope (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
pisi (Harris), *Macrosiphum* (Homoptera : Aphididae), 42

- varivestis* Muls., *Epilachna* (Coleoptera : Coccinellidae), 22
- viuda* Schaus, *Tolyte* (Lepidoptera : Lasiocampidae), 58
- Leucaena glauca*
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Leucaena pulverulenta*
basalis LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- Leucophyllum texanum*
calleta (Westwood), *Eupeckardia* (Lepidoptera : Saturniidae), 60
gibbula LeC., *Acmaeodera* (Coleoptera : Buprestidae), 6
- Licorice (wild)
modesta (Uhler), *Publilia* (Homoptera : Membracidae), 46
- Ligustrum japonicum*
townsendi mexicanus Gaedè, *Oiketicus* (Lepidoptera : Psychidae), 59
- Lotus scoparius*
aeneipennis LeC., *Coscinoptera* (Coleoptera : Chrysomelidae), 18
sonorensis Jac. (near), *Saxinis* (Coleoptera : Chrysomelidae), 21
- Lycium* sp.
crassitarsis Maydell, *Epicauta* (Coleoptera : Meloidae), 27
- Lycium berlandieri*
chamaeleonis (Skinner), *Paratyndaris* (Coleoptera : Buprestidae), 10
- Macadamia* sp.
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Maclura pomifera*
caryae (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
- Malvaceae (various species)
texanus Schffr., *Paragrilus* (Coleoptera : Buprestidae), 10
- Mango
aliena Swezey, *Cryptoblates* (Lepidoptera : Pyralidae), 60
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
occidentalis (Pergande), *Frankliniella* (Thysanoptera : Thripidae), 63
- Maple
ruficornis Say, *Ptilinus* (Coleoptera : Anobiidae), 3
- Melilotus* sp.
numerata hesperia Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- Mimosa* sp.
fulgens (Ckll.), *Tachardia* (Homoptera : Tachardiidae), 48
inermis Crawford, *Aphalaroida* (Homoptera : Psyllidae), 47
mimosarum (Ckll.), *Velataspis* (Homoptera : Coccidae), 45
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
toumeyii Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
- Mimosa biuncifera*
howardii Ashmead, *Tanaostigmodes* (Hymenoptera : Tanaostigmatidae), 56
- Mimosa borealis*
subornatum Fall, *Apion* (Coleoptera : Curculionidae), 24
- Mimosa hexandra*
aspera (Fldr.), *Automeris* (Lepidoptera : Saturniidae), 60
viuda Schaus, *Tolyte* (Lepidoptera : Lasiocampidae), 58
- Mimosa hysterothorus*
sallaei (Sharp), *Mimosestes* (Coleoptera : Bruchidae), 5
- Mimosa lindheimeri*
rhodosticta Bates, *Oncideres* (Coleoptera : Cerambycidae), 15
- Monarda* sp.
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- Montonoa tormentosa*
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
- Morus rubra*
caryae (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
- Mulberry
aliena Swezey, *Cryptoblates* (Lepidoptera : Pyralidae), 60
- Myrsine* sp.
flavitibia Moulton, *Hoplothrips* (Thysanoptera : Phlaeothripidae), 63
- Nectandra* sp.
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- Nettuma glandulosa*
lucidillus Howden, *Pandeleteius* (Coleoptera : Curculionidae), 25
- Oak
californica Fall, *Monophylla* (Coleoptera : Cleridae), 21
cinereus Horn, *Pandeleteius* (Coleoptera : Curculionidae), 25
cornutus (Pallas), *Amphicerus* (Coleoptera : Bostriichidae), 3
laeviuscula Mayr, *Crematogaster* (Hymenoptera : Formicidae), 52
ruficornis Say, *Ptilinus* (Coleoptera : Anobiidae), 3
- Ocotillo* sp.
depilis Wheeler, *Crematogaster* (Hymenoptera : Formicidae), 51
- Olneya tesota*
barberi (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
olneyae (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
- Opuntia* sp.
humilis Banks, *Reticulitermes* (Isoptera : Rhinotermitidae), 57
- Osmanthus* sp.
aliena Swezey, *Cryptoblates* (Lepidoptera : Pyralidae), 60
- Palafoxia* spp.
rossi (Cazier), *Acmaeoderoides* (Coleoptera : Buprestidae), 8

- Palm (date)
apache (Davis), *Diceroprocta* (Homoptera : Cicadidae), 44
- Palo verde
mexicanus Distant, *Neurocolpus* (Hemiptera : Miridae), 39
octocola LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
rubens (Csy.), *Plionoma* (Coleoptera : Cerambycidae), 15
virgulata (LeC.), *Epicauta* (Coleoptera : Meloidae), 28
- Papaya
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
- Parkinsonia* sp.
mandibularis Serv., *Dendrobias* (Coleoptera : Cerambycidae), 13
validum (LeC.), *Eustromula* (Coleoptera : Cerambycidae), 13
- Parkinsonia aculeata*
rhodosticta Bates, *Oncideres* (Coleoptera : Cerambycidae), 15
trachyderoides Thoms., *Gnaphalodes* (Coleoptera : Cerambycidae), 13
- Parthenium* sp.
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
- Parthenium hysterophorus*
sallaei (Sharp), *Mimosestes* (Coleoptera : Bruchidae), 5
- Peach
mali Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- Pear
mali Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- Pecan
cinereus Horn, *Pandeleteius* (Coleoptera : Curculionidae), 25
- Pedilanthus tithymaloides*
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Pepper (inc. chili)
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Persea gratissima*
gloverii (Packard), *Cryptothela* (Lepidoptera : Psychidae), 59
- Philodendron* sp.
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
- Phoradendron* sp.
spinifera Crawford, *Aphalaroida* (Homoptera : Psyllidae), 47
- Phoradendron flavescens*
cinereus Horn, *Pandeleteius* (Coleoptera : Curculionidae), 25
- Physalis* sp.
halictoides Smith, *Perdita* (Hymenoptera : Andrenidae), 48
- Pine
virescens (Fabr.), *Temnochila* (Coleoptera : Trogo-sitidae), 31
- Pinus leiophylla*
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
- Pinus oocarpa*
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
virescens (Fabr.), *Temnochila* (Coleoptera : Trogo-sitidae), 31
- Pinus teocote*
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
- Piptadenia cebil*
westwoodii Berg, *Oiketicus* (Lepidoptera : Psychidae), 60
- Piptadenia communis*
westwoodii Berg, *Oiketicus* (Lepidoptera : Psychidae), 60
- Piptadenia macrocarpa*
germari Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
guttulata Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
- Pithecellobium* sp.
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- Pithecellobium brevifolium*
mexicana (Comstock), *Tachardiella* (Homoptera : Diaspididae), 45
mimosarum (Ckll.), *Lepidosaphes* (Homoptera : Diaspididae), 45
- Pithecellobium dulce*
lebasi Lefev., *Colaspis* (Coleoptera : Chrysomelidae), 17
limbatus (Horn), *Stator* (Coleoptera : Bruchidae), 6
- Pithecellobium flexicaule*
difficilis (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
laevicollis (LeC.), *Rhopalophora* (Coleoptera : Cerambycidae), 15
mexicana (Comstock), *Tachardiella* (Homoptera : Diaspididae), 45
mimosarum (Ckll.), *Lepidosaphes* (Homoptera : Diaspididae), 45
trachyderoides Thoms., *Gnaphalodes* (Coleoptera : Cerambycidae), 13
- Platanus* sp.
difficilis (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
- Plectronia* sp.
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
- Pluchea* spp.
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
- Pluchea sericea*
elytroplanatus Howden, *Pandeleteius* (Coleoptera : Curculionidae), 25
gibbithorax (Schffr.), *Neltumius* (Coleoptera : Bruchidae), 6
- Plum
mali (Horn), *Chrysobothris* (Coleoptera : Buprestidae), 9
- Poa* sp.
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38

- Poinsetta* sp.
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Polypodium* sp.
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Pomegranate**
cornutus (Pallas), *Amphicerus* (Coleoptera : Bostriichidae), 3
- Poplar**
melanopus serrulatus (LeC.), *Archodontes* (Coleoptera : Cerambycidae), 12
shoshone (Thomas), *Schistocerca* (Orthoptera : Acrididae), 62
- Populus* spp.
geminatus geminatus LeC., *Derobrachus* (Coleoptera : Cerambycidae), 13
melanopus serrulatus (LeC.), *Archodontes* (Coleoptera : Cerambycidae), 12
- Potato**
occidentalis (Pergande), *Frankliniella* (Thysanoptera : Thripidae), 63
pardalis LeC., *Epicauta* (Coleoptera : Meloidae), 28
- Prosopis* sp. (Argentina)
Acladra sp. (Hemiptera : Pentatomidae), 39
acutissimus Stål, *Podisus* (Hemiptera : Pentatomidae), 40
adspersa (Klug), *Epicauta* (Coleoptera : Meloidae), 27
Agrilus spp. (Coleoptera : Buprestidae), 8
alboornatus Blanchard, *Lygaeus* (Hemiptera : Lygaeidae), 38
ancoralis Germar, *Coccinella* (Coleoptera : Coccinellidae), 22
Anthicus sp. (Coleoptera : Anthicidae), 3
Apanteles spp. (Hymenoptera : Braconidae), 49
argentinus Berg, *Pachylis* (Hemiptera : Coreidae), 37
bacchulus Berg, *Omophres* (Coleoptera : Tenebrionidae), 30
bergii (Weyenbergh), *Oiketicus* (Lepidoptera : Psychidae), 59
Brachyacantha sp. (Coleoptera : Coccinellidae), 22
Bracon spp. (Hymenoptera : Braconidae), 49
Camponotus spp. (Hymenoptera : Formicidae), 51
chalcea Blanch., *Homonyx* (Coleoptera : Scarabaeidae), 30
chalybaeus Emery, *Forelius* (Hymenoptera : Formicidae), 52
Conioscinella sp. (Diptera : Chloropidae), 33
corynthia (Fairm.), *Psiloptera* (Coleoptera : Buprestidae), 10
cyphoides Heller, *Naupactus* (Coleoptera : Curculionidae), 24
Dendrosema sp. (Hymenoptera : Tanaostigmatidae), 56
desmaresti (Guer.), *Calocomus* (Coleoptera : Cerambycidae), 12
desmaresti Thoms., *Psiloptera* (Coleoptera : Buprestidae), 10
doeringi (Berg), *Tapajosa* (Homoptera : Cicadellidae), 43
elegantula JH., *Thyanta* (Hemiptera : Pentatomidae), 40
Enchenopa sp. (Homoptera : Membracidae), 46
esterensis Obenberger, *Psiloptera* (Coleoptera : Buprestidae), 10
- Eupelmus* sp. (Hymenoptera : Eupelmidae), 50
Euphalerus sp. (Homoptera : Psyllidae), 47
Euphoria spp. (Coleoptera : Scarabaeidae), 30
Eurytoma spp. (Hymenoptera : Eurytomidae), 51
formosa Dognin, *Syssphinx* (Lepidoptera : Saturniidae), 60
gazella Lac., *Megalostomis* (Coleoptera : Chrysomelidae), 20
germari Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
Geron sp. (Diptera : Bombyliidae), 32
gigas Jac., *Glyptoscelis* (Coleoptera : Chrysomelidae), 19
guentheri (Berg), *Tolype* (Lepidoptera : Lasiocampidae), 58
guttulata Thoms., *Oncideres* (Coleoptera : Cerambycidae), 15
hamatifera Lac., *Urodera* (Coleoptera : Chrysomelidae), 21
hexacantha (Fairm.), *Xyloprista* (Coleoptera : Bostriichidae), 4
Horismenus spp. (Hymenoptera : Eulophidae), 50
horni Koehler, *Oiketicus* (Lepidoptera : Psychidae), 59
imitabilis, *Harmostes* (Hemiptera : Coreidae), 36
incompleta (Walker), *Deois* (Homoptera : Cercopidae), 42
indeterminata Walker, *Stictopelta* (Homoptera : Membracidae), 47
Iphiaulax spp. (Hymenoptera : Braconidae), 49
knoblauchii (Berg), *Deois* (Homoptera : Cercopidae), 42
Lebia spp. (Coleoptera : Carabidae), 11
Liorhyssus spp. (Hemiptera : Rhopalidae), 42
littoralis Blanch., *Epiplagiops* (Diptera : Tachinidae), 35
Lobiopa sp. (Coleoptera : Nitidulidae), 29
longiscutus Kings., *Pectinibruchus* (Coleoptera : Bruchidae), 6
lutarium Burm., *Achryson* (Coleoptera : Cerambycidae), 12
macellaria (Fabr.), *Cochliomyia* (Diptera : Calliphoridae), 32
marginata Warren, *Nephodia* (Lepidoptera : Geometridae), 58
mevarna (Walk.), *Trupanea* (Diptera : Tephritidae), 36
micans Lac., *Ischiopachys* (Coleoptera : Cerambycidae), 13
Microgaster sp. (Hymenoptera : Braconidae), 49
morosus White, *Calocomus* (Coleoptera : Cerambycidae), 12
nitidus Wiedemann, *Systropus* (Diptera : Bombyliidae), 32
oberthuri (Boisduval), *Automeris* (Lepidoptera : Saturniidae), 60
obscurinervis (Stål), *Exitianus* (Homoptera : Cicadellidae), 43
Ocella spp. (Diptera : Chloropidae), 33
Oliarus spp. (Homoptera : Cixiidae), 44
Oncideres spp. (Coleoptera : Cerambycidae), 14
Oscinella spp. (Diptera : Chloropidae), 33

- Pachyneuron* spp. (Hymenoptera : Pteromalidae), 55
Paracryptocerus spp. (Hymenoptera : Formicidae), 53
phyloppus (L.), *Leptoglossus* (Hemiptera : Coreidae), 36
Phytobia sp. (Diptera : Agromyzidae), 7
Phytocoris spp. (Hemiptera : Miridae), 39
plagiata (Gory), *Psiloptera* (Coleoptera : Buprestidae), 11
planidens Mayr, *Dorymyrmex* (Hymenoptera : Formicidae), 52
Podisus sp. (Hemiptera : Pentatomidae), 40
Polybia sp. (Hymenoptera : Vespidae), 57
punctipennis (Wiedemann), *Paralimna* (Diptera : Ephydriidae), 34
Rogas sp. (Hymenoptera : Braconidae), 50
rufangulus (Gyll.), *Conoderus* (Coleoptera : Elateridae), 26
sacculicornis (End.), *Elachiptera* (Diptera : Chloropidae), 33
Sarcophaga spp. (Diptera : Sarcophagidae), 35
Scymnus spp. (Coleoptera : Coccinellidae), 23
Sennius sp. (Coleoptera : Bruchidae), 6
siccifolius (Walker), *Cephisus* (Homoptera : Cercopidae), 42
signifer Stål (near), *Pachybrachys* (Coleoptera : Chrysomelidae), 20
Solenopsis spp. (Hymenoptera : Formicidae), 54
spinifera Newman, *Cyllene* (Coleoptera : Cerambycidae), 13
subrutiliceps (Pic), *Tricorymus* (Coleoptera : Anobiidae), 3
suero Guen., *Selensis* (Lepidoptera : Noctuidae), 59
tenellus (Baker), *Circulifer* (Homoptera : Cicadellidae), 42
Thionia sp. (Homoptera : Issidae), 46
Thrypticus sp. (Diptera : Dolichopodidae), 33
timbouwae Lameere, *Lophopoeum* (Coleoptera : Cerambycidae), 13
Tiphia spp. (Hymenoptera : Tiphiidae), 56
tucumana (Guer. and Perch.), *Psiloptera* (Coleoptera : Buprestidae), 11
undulatum Burm., *Achryson* (Coleoptera : Cerambycidae), 12
unicolor Bruch., *Achryson* (Coleoptera : Cerambycidae), 12
vagenotatus (Pic), *Acanthoscelides* (Coleoptera : Bruchidae), 4
viridimicans Hust., *Naupactus* (Coleoptera : Curculionidae), 25
viuda Schaus, *Tolyte* (Lepidoptera : Lasiocampidae), 58
westwoodii Berg, *Oiketicus* (Lepidoptera : Psychidae), 60
Xylobiops spp. (Coleoptera : Bostrichidae), 4
Prosopis sp. (Caribbean Islands)
Geron sp. (Diptera : Bombyliidae), 32
indomita Walker, *Melipotis* (Lepidoptera : Noctuidae), 59
japonicum Reitter, *Lyctoxylon* (Coleoptera : Lyctidae), 26
martorelli Bridwell, *Amblycerus* (Coleoptera : Bruchidae), 5
Prosopis sp. (Central and South America)
bruchi Cwfd., *Urosigalphus* (Hymenoptera : Braconidae), 50
calleta (Westwood), *Eupeckardia* (Lepidoptera : Saturniidae), 60
cornutus (Pallas), *Amphicerus* (Coleoptera : Bostrichidae), 3
erythroa (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
gastoi Kings., *Scutobrachus* (Coleoptera : Bruchidae), 6
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
piurae Pierce, *Amblycerus* (Coleoptera : Bruchidae), 5
virescens (Fabr.), *Temnochila* (Coleoptera : Trogositidae), 31
Prosopis sp. (Hawaii)
aliena Swezey, *Cryptoblabe* (Lepidoptera : Pyralidae), 60
bruchi Cwfd., *Urosigalphus* (Hymenoptera : Braconidae), 50
dytiscoides (Serville), *Diploptera* (Orthoptera : Blattidae), 62
flavitibia Moulton, *Haplothrips* (Thysanoptera : Phlaeothripidae), 63
hawaiiensis (Morgan), *Taeniothrips* (Thysanoptera : Thripidae), 63
indomita Walker, *Melipotis* (Lepidoptera : Noctuidae), 59
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
Prosopis sp., mesquite (Mexico)
abdominalis (Say), *Olla* (Coleoptera : Coccinellidae), 23
acicus Caldwell, *Oliarus* (Homoptera : Cixiidae), 44
addendus Cr., *Agrilus* (Coleoptera : Buprestidae), 8
aenea (Fabr.), *Physiphora* (Diptera : Otitidae), 34
aenescens Cr. (near), *Coscinoptera* (Coleoptera : Chrysomelidae), 18
Agathis spp. (Hymenoptera : Braconidae), 49
Agrilus spp. (Coleoptera : Buprestidae), 8
akhurstiana Horn, *Pyrota* (Coleoptera : Meloidae), 28
alastor Skinner, *Epicauta* (Coleoptera : Meloidae), 27
albiger Reuter, *Anthocoris* (Hemiptera : Anthocoridae), 36
albilabris (Suffr.), *Griburius* (Coleoptera : Chrysomelidae), 19
albopicta Handlirsch, *Phymata* (Hemiptera : Phymatidae), 41
albosignatus Boh., *Pantomorus* (Coleoptera : Curculionidae), 25
alienus (LeC.), *Stenelaphus* (Coleoptera : Cerambycidae), 16
Altica sp. (Coleoptera : Chrysomelidae), 17
Amphelasma sp. (Coleoptera : Chrysomelidae), 17
angulatum Chev., *Calosoma* (Coleoptera : Carabidae), 11
angusta Nielson, *Cuerna* (Homoptera : Cicadellidae), 42
Anisotarsus sp. (Coleoptera : Carabidae), 11

- annulatum* LeC., *Tragidion* (Coleoptera : Cerambycidae), 16
- Apanteles* spp. (Hymenoptera : Braconidae), 49
- Aphthona* sp. (Coleoptera : Chrysomelidae), 17
- argentatus* (LeC.), *Ophryastes* (Coleoptera : Curculionidae), 25
- aridus* Ball, *Oliarus* (Homoptera : Cixiidae), 44
- arizonensis* Ruckes, *Mozena* (Hemiptera : Coreidae), 37
- arizonica* Werner, *Epicauta* (Coleoptera : Meloidae), 27
- Aulacoscelis* sp. (Coleoptera : Chrysomelidae), 17
- auriculatus* Pelaez, *Platycentrus* (Homoptera : Membracidae), 46
- auritulus* Muls., *Scymnus* (Coleoptera : Coccinellidae), 23
- aymardi* Gorham, *Brachyacantha* (Coleoptera : Coccinellidae), 22
- Babia* spp. (Coleoptera : Chrysomelidae), 17
- balteata* LeC., *Diabrotica* (Coleoptera : Chrysomelidae), 18
- barberi* (Felt), *Allareta* (Diptera : Cecidomyiidae), 32
- basalis* G. and P., *Euphoria* (Coleoptera : Scarabaeidae), 30
- basalis* (Horn), *Plionoma* (Coleoptera : Cerambycidae), 15
- basicornis* Linsley, *Stenosphenus* (Coleoptera : Cerambycidae), 16
- batesi* Horn, *Metaleptus* (Coleoptera : Cerambycidae), 14
- bicaudatus* (Say), *Amphicerus* (Coleoptera : Bostri-
chidae), 3
- bicolor* (Wheeler), *Conomyrma* (Hymenoptera : Formicidae), 51
- bivittata* (Dup.), *Taranomis* (Coleoptera : Cerambycidae), 16
- bivittatus* (Dup.), *Sphaenothecus* (Coleoptera : Cerambycidae), 16
- Bothrotes* sp. (Coleoptera : Tenebrionidae), 30
- Bracon* spp. (Hymenoptera : Braconidae), 49
- Bradycellus* sp. (Coleoptera : Carabidae), 11
- Brochymena* sp. (Hemiptera : Pentatomidae), 39
- Bulia* sp. (Lepidoptera : Noctuidae), 58
- caerulescens subcorticalis* (Banks), *Auplopus* (Hymenoptera : Pompilidae), 55
- calidus* Fall, *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- callea* (Westwood), *Eupeckardia* (Lepidoptera : Saturniidae), 60
- Calligrapha* sp. (Coleoptera : Chrysomelidae), 17
- Camponotus* spp. (Hymenoptera : Formicidae), 51
- canadensis navajoe* Cr., *Polistes* (Hymenoptera : Vespidae), 57
- Cantharis* sp. (Coleoptera : Cantharidae), 11
- caprea* (Say), *Neoclytus* (Coleoptera : Cerambycidae), 14
- carmelitus* Gorham, *Lycus* (Coleoptera : Lycidae), 26
- catulum* (Uhler), *Eustictus* (Hemiptera : Miridae), 38
- cazicus* (Suffr.), *Griburius* (Coleoptera : Chrysomelidae), 19
- Chaetocnema* sp. (Coleoptera : Chrysomelidae), 17
- Chalepus* sp. (Coleoptera : Chrysomelidae), 17
- Cheiroplatys* sp. (Coleoptera : Scarabaeidae), 30
- Chlamisus* sp. (Coleoptera : Chrysomelidae), 17
- Chrysobothris* spp. (Coleoptera : Buprestidae), 9
- Chrysopa* spp. (Neuroptera : Chrysopidae), 61
- cinctus* Herrich-Schaeffer, *Largus* (Hemiptera : Largidae), 37
- cinerea* (Say), *Piesma* (Hemiptera : Piesmidae), 41
- cinereus* Horn, *Pandeleteius* (Coleoptera : Curculionidae), 25
- circumlitus* (Stål), *Neacoryphus* (Hemiptera : Lygaeidae), 38
- Colaspis* sp. (Coleoptera : Chrysomelidae), 17
- Colaspoides* sp. (Coleoptera : Chrysomelidae), 18
- Colletes* spp. (Hymenoptera : Colletidae), 50
- Colliuris* sp. (Coleoptera : Carabidae), 11
- collusor* (Tns.), *Hippelatus* (Diptera : Chloropidae), 33
- comata* LeC., *Acmaeodera* (Coleoptera : Buprestidae), 6
- Compsocryptus* sp. (Hymenoptera : Ichneumonidae), 54
- Conotrachelus* sp. (Coleoptera : Curculionidae), 24
- convivus* Stål, *Largus* (Hemiptera : Largidae), 37
- Corticaria* sp. (Coleoptera : Lathridiidae), 26
- Corticoris* sp. (Hemiptera : Miridae), 38
- cozendix* (Fitch), *Oscinella* (Diptera : Chloropidae), 33
- crassicornis* Champ., *Menoceus* (Coleoptera : Alleculidae), 3
- crassitarsis* Maydell, *Epicauta* (Coleoptera : Meloidae), 27
- cressoni* Wlsm. (near), *Acrolophus* (Lepidoptera : Acrolophidae), 57
- cribripennis* LeC., *Cryptocephalus* (Coleoptera : Chrysomelidae), 18
- Cycloptilum* sp. (Orthoptera : Tettigoniidae), 62
- decora* (Fabr.), *Calleida* (Coleoptera : Carabidae), 11
- deducta* (Morr.), *Bulia* (Lepidoptera : Noctuidae), 58
- derelecta* (Walk.), *Ravinia* (Diptera : Sarcophagidae), 35
- Diabrotica* sp. (Coleoptera : Chrysomelidae), 18
- diadema* (Fabr.), *Sinea* (Hemiptera : Reduviidae), 41
- Dialictus* spp. (Hymenoptera : Halictidae), 54
- dimidiata* Lac., *Megalostomis* (Coleoptera : Chrysomelidae), 20
- Diplotaxis* sp. (Coleoptera : Scarabaeidae), 30
- Discodon* spp. (Coleoptera : Cantharidae), 11
- discoideus* (LeC.), *Phyllobaenus* (Coleoptera : Cleridae), 22
- Disonycha* spp. (Coleoptera : Chrysomelidae), 19
- dispar* Lac., *Exema* (Coleoptera : Chrysomelidae), 19
- dissidens* (Tuck.), *Hippelates* (Diptera : Chloropidae), 33
- diversicornis* (Haag), *Epicauta* (Coleoptera : Meloidae), 27
- domestica* L., *Musca* (Diptera : Muscidae), 34
- Drapetis* sp. (Diptera : Empididae), 33
- duplicata* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- Ectecephala* sp. (Diptera : Chloropidae), 33
- elegans vafer* Wolcott, *Callotillus* (Coleoptera : Cleridae), 21
- elytroplanatus* Howden, *Pandeleteius* (Coleoptera :

- Curculionidae), 25
emarginata (Boh.), *Metriona* (Coleoptera : Chrysomelidae), 20
Epitrix sp. (Coleoptera : Chrysomelidae), 19
Epopterus sp. (Coleoptera : Endomychidae), 26
Epyris sp. (Hymenoptera : Bethyridae), 49
erythropha (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
Eurphyrtus sp. (Coleoptera : Chrysomelidae), 19
Eurygenius sp. (Coleoptera : Pedilidae), 29
Euryscopa spp. (Coleoptera : Chrysomelidae), 19
Exptochiomera sp. (Hemiptera : Lygaeidae), 38
femorata (Fabr.), *Acanthocephala* (Hemiptera : Coreidae), 36
ferruginosa Cr., *Ammophila* (Hymenoptera : Sphecidae), 56
ficta Werner, *Epicauta* (Coleoptera : Meloidae), 27
floridensis (Tns.), *Amobia* (Diptera : Sarcophagidae), 35
foetidus foetidus (Buckley), *Forelius* (Hymenoptera : Formicidae), 52
fraternus? Knight, *Platytyrellus* (Hemiptera : Miridae), 39
frigida frigida (Smith), *Pseudomethoca* (Hymenoptera : Mutillidae), 54
frustra Pritchard, *Mallophorina* (Diptera : Asilidae), 31
fulgens (Ckll.), *Tachardia* (Homoptera : Tachardiidae), 48
fumidus festinatus (Buckley), *Camponotus* (Hymenoptera : Formicidae), 51
gemmata (Germar), *Entylia* (Homoptera : Membracidae), 46
Geron sp. (Diptera : Bombyliidae), 32
gigas (Burmeister), *Thasus* (Hemiptera : Coreidae), 37
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
Glyphonyx sp. (Coleoptera : Elateridae), 26
Goniozus sp. (Hymenoptera : Bethyridae), 49
gracilis mexicanus (Roger), *Pseudomyrmex* (Hymenoptera : Formicidae), 53
Gryon sp. (Hymenoptera : Scelionidae), 55
Helops sp. (Coleoptera : Tenebrionidae), 30
hemipterus (L.), *Carpophilus* (Coleoptera : Nitidulidae), 29
hilaris (Say), *Acrosternum* (Hemiptera : Pentatomidae), 39
Holepyris sp. (Hymenoptera : Bethyridae), 49
howardi Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
hubbardi (Dyar), *Sphingicampa* (Lepidoptera : Saturniidae), 60
Hylemyza sp. (Diptera : Anthomyiidae), 31
Hylocrinus spp. (Coleoptera : Tenebrionidae), 30
Hymenorus sp. (Coleoptera : Alleculidae), 3
impressicollis Stal, *Aufeius* (Hemiptera : Coreidae), 36
impressus Beck., *Hippelates* (Diptera : Chloropidae), 33
instabilis Saussure, *Polistes* (Hymenoptera : Vespidae), 57
Iphiaulax spp. (Hymenoptera : Braconidae), 49
Ischiodontus sp. (Coleoptera : Elateridae), 26
Lacon sp. (Coleoptera : Elateridae), 26
lacteipennis (Loew), *Milichiella* (Diptera : Milichiidae), 34
laeviuscula Mayr, *Crematogaster* (Hymenoptera : Formicidae), 52
lateralis (Dallas), *Neacoryphus* (Hemiptera : Lygaeidae), 38
lebasi Lefev., *Colaspis* (Coleoptera : Chrysomelidae), 17
Lebia spp. (Coleoptera : Carabidae), 11
Leia sp. (Diptera : Mycetophilidae), 34
Leptacis sp. (Hymenoptera : Platygasteridae), 55
Leucopis spp. (Diptera : Chamaemyiidae), 33
liebecki Werner, *Epicauta* (Coleoptera : Meloidae), 27
ligata (Say), *Chlorochroa* (Hemiptera : Pentatomidae), 40
ligatus Say, *Halictus* (Hymenoptera : Halictidae), 54
lineolata (Herrich-Schaeffer), *Mozena* (Hemiptera : Coreidae), 37
Liometopum sp. (Hymenoptera : Formicidae), 53
Liriomyza sp. (Diptera : Agromyzidae), 31
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
Lonchaea spp. (Diptera : Lonchaeidae), 34
longicollis (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
loripes Chev., *Lycus* (Coleoptera : Lycidae), 26
lowei Muls., *Scymnus* (Coleoptera : Coccinellidae), 23
lugens Lefev., *Promecosoma* (Coleoptera : Chrysomelidae), 20
lugubris Murr., *Carpophilus* (Coleoptera : Nitidulidae), 29
lunata (Burmeister), *Mozena* (Hemiptera : Coreidae), 37
maculata (Say), *Epicauta* (Coleoptera : Meloidae), 27
maculipennis Suffr., *Cryptocephalus* (Coleoptera : Chrysomelidae), 18
magna (Girard), *Brachystola* (Orthoptera : Acrididae), 61
mandibularis Serv., *Dendrobias* (Coleoptera : Cerambycidae), 13
marginipennis LeC., *Exchomus* (Coleoptera : Coccinellidae), 22
marmorata Goding, *Stictopelta* (Homoptera : Membracidae), 47
Melanagromyza spp. (Diptera : Agromyzidae), 31
Melanoplus spp. (Orthoptera : Acrididae), 61
melanopogon Hermann, *Atomosia* (Diptera : Asilidae), 31
melliger melliger Forel, *Myrmecocystus* (Hymenoptera : Formicidae), 53
mexicana (F. Smith), *Atta* (Hymenoptera : Formicidae), 51
mexicanus Linsley, *Tetranodus* (Coleoptera : Cerambycidae), 16
micropteryx (Thomson), *Calythea* (Diptera : Anthomyiidae), 31
minimum (Buckley), *Monomorium* (Hymenoptera : Formicidae), 53
Mistharnophantica sp. (Homoptera : Flatidae), 46
Mitostylus sp. (Coleoptera : Curculionidae), 24

- Monoxia* sp. (Coleoptera : Chrysomelidae), 20
montezuma (Suffr.), *Griburius* (Coleoptera : Chrysomelidae), 19
montezumae Muls., *Thalassa* (Coleoptera : Coccinellidae), 23
Mordella sp. (Coleoptera : Mordellidae), 29
multiguttata Stål, *Calligrapha* (Coleoptera : Chrysomelidae), 17
mutabilis (G. and P.), *Cotinis* (Coleoptera : Scarabaeidae), 30
Naucles sp. (Coleoptera : Mordellidae), 29
necopinus Knight, *Eustictus* (Hemiptera : Miridae), 38
Nephopteryx sp. (Lepidoptera : Pyralidae), 60
nigricornis Wulp., *Micropeza* (Diptera : Micropezidae), 34
nigritarsis (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
Nodonota sp. (Coleoptera : Chrysomelidae), 20
numerata hesperia Timb., *Perdita* (Hymenoptera : Andrenidae), 48
obliqua (Say), *Allograpta* (Diptera : Syrphidae), 35
obliquus Uhler, *Orectoderus* (Hemiptera : Miridae), 39
obscura (Fallén), *Discocerina* (Diptera : Ephydriidae), 33
obtusa Uhler, *Mozena* (Hemiptera : Coreidae), 37
octocola LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
Oedionychus sp. (Coleoptera : Chrysomelidae), 20
Ocella spp. (Diptera : Chloropidae), 33
Olibrus sp. (Coleoptera : Phalacridae), 29
Oncideres spp. (Coleoptera : Cerambycidae), 14
Ophonellus sp. (Hymenoptera : Ichneumonidae), 54
ornatus (Reuter), *Reuteroscopus* (Hemiptera : Miridae), 39
Oscinella spp. (Diptera : Chloropidae), 33
pallipes Jac., *Euphrytus* (Coleoptera : Chrysomelidae), 19
Paracryptocerus spp. (Hymenoptera : Formicidae), 53
Paradidyma sp. (Diptera : Tachinidae), 36
Parasierola sp. (Hymenoptera : Bethyridae), 49
pardalis LeC., *Epicauta* (Coleoptera : Meloidae), 28
parma A. and K., *Neotiphia* (Hymenoptera : Tiphiidae), 56
pennsylvanicus (DeGeer), *Bombus* (Hymenoptera : Apidae), 49
Pentaria sp. (Coleoptera : Mordellidae), 29
Petalium sp. (Coleoptera : Anobiidae), 3
Pheidole sp. (Hymenoptera : Formicidae), 53
Phora sp. (Diptera : Phoridae), 34
Phyllobaenus spp. (Coleoptera : Cleridae), 22
phytobioides Champ., *Hypocoeliodes* (Coleoptera : Curculionidae), 24
Phytocoris spp. (Hemiptera : Miridae), 39
piceicollis Stål, *Zygogramma* (Coleoptera : Chrysomelidae), 21
pilatei Lac., *Euryscopa* (Coleoptera : Chrysomelidae), 19
plagiatus (Fabr.), *Laemosaccus* (Coleoptera : Curculionidae), 24
plagiatus (Fabr.) (near), *Laemosaccus* (Coleoptera : Curculionidae), 24
Platycentrus sp. (Homoptera : Membracidae), 46
polita Sabr., *Meoneura* (Diptera : Milichiidae), 34
porracea Harold, *Diabrotica* (Coleoptera : Chrysomelidae), 18
postica LeC., *Pyrota* (Coleoptera : Meloidae), 28
propheticus Sharp, *Sciadrusus* (Coleoptera : Curculionidae), 25
prosopidis Knight, *Phymatopsallus* (Hemiptera : Miridae), 39
prosopidis Ckll., *Xerophilaspis* (Homoptera : Diaspididae), 45
prosopis Schffr., *Glyptoscelis* (Coleoptera : Chrysomelidae), 19
protensus (LeC.), *Aneflus* (Coleoptera : Cerambycidae), 12
protractus (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5
pruininus (Horn), *Stator* (Coleoptera : Bruchidae), 6
pruinosa Cr., *Ammophila* (Hymenoptera : Sphecidae), 56
pruinus analis (André), *Iridomyrmex* (Hymenoptera : Formicidae), 52
Pseudomethoca sp. (Hymenoptera : Mutillidae), 54
Ptilodactyla sp. (Coleoptera : Helodidae), 26
puella Davis, *Pacarina* (Homoptera : Cicadidae), 44
pulchella Baly, *Phrynocephala* (Coleoptera : Chrysomelidae), 20
punctifrons (Van Duzee), *Macropsis* (Homoptera : Cicadellidae), 43
punctulata Emery, *Crematogaster* (Hymenoptera : Formicidae), 52
purpuratum Cole, *Notogramma* (Diptera : Otitidae), 34
purus Curran, *Saropogon* (Diptera : Asilidae), 32
Pyrracita sp. (Coleoptera : Chrysomelidae), 20
quadrisignatus (Say), *Enoclerus* (Coleoptera : Cleridae), 21
raphanus Howard, *Nysius* (Hemiptera : Lygaeidae), 38
reticulatus Van Duzee, *Tylocentrus* (Homoptera : Membracidae), 47
Rhabdopterus sp. (Coleoptera : Chrysomelidae), 20
rhodosticta Bates, *Oncideres* (Coleoptera : Cerambycidae), 15
rileyi Montandon, *Sinea* (Hemiptera : Reduviidae), 41
robertsoni Sabr., *Hippelates* (Diptera : Chloropidae), 33
robustus Schffr., *Mastogenius* (Coleoptera : Buprestidae), 10
rotundicollis (Eichh.) (near), *Hypothenemus* (Coleoptera : Scolytidae), 30
rufifrons Lac., *Anomoa* (Coleoptera : Chrysomelidae), 17
rufipedes Dugès, *Epicauta* (Coleoptera : Meloidae), 28
rugicollis Linsley, *Aneflus* (Coleoptera : Cerambycidae), 12
sayi Emery, *Camponotus* (Hymenoptera : Formicidae), 51
sayi Stål, *Chlorochroa* (Hemiptera : Pentatomidae), 40

- Schizactia* sp. (Diptera : Tachinidae), 36
Sceuderia spp. (Orthoptera : Tettigoniidae), 63
sculpticollis Champ., *Rhyssomatus* (Coleoptera : Curculionidae), 25
sericans (LeC.), *Dendrobiella* (Coleoptera : Bostrichidae), 4
sericans LeC., *Epicauta* (Coleoptera : Meloidae), 28
serpentina Rogers, *Calligrapha* (Coleoptera : Chrysomelidae), 17
serrellus DeLong, *Texananus* (Homoptera : Cicadellidae), 44
setosus (LeC.), *Microtychius* (Coleoptera : Curculionidae), 24
sexnotata Fall (near), *Systema* (Coleoptera : Chrysomelidae), 21
shoshone (Thomas), *Schistocerca* (Orthoptera : Acrididae), 62
Silis sp. (Coleoptera : Cantharidae), 11
simplex (Horn), *Amphicerus* (Coleoptera : Bostrichidae), 3
simplicicornis Banks, *Kaloterme* (*Paraneotermes*) (Isoptera : Kalotermitidae), 57
Solenopsis spp. (Hymenoptera : Formicidae), 54
solitaria (Say), *Stenaspis* (Coleoptera : Cerambycidae), 16
sonovens Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
sordida (LeC.) (near), *Monoxia* (Coleoptera : Chrysomelidae), 20
sordidus (Reuter), *Anthocoris* (Hemiptera : Anthocoridae), 36
spinipes (Herrich-Schaeffer), *Sinea* (Hemiptera : Reduviidae), 41
stigmatica Coq., *Euaesta* (Diptera : Tephritidae), 36
Strategus sp. (Coleoptera : Scarabaeidae), 30
subornatum Fall, *Apion* (Coleoptera : Curculionidae), 24
suturalis (LeC.), *Plionoma* (Coleoptera : Cerambycidae), 15
Teichophrys sp. (Orthoptera : Acrididae), 62
Telabis spp. (Coleoptera : Tenebrionidae), 31
tenellus (Baker), *Circulifera* (Homoptera : Cicadellidae), 42
texanum (Horn), *Xylobiops* (Coleoptera : Bostrichidae), 4
texanus Metcalf, *Oliarus* (Homoptera : Cixiidae), 45
Thicanus sp. (Coleoptera : Anthicidae), 3
thurberiphagae (Mues.), *Bracon* (Hymenoptera : Braconidae), 49
tibialis Muls., *Exoplectra* (Coleoptera : Coccinellidae), 23
Tiphia spp. (Hymenoptera : Tiphidae), 56
tomentosa Jac., *Megalostomis* (Coleoptera : Chrysomelidae), 20
townsendi, *Diaspis* (Homoptera : Diaspididae), 45
Tricorynus spp. (Coleoptera : Anobiidae), 3
Trissolcus sp. (Hymenoptera : Scelionidae), 55
tricolor (White), *Orius* (Hemiptera : Anthocoridae), 36
tuberculatum (Ol.), *Ectatomma* (Hymenoptera : Formicidae), 52
tumidum (Fall), *Tricorynus* (Coleoptera : Anobiidae), 3
uhleri (Stål), *Craspeduchus* (Hemiptera : Lygaeidae), 38
uhleri Handlirsch, *Macrocephalus* (Hemiptera : Phymatidae), 41
undecimpunctata Mannh., *Diabrotica* (Coleoptera : Chrysomelidae), 18
ursina (Fabr.), *Brachyacantha* (Coleoptera : Coccinellidae), 22
validum (LeC.), *Eustromula* (Coleoptera : Cerambycidae), 13
varians Fowler, *Stictopelta* (Homoptera : Membracidae), 47
variipennis occidentalis Wirth and Jones, *Culicoides* (Diptera : Ceratopogonidae), 33
varivestis Muls., *Epilachna* (Coleoptera : Coccinellidae), 22
velutinus group, *Scenopinus* (Diptera : Scenopinidae), 35
ventralis Cr., *Micropeza* (Diptera : Micropezidae), 34
ventricosum LeC., *Apion* (Coleoptera : Curculionidae), 24
vicina LeC., *Hololepta* (Coleoptera : Histeridae), 26
virescens (Fabr.), *Kleidocerys* (Hemiptera : Coreidae), 36
virginalis (Wickham), *Anovia* (Coleoptera : Coccinellidae), 22
viridis Jac., *Promecosoma* (Coleoptera : Chrysomelidae), 20
viridum peninsulatum Gregg, *Monomorium* (Hymenoptera : Formicidae), 53
Xiphomyrmex sp. (Hymenoptera : Formicidae), 54
Xylobiops spp. (Coleoptera : Bostrichidae), 4
Xylocopa (*Neoxylocopa*) sp. (Hymenoptera : Apidae), 49
Zygogramma sp. (Coleoptera : Chrysomelidae), 21
Prosopis sp., mesquite (United States)
abbreviatus (Uhler), *Peribalus* (Hemiptera : Pentatomidae), 40
abditus Horn, *Agrilus* (Coleoptera : Buprestidae), 8
abdominalis (Say), *Olla* (Coleoptera : Coccinellidae), 23
abdominalis transvectus Wheeler, *Camponotus* (Hymenoptera : Formicidae), 51
addendus Cr., *Agrilus* (Coleoptera : Buprestidae), 8
admirabilis (Uhler), *Syrbula* (Orthoptera : Acrididae), 62
acaciae Ckll., *Ceroplastodes* (Homoptera : Coccidae), 45
accerra McAtee, *Thyanta* (Hemiptera : Pentatomidae), 40
acicus Caldwell, *Oliarus* (Homoptera : Cixiidae), 44
Actenodes sp. (Coleoptera : Buprestidae), 8
acutissimus Stål, *Podisus* (Hemiptera : Pentatomidae), 40
aeneipennis LeC., *Coscinoptera* (Coleoptera : Chrysomelidae), 18
aestuans (L.), *Efferia* (Diptera : Asilidae), 31
affine Chd., *Calosoma* (Coleoptera : Carabidae), 11
Agrilus spp. (Coleoptera : Buprestidae), 8
akhurstiana Horn, *Pyrota* (Coleoptera : Meloidae), 28
alacris (Bates), *Compsa* (Coleoptera : Cerambycidae), 13
alastor Skinner, *Epicauta* (Coleoptera : Meloidae), 27

- albofasciatus* (Reuter), *Spanagonicus* (Hemiptera : Miridae), 39
- albopilosus* Dietz, *Anthonomus* (Coleoptera : Curculionidae), 23
- aldrichii* Tns., *Hyalomya* (Diptera : Tachinidae), 36
- Algarobius* sp. (Coleoptera : Bruchidae), 4
- alienus* (LeC.), *Stenelaphus* (Coleoptera : Cerambycidae), 16
- alternatus* Parshley, *Nabis* (Hemiptera : Nabidae), 39
- alticola* Fall, *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- Amblycerus* sp. (Coleoptera : Bruchidae), 5
- americanus* Gahan, *Pseudocatolaccus* (Hymenoptera : Pteromalidae), 55
- amicus* (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5
- analis* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- Ancylocera* sp. (Coleoptera : Cerambycidae), 12
- anomalis* (Knull), *Ancylotela* (Coleoptera : Buprestidae), 8
- Anomalon* sp. (Hymenoptera : Ichneumonidae), 54
- annulata* Uhler, *Pronotacantha* (Hemiptera : Berytidae), 36
- annulatum* LeC., *Tragidion* (Coleoptera : Cerambycidae), 16
- antennatus* (White), *Megacyllene* (Coleoptera : Cerambycidae), 14
- apache* (Davis), *Diceroprocta* (Homoptera : Cicadidae), 44
- Aphalaroida* sp. (Homoptera : Psyllidae), 47
- Apion* spp. (Coleoptera : Curculionidae), 23
- appropinqua* (Ad.), *Thaumatomyia* (Diptera : Chloropidae), 33
- arborea* (Say), *Brochymena* (Hemiptera : Pentatomidae), 39
- argentatus* (LeC.), *Ophryastes* (Coleoptera : Curculionidae), 25
- arida* Oman and Beamer, *Cuerna* (Homoptera : Cicadellidae), 43
- aridus* Ball, *Oliarus* (Homoptera : Cixiidae), 44
- arizonae* Knight, *Neurocolpus* (Hemiptera : Miridae), 38
- arizonensis* (Schffr.), *Neliumius* (Coleoptera : Bruchidae), 5
- arizonica* Knull, *Actenodes* (Coleoptera : Buprestidae), 8
- arizonica* Werner, *Epicauta* (Coleoptera : Meloidae), 27
- arizonica* Schffr., *Methia* (Coleoptera : Cerambycidae), 14
- arizonica* Schffr., *Polycesta* (Coleoptera : Buprestidae), 10
- armicollis* (Say), *Magdalis* (Coleoptera : Curculionidae), 24
- aspera* (LeC.), *Dendrobiella* (Coleoptera : Bostrichidae), 4
- asperata* (Fox), *Moniaecera* (Hymenoptera : Sphecidae), 56
- atrivittata* (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
- Attalus* spp. (Coleoptera : Melyridae), 29
- auratus* (Fabr.), *Diachus* (Coleoptera : Chrysomelidae), 18
- auricephalus* Say, *Compsus* (Coleoptera : Curculionidae), 24
- auripennae* Csy., *Tragidion* (Coleoptera : Cerambycidae), 16
- bajula* (Goding), *Bajulata* (Homoptera : Membracidae), 46
- balteata* LeC., *Diabrotica* (Coleoptera : Chrysomelidae), 18
- barberi* (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
- batesi* Horn, *Metaleptus* (Coleoptera : Cerambycidae), 14
- bibalteatus* LeC., *Trichodes* (Coleoptera : Cleridae), 22
- bicolor* (Wheeler), *Conomyrma* (Hymenoptera : Formicidae), 51
- bicolor pictum* (Thomas), *Dactylotum* (Orthoptera : Acrididae), 61
- bifurca* Ball, *Tylanira* (Homoptera : Issidae), 46
- biscopula* (Mich.), *Heriades* (Hymenoptera : Megachilidae), 54
- bivittata maculipennis* Brun., *Mermiria* (Orthoptera : Acrididae), 62
- bivittata* (Dup.), *Taranomis* (Coleoptera : Cerambycidae), 16
- bivittatus* (Cr.), *Oligodranes* (Diptera : Bombyliidae), 32
- bivulnera* Horn, *Acmaeodera* (Coleoptera : Buprestidae), 6
- bollii bollii* Cr., *Eumenes* (Hymenoptera : Vespidae), 57
- brachialis* Fahr., *Bruchus* (Coleoptera : Bruchidae), 5
- brassicae* Mues., *Microplitis* (Hymenoptera : Braconidae), 49
- brevihastata* Morse, *Dichopetala* (Orthoptera : Tettigoniidae), 62
- Brochymena* sp. (Hemiptera : Pentatomidae), 39
- bruchi* Cwfd., *Urosigalphus* (Hymenoptera : Braconidae), 50
- caerulescens* Loew, *Senopterina* (Diptera : Platystomatidae), 34
- calidus* Fall, *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- californica* Fall, *Monophylla* (Coleoptera : Cleridae), 21
- calleta* (Westwood), *Eupeckardia* (Lepidoptera : Saturniidae), 60
- Camponotus* spp. (Hymenoptera : Formicidae), 51
- canadensis navajoe* Cr., *Polistes* (Hymenoptera : Vespidae), 57
- candidula* (Ckll.), *Hemiberlesia* (Homoptera : Diaspididae), 45
- candidulus* Ckll., *Aspidiotus* (Homoptera : Diaspididae), 45
- caprea* (Say), *Neoclytus* (Coleoptera : Cerambycidae), 14
- carnea* Step., *Chrysopa* (Neuroptera : Chrysopidae), 61
- Carneocephala* sp. (Homoptera : Cicadellidae), 42
- catulum* (Uhler), *Eustictus* (Hemiptera : Miridae), 38

- chamaeleonis* (Skinner), *Paratyndaris* (Coleoptera : Buprestidae), 10
Chelonus sp. (Hymenoptera : Braconidae), 49
chiricahuae (Fall), *Acanthoscelides* (Coleoptera : Bruchidae), 4
Chlamisus sp. (Coleoptera : Chrysomelidae), 17
Chrysobothris spp. (Coleoptera : Buprestidae), 9
Chrysodina spp. (Coleoptera : Chrysomelidae), 17
Chrysopa spp. (Neuroptera : Chrysopidae), 61
cincta (Osborn and Ball), *Menosoma* (Homoptera : Cicadellidae), 43
cinctus Herrich-Schaeffer, *Largus* (Hemiptera : Largidae), 37
cinereoatra Lj. (near), *Mordella* (Coleoptera : Mordellidae), 29
cinereus Horn, *Pandeleteius* (Coleoptera : Curculionidae), 25
cingulata (Say), *Oncideres* (Coleoptera : Cerambycidae), 14
circumlitus (Stål), *Neacoryphus* (Hemiptera : Lygaeidae), 38
Clasoptera sp. (Homoptera : Cercopidae), 42
clypeata Van Duzee, *Acanalonia* (Homoptera : Acanaloniidae), 42
cockerelli (Busck), *Friseria* (Lepidoptera : Gelechiidae), 57
complexa Caudell, *Sinea* (Hemiptera : Reduviidae), 41
concolorella (Chambers), *Ithome* (Lepidoptera : Washiidae), 61
confusa Caudell, *Sinea* (Hemiptera : Reduviidae), 41
constricta Van Duzee, *Agallia* (Homoptera : Cicadellidae), 42
Contarinia spp. (Diptera : Cecidomyiidae), 32
convivus Stål, *Largus* (Hemiptera : Largidae), 37
coquus (L.), *Tragidion* (Coleoptera : Cerambycidae), 17
cornutus (Pallas), *Amphicerus* (Coleoptera : Bostrichidae), 3
Coscinoptera sp. (Coleoptera : Chrysomelidae), 18
costalis (Fabr.), *Cuerna* (Homoptera : Cicadellidae), 43
costalis Gerstäcker, *Diacrita* (Diptera : Otitidae), 34
coxendix (Fitch), *Oscinella* (Diptera : Chloropidae), 33
crassitarsis Maydell, *Epicauta* (Coleoptera : Meloidae), 27
crinicornis Chev., *Cyllene* (Coleoptera : Cerambycidae), 13
cryptica (Say), *Glyptoscelis* (Coleoptera : Chrysomelidae), 19
Cryptorhopalum sp. (Coleoptera : Dermestidae), 26
cupreonitens Fisher, *Agrilus* (Coleoptera : Buprestidae), 8
cupreopunctata Schffr., *Psiloptera* (Coleoptera : Buprestidae), 10
debilis LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
deducta (Morr.), *Bulia* (Lepidoptera : Noctuidae), 58
deleta LeC. (near), *Chrysobothris* (Coleoptera : Buprestidae), 9
depilis Wheeler, *Crematogaster* (Hymenoptera : Formicidae), 51
derelicta (Walk.), *Ravinia* (Diptera : Sarcophagidae), 35
Diadegma sp. (Hymenoptera : Ichneumonidae), 54
diadema (Fabr.), *Sinea* (Hemiptera : Reduviidae), 41
Dialictus spp. (Hymenoptera : Halictidae), 54
Dichopetala sp. (Orthoptera : Tettigoniidae), 62
differentialis (Thomas), *Melanoplus* (Orthoptera : Acrididae), 62
difficilis Timb., *Perdita* (Hymenoptera : Andrenidae), 48
Diodontus sp. (Hymenoptera : Sphecidae), 56
Dipachystigma sp. (Hymenoptera : Pteromalidae), 55
discoideus (LeC.), *Phyllobaenus* (Coleoptera : Cleridae), 22
dolosus Horn, *Stenosphenus* (Coleoptera : Cerambycidae), 16
Dolurgus sp. (Coleoptera : Scolytidae), 30
duodecemstriata (Wlsm.), *Ofatulena* (Lepidoptera : Tortricidae), 61
elaphidiovorus Rohwer., *Odontobracon* (Hymenoptera : Braconidae), 49
elegans (Er.), *Callotillus* (Coleoptera : Cleridae), 21
elegans vafer Wolcott, *Callotillus* (Coleoptera : Cleridae), 21
elytroplanatus Howden, *Pandeleteius* (Coleoptera : Curculionidae), 25
emarginata Brunner, *Dichopetala* (Orthoptera : Tettigoniidae), 62
emarginata (Boh.), *Metriona* (Coleoptera : Chrysomelidae), 20
Epicauta sp. (Coleoptera : Meloidae), 27
Epopterus sp. (Coleoptera : Endomychidae), 26
erythropha (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
Eugnoriste sp. (Diptera : Sciaridae), 35
Euphoria spp. (Coleoptera : Scarabaeidae), 30
Euponera sp. (Hymenoptera : Formicidae), 52
Euryophthalmus sp. (Hemiptera : Pyrrhocoridae), 41
Euryscopa spp. (Coleoptera : Chrysomelidae), 19
Eurytoma spp. (Hymenoptera : Eurytomidae), 51
Evarthrus (*Anaferonia*) sp. (Coleoptera : Carabidae), 11
exclamans Viereck, *Polistes* (Hymenoptera : Vespidae), 57
exclamans Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
exesa LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
fasciatus Blackm., *Renocis* (Coleoptera : Scolytidae), 30
fecalfusca Caldwell, *Flatoides* (Homoptera : Flatidae), 45
felix Horn, *Agrilus* (Coleoptera : Buprestidae), 8
femoralis (Fabr.), *Polycaon* (Coleoptera : Bostrichidae), 4
ferruginosa Cr., *Ammophila* (Hymenoptera : Sphecidae), 56
festinus Say, *Spissistilus* (Homoptera : Membracidae), 46
ficta Werner, *Epicauta* (Coleoptera : Meloidae), 27
foetidus foetidus (Buckley), *Forelius* (Hymenoptera : Formicidae), 52
fortis (LeC.), *Apatides* (Coleoptera : Bostrichidae), 4

- frustra* Pritchard, *Mallophorina* (Diptera : Asilidae), 31
- fulgens* (Ckll.), *Tachardia* (Homoptera : Tachardiidae), 48
- fulguratus* LeC., *Cryptocephalus* (Coleoptera : Chrysomelidae), 18
- furcata furcata* Brunner, *Scudderia* (Orthoptera : Tettigoniidae), 63
- Galeopsomyia* sp. (Hymenoptera : Eulophidae), 50
- Gastracanthus* sp. (Hymenoptera : Pteromalidae), 55
- Gelis* sp. (Hymenoptera : Ichneumonidae), 54
- geminatus* (Horn), *Ophryastes* (Coleoptera : Curculionidae), 25
- gemmata* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- genalis panamintensis* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- gentilis gentilis* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- Geocoris* sp. (Hemiptera : Lygaeidae), 38
- gibbithorax* (Schffr.), *Neltumius* (Coleoptera : Bruchidae), 6
- gibbulus* (Fall), *Tricorynus* (Coleoptera : Anobiidae), 3
- gigas* (Burmeister), *Thasus* (Hemiptera : Coreidae), 37
- Glipa* sp. (Coleoptera : Mordellidae), 29
- gloverii* (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
- gossypiana* Hood, *Frankliniella* (Thysanoptera : Thripidae), 63
- granulatipennis* (Schffr.), *Pyticara* (Coleoptera : Cleridae), 22
- griffithi* Fall, *Acmaeodera* (Coleoptera : Buprestidae), 7
- gyas* (Edw.), *Hemiargus* (Lepidoptera : Lycaenidae), 58
- hadesensis* Caldwell, *Acanalonia* (Homoptera : Acanaloniidae), 42
- halictoides* Smith, *Perdita* (Hymenoptera : Andrenidae), 48
- hassayampae* Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
- haulapaiana* Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
- helianthi* (Ckll.), *Phenacoccus* (Homoptera : Pseudococcidae), 47
- hilaris* (Say), *Acrosternum* (Hemiptera : Pentatomidae), 39
- hirsutipubescens* (Maydell), *Epicauta* (Coleoptera : Meloidae), 27
- histrionica* (Hahn), *Murgantia* (Hemiptera : Pentatomidae), 40
- Horismenus* spp. (Hymenoptera : Eulophidae), 50
- howardi* Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
- howardii* Ashmead, *Tanaostigmodes* (Hymenoptera : Tanaostigmatidae), 56
- hubbardi* (Dyar), *Sphingicampa* (Lepidoptera : Saturniidae), 60
- hulli* Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
- humilis* Banks, *Reticulitermes* (Isoptera : Rhinotermitidae), 57
- hyalinipennis* Ashm., *Euchrysia* (Hymenoptera : Chalcedectidae), 50
- Hylemyza* sp. (Diptera : Anthomyiidae), 31
- Idris* sp. (Hymenoptera : Scelionidae), 55
- immaculata* (Say), *Epicauta* (Coleoptera : Meloidae), 27
- impolitus* LeC., *Helops* (Coleoptera : Tenebrionidae), 30
- indomita* Walker, *Melipotis* (Lepidoptera : Noctuidae), 59
- indutus* Csy., *Hymenorus* (Coleoptera : Alleculidae), 3
- inermis* Crawford, *Aphalaroida* (Homoptera : Psyllidae), 47
- Inostemma* sp. (Hymenoptera : Platygasteridae), 55
- Insara* sp. (Orthoptera : Tettigoniidae), 63
- insulata* LeC., *Mordella* (Coleoptera : Mordellidae), 29
- insulata* (LeC.), *Pyrota* (Coleoptera : Meloidae), 28
- interrupta* (Ball), *Tiaja* (Homoptera : Cicadellidae), 44
- invensuta* Doering, *Acanalonia* (Homoptera : Acanaloniidae), 42
- Invreia* sp. (Hymenoptera : Chalcididae), 50
- Iphiaulax* spp. (Hymenoptera : Braconidae), 49
- irroratus irroratus* Say, *Anthrax* (Diptera : Bombyliidae), 32
- Ithome* spp. (Lepidoptera : Washiidae), 61
- jaguarina* Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
- junki* Théry, *Acmaeodera* (Coleoptera : Buprestidae), 7
- knausi* Schffr., *Saxinis* (Coleoptera : Chrysomelidae), 21
- laeta* Goding, *Vanduzeeia* (Homoptera : Membracidae), 47
- laevicollis* (LeC.), *Rhopalophora* (Coleoptera : Cerambycidae), 15
- Largus* sp. (Hemiptera : Largidae), 37
- lateralis* Waterh., *Chrysobothris* (Coleoptera : Buprestidae), 9
- laticosta* Doering, *Acanalonia* (Homoptera : Acanaloniidae), 42
- latiflava latiflava* Fall, *Acmaeodera* (Coleoptera : Buprestidae), 7
- latipennis* (Loew), *Ospricerus* (Diptera : Asilidae), 32
- latirostris* LeC., *Ophryastes* (Coleoptera : Curculionidae), 25
- latisetosa* Parker, *Ravinia* (Diptera : Sarcophagidae), 35
- lecontei* Cr., *Griburius* (Coleoptera : Chrysomelidae), 19
- leda* Edw., *Strymon* (Lepidoptera : Lycaenidae), 58
- Leucopsis* spp. (Diptera : Chamaemyiidae), 33
- liebecki* Werner, *Epicauta* (Coleoptera : Meloidae), 27
- ligata* (Say), *Chlorochroa* (Hemiptera : Pentatomidae), 40
- limbatus* (Horn), *Stator* (Coleoptera : Bruchidae), 6
- lineolaris* (Palisot de Beauvois), *Lygus* (Hemiptera : Miridae), 38
- lineolata* (Herrich-Schaeffer), *Mozena* (Hemiptera :

- Coreidae), 37
Liorhyssus spp. (Hemiptera : Rhopalidae), 42
lixa Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
longicollis (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
longicornis (Coq.), *Odontoloxozus* (Diptera : Neriidae), 34
longus Bowd., *Pachybrachys* (Coleoptera : Chrysomelidae), 20
lucidillus Howden, *Pandeleiteius* (Coleoptera : Curculionidae), 25
Lygaeus sp. (Hemiptera : Lygaeidae), 38
macellaria (Fab.), *Cochliomyia* (Diptera : Calliphoridae), 32
macrocephala Schffr., *Colaspoides* (Coleoptera : Chrysomelidae), 18
Macrosiagon sp. (Coleoptera : Rhipiphoridae), 30
maculata (Say), *Epicauta* (Coleoptera : Meloidae), 27
maculatus Brues., *Bephratoides* (Hymenoptera : Eurytomidae), 51
maculatus (Er.), *Carpophilus* (Coleoptera : Nitidulidae), 29
maculifera Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
maculosa (Loew), *Parectecephala* (Diptera : Chloropidae), 33
magna (Girard), *Brachystola* (Orthoptera : Acrididae), 61
mali Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
mandibularis Serv., *Dendrobias* (Coleoptera : Cerambycidae), 13
marginatus (Fabr.), *Chauliognathus* (Coleoptera : Cantharidae), 11
marginipennis LeC., *Exochomus* (Coleoptera : Coccinellidae), 22
marmorata Goding, *Stictopelta* (Homoptera : Membracidae), 47
marmoratus Horn, *Colecerus* (Coleoptera : Curculionidae), 24
martini (Fall), *Pseudozonitis* (Coleoptera : Meloidae), 28
Mastogenius sp. (Coleoptera : Buprestidae), 10
meadi Hy. Edwards, *Thyridopteryx* (Lepidoptera : Psychidae), 60
Medetera sp. (Diptera : Dolichopodidae), 33
Melanagromyza spp. (Diptera : Agromyzidae), 31
Melanoplus spp. (Orthoptera : Acrididae), 61
melanopogon Hermann, *Atomosia* (Diptera : Asilidae), 31
melanopus serrulatus (LeC.), *Archodontes* (Coleoptera : Cerambycidae), 12
Melipotis spp. (Lepidoptera : Noctuidae), 59
melliger melliger Forel, *Myrmecocystus* (Hymenoptera : Formicidae), 53
membrosa Heinrich, *Laspeyresia* (Lepidoptera : Tortricidae), 61
mendax Horn, *Actenodes* (Coleoptera : Buprestidae), 8
merkei Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
mexicana Chd., *Galerita* (Coleoptera : Carabidae), 11
mexicanus Distant, *Neurocolpus* (Hemiptera : Miridae), 39
Microtychius sp. (Coleoptera : Curculionidae), 24
mirabilis (Ckll.), *Toumeyella* (Homoptera : Coccidae), 45
mima (Harv.), *Heteranassa* (Lepidoptera : Noctuidae), 59
mimica Scudder, *Paraidemona* (Orthoptera : Acrididae), 62
mimicus Wheeler, *Myrmecocystus* (Hymenoptera : Formicidae), 53
mimosae Timb., *Perdita* (Hymenoptera : Andrenidae), 48
mimosarum (Ckll.), *Velataspis* (Homoptera : Coccidae), 45
mini Davidson, *Crenulaspidotus* (Homoptera : Diaspididae), 45
minimum (Buckley), *Monomorium* (Hymenoptera : Formicidae), 53
Mistharnophantia sp. (Homoptera : Flatidae), 46
modesta (Uhler), *Publilia* (Homoptera : Membracidae), 46
Mordellistena sp. (Coleoptera : Mordellidae), 29
Mozena spp. (Hemiptera : Coreidae), 37
muricatula Csy., *Telabis* (Coleoptera : Tenebrionidae), 31
mutabilis Lac., *Anomoea* (Coleoptera : Chrysomelidae), 17
mutillatus Er., *Carpophilus* (Coleoptera : Nitidulidae), 29
Mythicomyia sp. (Diptera : Bombyliidae), 32
nearno Martin, *Proctacanthus* (Diptera : Asilidae), 32
Nemognatha sp. (Coleoptera : Meloidae), 28
niger Loew, *Coniceps* (Diptera : Richardiidae), 34
nigrescens G. and R., *Melipotis* (Lepidoptera : Noctuidae), 59
nigriceps Cam., *Odontobracon* (Hymenoptera : Braconidae), 50
nigritarsis (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
nobilis LeC., *Heterachthes* (Coleoptera : Cerambycidae), 13
Nodonota sp. (Coleoptera : Chrysomelidae), 20
Norape sp. (Lepidoptera : Megalopygidae), 58
Norvellina sp. (Homoptera : Cicadellidae), 43
nubilum (Say), *Boopedon* (Orthoptera : Acrididae), 61
nuda (Ad.), *Conioscinella* (Diptera : Chloropidae), 33
numerata hesperia Timb., *Perdita* (Hymenoptera : Andrenidae), 48
Nysius sp. (Hemiptera : Lygaeidae), 38
oblita Horn, *Cymatodera* (Coleoptera : Cleridae), 21
obtusa Uhler, *Mozena* (Hemiptera : Coreidae), 37
occidentalis (Pergande), *Frankliniella* (Thysanoptera : Thripidae), 63
Octinodes sp. (Coleoptera : Elateridae), 26
octocola LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9

- oculata* Say, *Chrysopa* (Neuroptera : Chrysopidae), 61
- Oliarus* spp. (Homoptera : Cixiidae), 44
- olneyae* (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
- omogera* Lac. (near), *Saxinis* (Coleoptera : Chrysomelidae), 21
- Oncideres* spp. (Coleoptera : Cerambycidae), 14
- opacicollis* Horn, *Colaspoides* (Coleoptera : Chrysomelidae), 18
- Ophionellus* sp. (Hymenoptera : Ichneumonidae), 54
- opuntiae* Buren, *Crematogaster* (Hymenoptera : Formicidae), 52
- ovipennis* LeC., *Cymatodera* (Coleoptera : Cleridae), 21
- pallidipes* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- pallido-virens spinosa* (Stal), *Thyanta* (Hemiptera : Pentatomidae), 40
- pallidus* (F. Smith), *Pseudomyrmex* (Hymenoptera : Formicidae), 53
- palmaecollis* Horn, *Agrilus* (Coleoptera : Buprestidae), 8
- pantherinus* (Walker), *Poecilotettix* (Orthoptera : Acrididae), 62
- paracalvatus* (Knull), *Aneflus* (Coleoptera : Cerambycidae), 12
- Paracrias* sp. (Hymenoptera : Eulophidae), 50
- parallelopipedus* (Melsh.), *Trogoxylon* (Coleoptera : Lyctidae), 26
- Paratiphia* spp. (Hymenoptera : Tiphidae), 56
- pardalis* LeC., *Epicauta* (Coleoptera : Meloidae), 28
- parkeri* Cazier, *Acmaeodera* (Coleoptera : Buprestidae), 7
- pechumani* Curran, *Euxesta* (Diptera : Otitidae), 34
- pedinoides* LeC., *Eleodes* (Coleoptera : Tenebrionidae), 30
- pennsylvanicus* (DeGeer), *Bombus* (Hymenoptera : Apidae), 49
- perpilosa* Wheeler, *Formica* (Hymenoptera : Formicidae), 52
- Phalacrus* sp. (Coleoptera : Phalacridae), 29
- Phthiria* sp. (Diptera : Bombyliidae), 32
- Phyllobaenus* spp. (Coleoptera : Cleridae), 22
- piceum* Chemsak, *Peranoplium* (Coleoptera : Cerambycidae), 15
- pinalorum* Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
- Pipunculus* sp. (Diptera : Pipunculidae), 34
- pisi* (Harris), *Macrosiphum* (Homoptera : Aphididae), 42
- plagiatus* (Fabr.), *Laemosaccus* (Coleoptera : Curculionidae), 24
- Podagrion* sp. (Hymenoptera : Torymidae), 56
- porosus* LeC., *Ophryastes* (Coleoptera : Curculionidae), 25
- postica* LeC., *Pyrota* (Coleoptera : Meloidae), 28
- Prionis* sp. (Coleoptera : Cerambycidae), 15
- Promasiphya* sp. (Diptera : Tachinidae), 36
- prosopidis* Fisher, *Agrilus* (Coleoptera : Buprestidae), 8
- prosopidis* Ckll., *Asphondylia* (Diptera : Cecidomyiidae), 32
- prosopidis* Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
- prosopidis* Vier., *Heterospilus* (Hymenoptera : Braconidae), 49
- prosopidis* Crawford, *Heterothrips* (Thysanoptera : Heterothripidae), 63
- prosopidis* Ckll., *Xerophilaspis* (Homoptera : Diaspididae), 45
- prosopis* (LeC.), *Algarobius* (Coleoptera : Bruchidae), 5
- prosopis* (Hy. Edwards), *Carmenta* (Lepidoptera : Ageriidae), 57
- prosopis* Fall, *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- protensus* (LeC.), *Aneflus* (Coleoptera : Cerambycidae), 12
- protractus* (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5
- pruininus* (Horn), *Stator* (Coleoptera : Bruchidae), 6
- pruinosa* (Say), *Metcalfa* (Homoptera : Flatidae), 45
- pruinus analis* (André), *Iridomyrmex* (Hymenoptera : Formicidae), 52
- pruinus pruinus* (Roger), *Iridomyrmex* (Hymenoptera : Formicidae), 52
- Psallus* sp. (Hemiptera : Miridae), 39
- Ptilodactyla* sp. (Coleoptera : Helodidae), 26
- Ptinus* sp. (Coleoptera : Ptinidae), 30
- puella* Davis, *Pacarina* (Homoptera : Cicadidae), 44
- pulchella* (complex), *Acmaeodera* (Coleoptera : Buprestidae), 7
- punctata* LeC., *Cymatodera* (Coleoptera : Cleridae), 21
- punctulata* Emery, *Crematogaster* (Hymenoptera : Formicidae), 52
- puntosignata sulphurea* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- purpureoplagiata* Schffr., *Chrysobothris* (Coleoptera : Buprestidae), 10
- pusillus* Dietz, *Smicronyx* (Coleoptera : Curculionidae), 26
- pusio* (Schiner), *Palaeosepsis* (Diptera : Sepsidae), 35
- pustulata* LeC., *Oncideres* (Coleoptera : Cerambycidae), 15
- pyramicus pyramicus* (Roger), *Conomyrma* (Hymenoptera : Formicidae), 51
- quadricornis* Funkhouser, *Tylocentrus* (Homoptera : Membracidae), 47
- quadrififer* Csy., *Smicronyx* (Coleoptera : Curculionidae), 26
- quadrisignatus* (Say), *Enoclerus* (Coleoptera : Cleridae), 21
- quadrispinosus* (LeC.), *Xyloblaptus* (Coleoptera : Bostrichidae), 4
- quadrivittata* Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- raphanus* Howard, *Nysius* (Hemiptera : Lygaeidae), 38
- regina* (Meigen), *Phormia* (Diptera : Calliphoridae), 32
- reticulatus* Van Duzee, *Tylocentrus* (Homoptera : Membracidae), 47
- Rhinocloa* sp. (Hemiptera : Miridae), 39

- rhodosticta* Bates, *Oncideres* (Coleoptera : Cerambycidae), 15
- rileyi* Montandon, *Sinea* (Hemiptera : Reduviidae), 41
- rimosa* (Buquet), *Callona* (Coleoptera : Cerambycidae), 12
- robiniae* (Forster), *Megacyllene* (Coleoptera : Cerambycidae), 14
- robusta* Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- rossi* (Cazier), *Acmaeoderoides* (Coleoptera : Buprestidae), 8
- rossi* Van D., *Chrysobothris* (Coleoptera : Buprestidae), 10
- ruficornis* Say, *Ptilinus* (Coleoptera : Anobiidae), 3
- rufifrons* Lac., *Anomoea* (Coleoptera : Chrysomelidae), 17
- rufobrunnea* Csy., *Euphoria* (Coleoptera : Scarabaeidae), 30
- sallaei* (Sharp), *Mimosestes* (Coleoptera : Bruchidae), 5
- Saxinis* sp. (Coleoptera : Chrysomelidae), 21
- sayi* Emery, *Camponotus* (Hymenoptera : Formicidae), 51
- sayi* Stål, *Chlorochroa* (Hemiptera : Pentatomidae), 40
- Scudderia* spp. (Orthoptera : Tettigoniidae), 63
- Scymnus* spp. (Coleoptera : Coccinellidae), 23
- Scythris* spp. (Lepidoptera : Scythridae), 61
- segmenta* (Say), *Epicauta* (Coleoptera : Meloidae), 28
- semicineta* (Davis), *Diceroprocta* (Homoptera : Cicadidae), 44
- senex* LeC., *Schizax* (Coleoptera : Cerambycidae), 16
- sericans* (LeC.), *Dendrobiella* (Coleoptera : Bostrichidae), 4
- sericans* LeC., *Epicauta* (Coleoptera : Meloidae), 28
- setosus* (LeC.), *Microtychinus* (Coleoptera : Curculionidae), 24
- sextuberculatum* (LeC.), *Xylobiops* (Coleoptera : Bostrichidae), 4
- shoshone* (Thomas), *Schistocerca* (Orthoptera : Acrididae), 62
- simplex* (Horn), *Amphicerus* (Coleoptera : Bostrichidae), 3
- simplicicornis* Banks, *Kaloterme* (*Paraneoterme*) (Isoptera : Kalotermitidae), 57
- sinuata* (Fabr.), *Entylia* (Homoptera : Membracidae), 46
- socius* Uhler, *Zelus* (Hemiptera : Reduviidae), 41
- solitaria* (Say), *Stenaspis* (Coleoptera : Cerambycidae), 16
- sonoitus* Ball, *Oliarus* (Homoptera : Cixiidae), 45
- sonoranus* Csy., *Aneflus* (Coleoptera : Cerambycidae), 12
- sonorensis* Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
- Sparasion* sp. (Hymenoptera : Scelionidae), 55
- spatulatus* (Van Duzee), *Texananus* (Homoptera : Cicadellidae), 44
- speciosus* Scudder, *Hesperotettix* (Orthoptera : Acrididae), 61
- sphenica* (LeC.), *Hippomelas* (Coleoptera : Buprestidae), 10
- spinus* (Say), *Jalysus* (Hemiptera : Berytidae), 36
- spissipes* (Say), *Apiomerus* (Hemiptera : Reduviidae), 41
- spretus* Dietz, *Smicronyx* (Coleoptera : Curculionidae), 26
- spuria* LeC. (near), *Glyptina* (Coleoptera : Chrysomelidae), 19
- stathamae stathamae* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- Stenodynerus* sp. (Hymenoptera : Vespidae), 57
- sternalis* Jayne, *Trogoderma* (Coleoptera : Dermestidae), 26
- stercoraria* (L.), *Scatophaga* (Diptera : Anthomyiidae), 31
- Stictocephala* sp. (Homoptera : Membracidae), 47
- strictus* (Ball), *Ollarianus* (Homoptera : Cicadellidae), 43
- subornatum* Fall, *Apion* (Coleoptera : Curculionidae), 24
- subpubescens* Schffr., *Saxinis* (Coleoptera : Chrysomelidae), 21
- sulcatulus* (Csy.), *Microtychius* (Coleoptera : Curculionidae), 24
- suturalis* (Say), *Eleodes* (Coleoptera : Tenebrionidae), 30
- suturalis* (Schffr.), *Microtychius* (Coleoptera : Curculionidae), 24
- suturalis* (LeC.), *Plionoma* (Coleoptera : Cerambycidae), 15
- Synopeas* sp. (Hymenoptera : Platygasteridae), 55
- Syrphus* sp. (Diptera : Syrphidae), 35
- Tachysphex* sp. (Hymenoptera : Sphecidae), 56
- Tanaostigmodes* spp. (Hymenoptera : Tanaostigmatidae), 56
- Telabis* spp. (Coleoptera : Tenebrionidae), 31
- tenellus* (Baker), *Circulifer* (Homoptera : Cicadellidae), 42
- tenuicostata* Dugès, *Pyrota* (Coleoptera : Meloidae), 28
- Tenuipetiolus* spp. (Hymenoptera : Eurytomidae), 51
- teres* Horn, *Amphicerus* (Coleoptera : Bostrichidae), 4
- terminata* (Say), *Monophylla* (Coleoptera : Cleridae), 22
- terminatus* (Say), *Scymnus* (Coleoptera : Coccinellidae), 23
- Tetrastichus* spp. (Hymenoptera : Eulophidae), 50
- texana* LeC., *Helluomorpha* (Coleoptera : Carabidae), 11
- texana* Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- texanum* (Horn), *Xylobiops* (Coleoptera : Bostrichidae), 4
- texanus* Schffr., *Cryptocephalus* (Coleoptera : Chrysomelidae), 18
- texanus* Ashm., *Glyptocolastes* (Hymenoptera : Braconidae), 49
- texanus* Metcalf, *Oliarus* (Homoptera : Cixiidae), 45
- texanus* Schffr., *Paragrillus* (Coleoptera : Buprestidae), 10
- Thaumatomyia* sp. (Diptera : Chloropidae), 33
- Thicanus* sp. (Coleoptera : Anthicidae), 3
- thisbe* Lucas, *Pepsis* (Hymenoptera : Pompilidae), 55
- Torymus* spp. (Hymenoptera : Torymidae), 56

- toumeyi* Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
- townsendi*, *Diaspis* (Homoptera : Diaspididae), 45
- townsendi townsendi* Townsend, *Oiketicus* (Lepidoptera : Psychidae), 59
- translucens* Tucker, *Orthotylus* (Hemiptera : Miridae), 39
- triangulifera* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- tricolor* (Packard), *Hemileuca* (Lepidoptera : Saturniidae), 60
- Tricorynus* spp. (Coleoptera : Anobiidae), 3
- tricolor* (White), *Orius* (Hemiptera : Anthocoridae), 36
- tuberculata* (Coq.), *Efferia* (Diptera : Asilidae), 31
- tumidum* (Fall), *Tricorynus* (Coleoptera : Anobiidae), 3
- turbinata* (Champ.), *Ophryastes* (Coleoptera : Curculionidae), 25
- turnbulli* (Caudell), *Aeoloplides* (Orthoptera : Acrididae), 61
- tuta* Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- uhleri* (Stål), *Craspeduchus* (Hemiptera : Lygaeidae), 38
- uhleri* Handlirsch, *Macrocephalus* (Hemiptera : Phymatidae), 41
- undecimpunctata* Mannh., *Diabrotica* (Coleoptera : Chrysomelidae), 18
- ustulata* Uhler, *Tylana* (Homoptera : Issidae), 46
- uteana* Csy., *Novelsis* (Coleoptera : Dermestidae), 26
- valvata* (Uhler), *Cacama* (Homoptera : Cicadidae), 44
- Vanduzeeae* sp. (Homoptera : Membracidae), 47
- varians* Fowler, *Stictopelta* (Homoptera : Membracidae), 47
- velasco* Cast. and Gory, *Polycesta* (Coleoptera : Buprestidae), 10
- velii velii* Walsh, *Diapheromera* (Orthoptera : Phasmatidae), 62
- velutinus* group, *Scenopinus* sp. (Diptera : Scenopinidae), 35
- venosa* (Uhler), *Beameria* (Homoptera : Cicadidae), 44
- ventricosum* LeC., *Apion* (Coleoptera : Curculionidae), 24
- villosa* (Fabr.), *Neoponera* (Hymenoptera : Formicidae), 53
- Vipio* sp. (Hymenoptera : Braconidae), 50
- virescens* (Fabr.), *Temnochila* (Coleoptera : Trogositidae), 31
- virgulata* (LeC.), *Epicauta* (Coleoptera : Meloidae), 28
- viridescens* Knoll, *Agrius* (Coleoptera : Buprestidae), 8
- viridicollis* (LeC.), *Philophuga* (Coleoptera : Carabidae), 11
- viridimicans* Horn, *Colaspoides* (Coleoptera : Chrysomelidae), 18
- viridipilis* (Say) (near), *Chalcolepidius* (Coleoptera : Elateridae), 26
- virisimilis* Fall (near), *Psylliodes* (Coleoptera : Chrysomelidae), 20
- vittata* Ball, *Driotura* (Homoptera : Cicadellidae), 43
- vittata* LeC., *Euryscopa* (Coleoptera : Chrysomelidae), 19
- vittatus* (Say), *Ophryastes* (Coleoptera : Curculionidae), 25
- vittipenne* (Horn), *Exora* (Coleoptera : Chrysomelidae), 19
- wilti* (Horn), *Sternidius* (Coleoptera : Cerambycidae), 16
- xantha* Burks, *Spilochalcis* (Hymenoptera : Chalcididae), 50
- Xylobiops* spp. (Coleoptera : Bostrichidae), 4
- yumaella* (Kearfott), *Dyotopasta* (Lepidoptera : Tineidae), 61
- yumana* Ball, *Ormenis* (Homoptera : Flatidae), 46
- zyxus* Caldwell, *Oliarus* (Homoptera : Cixiidae), 45
- Prosopis alba*
- Agrius* spp. (Coleoptera : Buprestidae), 8
- Anarete* sp. (Diptera : Cecidomyiidae), 32
- Apanteles* spp. (Hymenoptera : Braconidae), 49
- aspera* (Fldr.), *Automeris* (Lepidoptera : Saturniidae), 60
- Bracon* spp. (Hymenoptera : Braconidae), 49
- Camponotus* spp. (Hymenoptera : Formicidae), 51
- Copidosoma* sp. (Hymenoptera : Encyrtidae), 50
- Cryptocephalus* sp. (Coleoptera : Chrysomelidae), 18
- Deraeocoris* sp. (Hemiptera : Miridae), 38
- Euphalerus* sp. (Homoptera : Psyllidae), 47
- guentheri* (Berg), *Tolype* (Lepidoptera : Lasiocampidae), 58
- Halticoptera* sp. (Hymenoptera : Pteromalidae), 55
- larreae* Leon, *Protargionia* (Homoptera : Coccidae), 45
- Labiopa* sp. (Coleoptera : Nitidulidae), 29
- Lobiopoda* sp. (Coleoptera : Alleculidae), 3
- macellaria* (Fabr.), *Cochliomyia* (Diptera : Calliphoridae), 32
- marginata* Warren, *Nipteria* (Lepidoptera : Geometridae), 58
- niger* Kieff. and Jorg., *Eschatocerus* (Hymenoptera : Cynipidae), 50
- oberthuri* (Boisduval), *Automeris* (Lepidoptera : Saturniidae), 60
- Orthotylus* sp. (Hemiptera : Miridae), 39
- picturatus* (Fahr.), *Rhipibruchus* (Coleoptera : Bruchidae), 6
- punctipennis* (Wiedemann), *Paralimna* (Diptera : Ephydriidae), 34
- Sarcophaga* spp. (Diptera : Sarcophagidae), 35
- spinifera* Newman, *Cyllene* (Coleoptera : Cerambycidae), 13
- vagenotatus* (Pic), *Acanthoscelides* (Coleoptera : Bruchidae), 4
- viuda* Schaus., *Tolype* (Lepidoptera : Lasiocampidae), 58
- Prosopis algarobilla*
- aspera* (Fldr.), *Automeris* (Lepidoptera : Saturniidae), 60
- desmaresti* (Guer.), *Calocomus* (Coleoptera : Cerambycidae), 12
- paupercula* Spangberg, *Gypona* (*Obtusana*) (Homoptera : Cicadellidae), 43
- picturatus* (Fahr.), *Rhipibruchus* (Coleoptera : Bruchidae), 6

- siccifolius* (Walker), *Cephisus* (Homoptera : Cercopidae), 42
Scymnus spp. (Coleoptera : Coccinellidae), 23
vagenotatus (Pic), *Acanthoscelides* (Coleoptera : Bruchidae), 4
Prosopis alpataco niger Kieff. and Jorg., *Eschatocerus* (Hymenoptera : Cynipidae), 50
Prosopis caldenia
Agrilus spp. (Coleoptera : Buprestidae), 8
Bruchophagus sp. (Hymenoptera : Eurytomidae), 51
Camponotus spp. (Hymenoptera : Formicidae), 51
claraziana (Saussure), *Traumatotumilla* (Hymenoptera : Mutillidae), 55
concoloripes Bechyne (near), *Meacolaspis* (Coleoptera : Chrysomelidae), 19
Cryptocephalus sp. (Coleoptera : Chrysomelidae), 18
Efferia spp. (Diptera : Asilidae), 31
Eupelmus sp. (Hymenoptera : Eupelmidae), 50
Euphalerus sp. (Homoptera : Psyllidae), 47
Horismenus spp. (Hymenoptera : Eulophidae), 50
jheringi (Emery), *Paracryptocerus* (Hymenoptera : Formicidae), 53
Novus spp. (Hemiptera : Miridae), 39
Oncideres sp. (Coleoptera : Cerambycidae), 14
Orthotylus sp. (Hemiptera : Miridae), 39
Paracryptocerus spp. (Hymenoptera : Formicidae), 53
paupercula Spangberg, *Gypona* (*Obtusana*) (Homoptera : Cicadellidae), 43
Phytocoris spp. (Hemiptera : Miridae), 39
psychoides (Blanch.), *Nomerobium* (Neuroptera : Hemerobiidae), 61
Psyllaephagus sp. (Hymenoptera : Encyrtidae), 50
Scutobruchus sp. (Coleoptera : Bruchidae), 6
semimarginatum Latr., *Phaedon* (Coleoptera : Chrysomelidae), 20
spinosa Poppius, *Haarupia* (Hemiptera : Miridae), 38
Tenebroides sp. (Coleoptera : Trogositidae), 31
Prosopis chilensis
arizonensis (Schffr.), *Neltumius* (Coleoptera : Bruchidae), 5
arizonica Knull, *Actenodes* (Coleoptera : Buprestidae), 8
Chrysomphalus sp. (Homoptera : Diaspididae), 45
constans (Loew), *Hoplitimyia* (Diptera : Stratiomyidae), 35
cuneata (Horn), *Hippomelas* (Coleoptera : Buprestidae), 10
fragilaria (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
geminatus geminatus LeC., *Derobrachus* (Coleoptera : Cerambycidae), 13
gibbula LeC., *Acmaeodera* (Coleoptera : Buprestidae), 6
goudeyi (Franklin), *Haplothrips* (Thysanoptera : Phlaeothripidae), 63
howardi Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
lataniae Signoret, *Aspidiotus* (Homoptera : Diaspididae), 45
latisetosa Parker, *Ravinia* (Diptera : Sarcophagidae), 35
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
luciae Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
martorelli Bridwell, *Amblycerus* (Coleoptera : Bruchidae), 5
melanopus serrulatus (LeC.), *Archodontes* (Coleoptera : Cerambycidae), 12
mexicana (Comstock), *Tachardiella* (Homoptera : Diaspididae), 45
mimosarum (Ckll.), *Lepidosaphes* (Homoptera : Diaspididae), 45
Mozena spp. (Hemiptera : Coreidae), 37
oblita Horn, *Cymatodera* (Coleoptera : Cleridae), 21
picturatus (Fahr.), *Rhipibruchus* (Coleoptera : Bruchidae), 6
prosopidis Ckll., *Xerophilaspis* (Homoptera : Diaspididae), 45
punctata LeC., *Cymatodera* (Coleoptera : Cleridae), 21
sobera Barr, *Cymatodera* (Coleoptera : Cleridae), 21
subsimilis Ckll., *Aspidiotus* (Homoptera : Diaspididae), 45
suturalis (LeC.), *Plionoma* (Coleoptera : Cerambycidae), 15
tabaci Lindeman, *Thrips* (Thysanoptera : Thripidae), 63
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
varians Fowler, *Stictopelta* (Homoptera : Membracidae), 47
vierecki Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
wenzeli Knull, *Agrilus* (Coleoptera : Buprestidae), 8
wickhami Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
Prosopis glandulosa
abdominalis (Say), *Olla* (Coleoptera : Coccinellidae), 23
abdominalis transvectus Wheeler, *Camponotus* (Hymenoptera : Formicidae), 51
accerra McAtee, *Thyanta* (Hemiptera : Pentatomidae), 40
acicus Caldwell, *Oliarus* (Homoptera : Cixiidae), 44
acutipennis Chev., *Chrysobothris* (Coleoptera : Buprestidae), 9
acutissimus Stål, *Podisus* (Hemiptera : Pentatomidae), 40
admirabilis (Uhler), *Syrbula* (Orthoptera : Acrididae), 62
aeneipennis LeC., *Coscinoptera* (Coleoptera : Chrysomelidae), 18
affine Chd., *Calosoma* (Coleoptera : Carabidae), 11
Agrilus spp. (Coleoptera : Buprestidae), 8
albofasciatus (Reuter), *Spanagonicus* (Hemiptera : Miridae), 39
alternatus Parshley, *Nabis* (Hemiptera : Miridae), 39
Altica sp. (Coleoptera : Chrysomelidae), 17
Amblycorypha sp. (Orthoptera : Tettigoniidae), 62
Amecocerus sp. (Coleoptera : Melyridae), 29
americanus Gahan, *Pseudocatolaccus* (Hymenoptera : Pteromalidae), 55
amicus (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5

- antennatus* (White), *Megacyllene* (Coleoptera : Cerambycidae), 14
- apachus* Saussure, *Polistes* (Hymenoptera : Vespidae), 57
- apicifer* (Walk.), *Archytas* (Diptera : Tachinidae), 35
- arborea* (Say), *Brochymena* (Hemiptera : Pentatomidae), 39
- areli* (complex), *Acontia* (Lepidoptera : Noctuidae), 58
- aridus* Ball, *Oliarus* (Homoptera : Cixiidae), 44
- arizonae* Knight, *Neurocolpus* (Hemiptera : Miridae), 38
- arizonensis* Ruckes, *Mozena* (Hemiptera : Coreidae), 37
- asperata* (Fox), *Moniaecera* (Hymenoptera : Sphecidae), 56
- atrata* (Fabr.), *Epicauta* (Coleoptera : Meloidae), 27
- atriventris* Horn (near), *Glyptina* (Coleoptera : Chrysomelidae), 19
- Attalus* spp. (Coleoptera : Melyridae), 29
- axillaris* LeC., *Coscinoptera* (Coleoptera : Chrysomelidae), 18
- barbatus barbatus* (F. Smith), *Pogonomyrmex* (Hymenoptera : Formicidae), 53
- basalis* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- bellicosus* (Banks), *Anoplius* (Hymenoptera : Pompilidae), 55
- bibalteatus* LeC., *Trichodes* (Coleoptera : Cleridae), 22
- bicolor* (Wheeler), *Conomyrma* (Hymenoptera : Formicidae), 51
- bicolor pictum* (Thomas), *Dactylotum* (Orthoptera : Acrididae), 61
- bifurca* Ball, *Tylanira* (Homoptera : Issidae), 46
- bivittata maculipennis* Brun., *Mermiria* (Orthoptera : Acrididae), 62
- bivittata* (Dup.), *Taranomis* (Coleoptera : Cerambycidae), 16
- bollii bollii* Cr., *Eumenes* (Hymenoptera : Vespidae), 57
- bottimeri* Kings., *Algarobius* (Coleoptera : Bruchidae), 5
- brassicae* Mues., *Microplitis* (Hymenoptera : Braconidae), 49
- brevicauda* (Cwfd.), *Eupelmus* (Hymenoptera : Eupelmidae), 50
- breviceps* Smith, *Ammophila* (Hymenoptera : Sphecidae), 55
- brevihastata* Morse, *Dichopetala* (Orthoptera : Tettigoniidae), 62
- Brochymena* sp. (Hemiptera : Pentatomidae), 39
- bruchii* Cwfd., *Urosigalphus* (Hymenoptera : Braconidae), 50
- calidus* Fall, *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- calleta* (Westwood), *Eupeckardia* (Lepidoptera : Saturniidae), 60
- calliope* (Walker), *Cicadetta* (Homoptera : Cicadidae), 44
- Camponotus* spp. (Hymenoptera : Formicidae), 51
- canadensis comanchus* Saussure, *Polistes* (Hymenoptera : Vespidae), 57
- canadensis navajoe* Cr., *Polistes* (Hymenoptera : Vespidae), 57
- cancellata* Brandt and Erickson, *Megetra* (Coleoptera : Meloidae), 28
- cariosa* Stål, *Brochymena* (Hemiptera : Pentatomidae), 39
- carnea* Step., *Chrysopa* (Neuroptera : Chrysomelidae), 61
- catulum* (Uhler), *Eustictus* (Hemiptera : Miridae), 38
- Cerceris* sp. (Hymenoptera : Sphecidae), 56
- Chelonus* sp. (Hymenoptera : Braconidae), 49
- Chrysodina* spp. (Coleoptera : Chrysomelidae), 17
- Chrysomphalus* sp. (Homoptera : Diaspididae), 45
- Chrysopa* spp. (Neuroptera : Chrysopidae), 61
- cincta* (Osborn and Ball), *Menosoma* (Homoptera : Cicadellidae), 43
- cinctifera* (Uhler), *Diceroprocta* (Homoptera : Cicadidae), 44
- cinctus* Herrich-Schaeffer, *Largus* (Hemiptera : Largidae), 37
- cingulata* (Say), *Oncideres* (Coleoptera : Cerambycidae), 14
- circumlitus* (Stål), *Neacoryphus* (Hemiptera : Lygaeidae), 38
- cognitum* Csy., *Metoponium* (Coleoptera : Tenebrionidae), 30
- Colaspoides* sp. (Coleoptera : Chrysomelidae), 18
- combustus* Loew, *Saropogon* (Diptera : Asilidae), 32
- congruus* (Uhler), *Pangaeus* (Hemiptera : Cydnidae), 37
- constricta* Van Duzee, *Agallia* (Homoptera : Cicadellidae), 42
- convergens* Guérin, *Hippodamia* (Coleoptera : Coccinellidae), 23
- convivus* Stål, *Largus* (Hemiptera : Largidae), 37
- costalis* (Fabr.), *Cuerna* (Homoptera : Cicadellidae), 43
- coxendix* (Fitch), *Oscinella* (Diptera : Chloropidae), 33
- cristatus* (L.), *Arilus* (Hemiptera : Reduviidae), 41
- cupreopunctata* Schffr., *Psiloptera* (Coleoptera : Buprestidae), 10
- cyda* (Druce), *Semiothisa* (Lepidoptera : Geometridae), 58
- Cymatodera* sp. (Coleoptera : Cleridae), 21
- Dasymutilla* sp. (Hymenoptera : Mutillidae), 54
- deducta* (Morr.), *Bulia* (Lepidoptera : Noctuidae), 58
- depilis* Wheeler, *Crematogaster* (Hymenoptera : Formicidae), 51
- Dialictus* spp. (Hymenoptera : Halictidae), 54
- Diceroprocta* sp. (Homoptera : Cicadidae), 44
- Dichopetala* sp. (Orthoptera : Tettigoniidae), 62
- differentialis* (Thomas), *Melanoplus* (Orthoptera : Acrididae), 62
- difficilis* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- Dipachystigma* sp. (Hymenoptera : Pteromalidae), 55
- discoideus* (LeC.), *Phyllobaenus* (Coleoptera : Cleridae), 22
- dolosus* Horn, *Stenosphenus* (Coleoptera : Cerambycidae), 16

- dorcaschmae* Ashm., *Eurytoma* (Hymenoptera : Eurytomidae), 51
Efferia spp. (Diptera : Asilidae), 31
elaphidiovorus Rohwer., *Odontobracon* (Hymenoptera : Braconidae), 49
elegans (Er.), *Callotillus* (Coleoptera : Cleridae), 21
emarginata Brunner, *Dichopetala* (Orthoptera : Tettigoniidae), 62
Eubadizon sp. (Hymenoptera : Braconidae), 49
Euponera sp. (Hymenoptera : Formicidae), 52
Eurytoma spp. (Hymenoptera : Eurytomidae), 51
Evarthrus (*Anaferonia*) sp. (Coleoptera : Carabidae), 11
exclamans exclamans Viereck, *Polistes* (Hymenoptera : Vespidae), 57
fecalfusca Caldwell, *Flatoides* (Homoptera : Flatidae), 45
felix Horn, *Agrilus* (Coleoptera : Buprestidae), 8
femorata (Fabr.), *Acanthocephala* (Hemiptera : Coreidae), 36
flavus Cr., *Polistes* (Hymenoptera : Vespidae), 57
foetidus foetidus (Buckley), *Forelius* (Hymenoptera : Formicidae), 52
forticornis Reuter, *Rhinocloa* (Hemiptera : Miridae), 39
furcata furcata Brunner, *Scudderia* (Orthoptera : Tettigoniidae), 63
galactodes Loew, *Microstylum* (Diptera : Asilidae), 32
Gastracanthus sp. (Hymenoptera : Pteromalidae), 55
Gelis sp. (Hymenoptera : Ichneumonidae), 54
gemmata LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
gentilis gentilis Timb., *Perdita* (Hymenoptera : Andrenidae), 48
gibbula LeC., *Acmaeodera* (Coleoptera : Buprestidae), 6
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
Glyptocolastes sp. (Hymenoptera : Braconidae), 49
hadesensis Caldwell, *Acanalonia* (Homoptera : Acanaloniidae), 42
heiligbrodti (Harvey), *Sphingicampa* (Lepidoptera : Saturniidae), 60
hilaris (Say), *Acrosternum* (Hemiptera : Pentatomidae), 39
hispida Horn, *Peritaxia* (Coleoptera : Curculionidae), 25
hispidus (Csy.), *Microtychius* (Coleoptera : Curculionidae), 24
histrionica (Hahn), *Murgantia* (Hemiptera : Pentatomidae), 40
hubbardi (Dyar), *Sphingicampa* (Lepidoptera : Saturniidae), 60
hulli Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
hyalinipennis Ashm., *Euchrysis* (Hymenoptera : Chalcididae), 50
imbricata (Csy.), *Smicronyx* (Coleoptera : Curculionidae), 25
immaculata (Say), *Epicauta* (Coleoptera : Meloidae), 27
impolitus LeC., *Helops* (Coleoptera : Tenebrionidae), 30
impressicollis Stål, *Aufeius* (Hemiptera : Coreidae), 36
indomita Walker, *Melipotis* (Lepidoptera : Noctuidae), 59
inermis Crawford, *Aphalaroida* (Homoptera : Psyllidae), 47
Inostemma sp. (Hymenoptera : Platygasteridae), 55
Insara sp. (Orthoptera : Tettigoniidae), 63
insulata (LeC.), *Pyrota* (Coleoptera : Meloidae), 28
invenusta Doering, *Acanalonia* (Homoptera : Acanaloniidae), 42
Iphiaulax spp. (Hymenoptera : Braconidae), 49
Ithome spp. (Lepidoptera : Washiidae), 61
laevicollis (LeC.), *Rhopalophora* (Coleoptera : Cerambycidae), 15
laevis Bowd., *Pachybrachys* (Coleoptera : Chrysomelidae), 20
laeviuscula Mayr, *Crematogaster* (Hymenoptera : Formicidae), 52
lataniae Signoret, *Aspidiotus* (Homoptera : Diaspididae), 45
lateralis (Say), *Arhyssus* (Hemiptera : Rhopalidae), 42
laticosta Doering, *Acanalonia* (Homoptera : Acanaloniidae), 42
latifrons Loew, *Eristalis* (Diptera : Syrphidae), 35
latifrons Loew, *Helophilus* (Diptera : Syrphidae), 35
lecontei Cr., *Euryscopa* (Coleoptera : Chrysomelidae), 19
levrati (Muls.), *Hyperaspis* (Coleoptera : Coccinellidae), 23
ligata (Say), *Chlorochroa* (Hemiptera : Pentatomidae), 40
lineolaris (Palisot de Beauvois), *Lygus* (Hemiptera : Miridae), 38
lineolatus (Herrich-Schaeffer), *Podisus* (Hemiptera : Pentatomidae), 40
Liorhyssus spp. (Hemiptera : Rhopalidae), 42
lixa Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
lixivorus (Cwfd.), *Horismenus* (Hymenoptera : Eulophidae), 50
louisianica, *Niesthrea* (Hemiptera : Coreidae), 37
lunata (Burmeister), *Mozena* (Hemiptera : Coreidae), 37
Macrocentrus spp. (Hymenoptera : Braconidae), 49
macrocephala Schffr., *Colaspoides* (Coleoptera : Chrysomelidae), 18
magdalidis Ashm., *Eurytoma* (Hymenoptera : Eurytomidae), 51
magna (Girard), *Brachystola* (Orthoptera : Acrididae), 61
marginata Melsh., *Mordella* (Coleoptera : Mordellidae), 29
marginipennis LeC., *Exochomus* (Coleoptera : Coccinellidae), 22
marmorata Goding, *Stictopelta* (Homoptera : Membracidae), 47
meadi Hy. Edwards, *Thyridopteryx* (Lepidoptera : Psychidae), 60
Melanoplus spp. (Orthoptera : Acrididae), 61

- melanopogon* Herman, *Atomosia* (Diptera : Asilidae), 31
- Melissodes* sp. (Hymenoptera : Apidae), 49
- membrosa* Heinrich, *Laspeyresia* (Lepidoptera : Tortricidae), 61
- merkei* Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- Metoponium* sp. (Coleoptera : Tenebrionidae), 30
- mexicana* (Comstock), *Tachardiella* (Homoptera : Diaspididae), 45
- mima* (Harv.), *Heteranassa* (Lepidoptera : Noctuidae), 59
- mimica* Scudder, *Paraideмона* (Orthoptera : Acrididae), 62
- mimosae* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- mimosarum* (Ckll.), *Lepidosaphes* (Homoptera : Diaspididae), 45
- mimosarum* (Ckll.), *Velataspis* (Homoptera : Coccidae), 45
- minimum* (Buckley), *Monomorium* (Hymenoptera : Formicidae), 53
- mirabilis* (Ckll.), *Toumeyella* (Homoptera : Coccidae), 45
- Mistharnophantia* sp. (Homoptera : Flatidae), 46
- modesta* (Uhler), *Publilia* (Homoptera : Membracidae), 46
- muricatula* Csy., *Telabis* (Coleoptera : Tenebrionidae), 31
- mutabilis* Lac., *Anomoea* (Coleoptera : Chrysomelidae), 17
- mystica* Csy., *Onychobaris* (Coleoptera : Curculionidae), 25
- nigrescens* G. and R., *Melipotis* (Lepidoptera : Noctuidae), 59
- nigriceps* Cam., *Odontobracon* (Hymenoptera : Braconidae), 50
- nigritarsis* (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
- nobilis* LeC., *Heterachthes* (Coleoptera : Cerambycidae), 13
- Nodonota* sp. (Coleoptera : Chrysomelidae), 20
- Norvellina* sp. (Homoptera : Cicadellidae), 43
- nubilum* (Say), *Boopedon* (Orthoptera : Acrididae), 61
- numerata hesperia* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- obliquus* Uhler, *Microporus* (Hemiptera : Cydnidae), 37
- obtusa* Uhler, *Mozena* (Hemiptera : Coreidae), 37
- occidentalis* (Pergande), *Frankliniella* (Thysanoptera : Thripidae), 63
- ochrodes* Guenée, *Melipotis* (Lepidoptera : Noctuidae), 59
- octocola* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- oculata* Say, *Chrysopa* (Neuroptera : Chrysopidae), 61
- Oncideres* spp. (Coleoptera : Cerambycidae), 14
- opacicolis* Horn, *Colaspoides* (Coleoptera : Chrysomelidae), 18
- osborni* (Van Duzee), *Rhytidolomia* (Hemiptera : Pentatomidae), 40
- ou* (Guen.), *Rachiplusia* (Lepidoptera : Noctuidae), 59
- Pachybrachys* sp. (Coleoptera : Chrysomelidae), 20
- pallidus* (F. Smith), *Pseudomyrmex* (Hymenoptera : Formicidae), 53
- pallipennis* (Say), *Carpophilus* (Coleoptera : Nitidulidae), 29
- palmaecollis* Horn, *Agrilus* (Coleoptera : Buprestidae), 8
- palmerii marginalis* (Skin.), *Apodemia* (Lepidoptera : Lycaenidae), 58
- Paracrias* sp. (Hymenoptera : Eulophidae), 50
- Paratiphia* spp. (Hymenoptera : Tiphidae), 56
- Paratrechina* (*Nylanderia*) sp. (Hymenoptera : Formicidae), 53
- pardalis* LeC., *Epicauta* (Coleoptera : Meloidae), 28
- parva* (Ruckes), *Brochymena* (Hemiptera : Pentatomidae), 39
- pedinoides* LeC., *Eleodes* (Coleoptera : Tenebrionidae), 30
- pelidna* (Burm.), *Orphulella* (Orthoptera : Acrididae), 62
- pennsylvanicus* (DeGeer), *Bombus* (Hymenoptera : Apidae), 49
- perpilosa* Wheeler, *Formica* (Hymenoptera : Formicidae), 52
- Phyllobaenus* spp. (Coleoptera : Cleridae), 22
- Physotarsus* sp. (Hymenoptera : Ichneumonidae), 54
- pilosa* (Forster), *Chariessa* (Coleoptera : Cleridae), 21
- Poecilanthrax* sp. (Diptera : Bombyliidae), 32
- pollinosus* Will., *Silvius* (Diptera : Tabanidae), 35
- ponderosus* (Scudder), *Melanoplus* (Orthoptera : Acrididae), 62
- pruinus analis* (André), *Iridomyrmex* (Hymenoptera : Formicidae), 52
- prosopidis* Ckll., *Asphondylia* (Diptera : Cecidomyiidae), 32
- prosopidis* Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
- prosopidis* Vier., *Heterospilus* (Hymenoptera : Braconidae), 49
- prosopidis* Crawford, *Heterothrips* (Thysanoptera : Heterothripidae), 63
- prosopidis* Knight, *Phymatopsallus* (Hemiptera : Miridae), 39
- prosopidis* Ckll., *Xerophilaspis* (Homoptera : Diaspididae), 45
- prosopis* (LeC.), *Algarobius* (Coleoptera : Bruchidae), 5
- prosopis* (Hy. Edwards), *Carmenta* (Lepidoptera : Aegeriidae), 57
- pruinosa* (Say), *Metcalfa* (Homoptera : Flatidae), 45
- pruinus pruinus* (Roger), *Iridomyrmex* (Hymenoptera : Formicidae), 52
- puella* Davis, *Pacarina* (Homoptera : Cicadidae), 44
- pugnax* (Fabr.), *Oebalus* (Hemiptera : Pentatomidae), 40
- pulchella* (complex), *Acmaeodera* (Coleoptera : Buprestidae), 7
- pulchella* Crawford, *Aphalara* (Homoptera : Psyllidae), 47
- punctulata* Emery, *Crematogaster* (Hymenoptera :

Formicidae), 52
pyramicus pyramicus (Roger), *Conomyrma* (Hymenoptera : Formicidae), 51
quadripustulata (Fabr.), *Brochymena* (Hemiptera : Pentatomidae), 40
reichei exilis Csy., *Euderces* (Coleoptera : Cerambycidae), 13
renardii Kolenati, *Zelus* (Hemiptera : Reduviidae), 41
reticulatus Van Duzee, *Tylocentrus* (Homoptera : Membracidae), 47
rhodosticta Bates, *Oncideres* (Coleoptera : Cerambycidae), 15
rileyi Ckll., *Icerya* (Homoptera : Coccidae), 45
rimosa (Buquet), *Callona* (Coleoptera : Cerambycidae), 12
rossi Van D., *Chrysobothris* (Coleoptera : Buprestidae), 10
rubens (Csy.), *Plionoma* (Coleoptera : Cerambycidae), 15
saucia Van Duzee, *Ormenis* (Homoptera : Flatidae), 46
sayi Emery, *Camponotus* (Hymenoptera : Formicidae), 51
sayi Stål, *Chlorochroa* (Hemiptera : Pentatomidae), 40
Scudderia spp. (Orthoptera : Tettigoniidae), 63
scutellaris LeC., *Chauliognatus* (Coleoptera : Cantharidae), 11
secabile (Walk.), *Blepharepium* (Diptera : Asilidae), 31
segmenta (Say), *Epicauta* (Coleoptera : Meloidae), 28
segmentata Fowler, *Vanduzeeae* (Homoptera : Membracidae), 47
semifumipennis Girault, *Uscana* (Hymenoptera : Torymidae), 57
simplicicornis Banks, *Kaloterme* (*Paraneoterme*) (Isoptera : Kalotermitidae), 57
sinuata (Fabr.), *Entylia* (Homoptera : Membracidae), 46
socius Uhler, *Zelus* (Hemiptera : Reduviidae), 41
sonoitus Ball, *Oliarus* (Homoptera : Cixiidae), 45
sonorensis Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
sonorensis Jac., *Saxinis* (Coleoptera : Chrysomelidae), 21
sordidum Smith, *Apion* (Coleoptera : Curculionidae), 23
Sparasion sp. (Hymenoptera : Scelionidae), 55
spatulatus (Van Duzee), *Texananus* (Homoptera : Cicadellidae), 44
speciosus Scudder, *Hesperotettix* (Orthoptera : Acrididae), 61
speciosus (LeC.), *Ophryastes* (Coleoptera : Curculionidae), 25
speciosus (Drury), *Sphacius* (Hymenoptera : Sphacidae), 56
sphenica (LeC.), *Hippomelas* (Coleoptera : Buprestidae), 10
spinus (Say), *Jalysus* (Hemiptera : Berytidae), 36
Stenodynerus sp. (Hymenoptera : Vespidae), 57
sternalis Jayne, *Trogoderma* (Coleoptera : Dermestidae), 26

Stictocephala sp. (Homoptera : Membracidae), 47
stigma (Say), *Chilocorus* (Coleoptera : Coccinellidae), 22
subglaber (Walker), *Melanaethus* (Hemiptera : Cydnidae), 37
subornatum Fall, *Apion* (Coleoptera : Curculionidae), 24
subs similis Ckll., *Aspidiotus* (Homoptera : Diaspididae), 45
suturalis (LeC.), *Plionoma* (Coleoptera : Cerambycidae), 15
Synopeas sp. (Hymenoptera : Platygasteridae), 55
Tachysphex sp. (Hymenoptera : Sphecidae), 56
Tanaostigmodes spp. (Hymenoptera : Tanaostigmatidae), 56
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
Tenuipetiolus spp. (Hymenoptera : Eurytomidae), 51
terminata (Say), *Monophylla* (Coleoptera : Cleridae), 22
Tetrastichus spp. (Hymenoptera : Eulophidae), 50
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
texanum (Horn), *Xylobiops* (Coleoptera : Bostrichidae), 4
texanus Schffr., *Cryptocephalus* (Coleoptera : Chrysomelidae), 18
texanus Ashm., *Glyptocolastes* (Hymenoptera : Braconidae), 49
texanus Cr., *Megischus* (Hymenoptera : Stephaniidae), 56
texanus Metcalf, *Oliarus* (Homoptera : Cixiidae), 45
thisbe Lucas, *Pepsis* (Hymenoptera : Pompilidae), 55
Tibicen sp. (Homoptera : Cicadidae), 44
Torymus spp. (Hymenoptera : Torymidae), 56
townsendi, *Diaspis* (Homoptera : Diaspididae), 45
townsendi townsendi (Townsend), *Oiketicus* (Lepidoptera : Psychidae), 59
translucens Tucker, *Orthotylus* (Hemiptera : Miridae), 39
tricincta (Say), *Diabrotica* (Coleoptera : Chrysomelidae), 18
tridentata Ferris, *Anceaspis* (Homoptera : Coccidae), 45
triquetra (Fabr.), *Homalodisca* (Homoptera : Cicadellidae), 43
tricolor (White), *Orius* (Hemiptera : Anthocariidae), 36
turbinata (Champ.), *Ophryastes* (Coleoptera : Curculionidae), 25
turnbulli (Caudell), *Aeoloplides* (Orthoptera : Acrididae), 61
tuta Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
uhleri (Stål), *Craspeduchus* (Hemiptera : Lygaeidae), 38
ustulata ustulata Dahlbom, *Hemipepsis* (Hymenoptera : Pompilidae), 55
validum (LeC.), *Eustromula* (Coleoptera : Cerambycidae), 13
valvata (Uhler), *Cacama* (Homoptera : Cicadidae), 44
Vanduzeeae sp. (Homoptera : Membracidae), 47
vanduzeei Ball, *Cyropoptus* (Homoptera : Fulgoridae), 46

- variabilis* (Pierce), *Ophryastes* (Coleoptera : Curculionidae), 25
- varipilis* Van D., *Acmaeodera* (Coleoptera : Buprestidae), 7
- velasco* Cast. and Gory, *Polycesta* (Coleoptera : Buprestidae), 10
- velii velii* Walsh, *Diapheromera* (Orthoptera : Phasmatidae), 62
- venosa* (Uhler), *Beameria* (Homoptera : Cicadidae), 44
- viginti-maculata* (Say), *Psyllobora* (Coleoptera : Coccinellidae), 23
- villosa* (Fabr.), *Neoponera* (Hymenoptera : Formicidae), 53
- viridicollis* (LeC.), *Philophuga* (Coleoptera : Carabidae), 11
- viridipilis* (Say) (near), *Chalcolepidius* (Coleoptera : Elateridae), 26
- viridis* (Thomas), *Hesperotettix* (Orthoptera : Acrididae), 61
- vogti* Cartwright, *Megasoma* (Coleoptera : Scarabaeidae), 30
- xantha* Burks, *Spilochalcis* (Hymenoptera : Chalcididae), 50
- Xylobiops* spp. (Coleoptera : Bostrichidae), 4
- yumaella* (Kearfott), *Dyotopasta* (Lepidoptera : Tineidae), 61
- zyxus* Caldwell, *Oliarus* (Homoptera : Cixiidae), 45
- Prosopis humilis*
- picturatus* (Fabr.), *Rhipibruchus* (Coleoptera : Bruchidae), 6
- Prosopis juliflora*
- alacris* Horn, *Acmaeodera* (Coleoptera : Buprestidae), 6
- amicus* (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5
- antennatus* (White), *Megacyllene* (Coleoptera : Cerambycidae), 14
- arizonae* Knight, *Neurocolpus* (Hemiptera : Miridae), 38
- arizonensis* (Schffr.), *Neltumius* (Coleoptera : Bruchidae), 5
- arizonensis* Ruckes, *Mozena* (Hemiptera : Coreidae), 37
- caryae* (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
- cazieri* Nelson, *Acmaeoderoidea* (Coleoptera : Buprestidae), 7
- ceratoniae* (Zeller), *Ectomyelois* (Lepidoptera : Pyralidae), 60
- clytemnestra* (Fox), *Dasymutilla* (Hymenoptera : Mutillidae), 54
- cornutus* (Pallas), *Amphicerus* (Coleoptera : Bostrichidae), 3
- debilis* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- difficilis* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- difficilis* (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
- Disonycha* spp. (Coleoptera : Chrysomelidae), 19
- dolosus* Horn, *Stenosphenus* (Coleoptera : Cerambycidae), 16
- erythropha* (Chev.), *Placosternus* (Coleoptera : Cerambycidae), 15
- exclamans* Ckll., *Perdita* (Hymenoptera : Andrenidae), 48
- exesa* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- gibbula* LeC., *Acmaeodera* (Coleoptera : Buprestidae), 6
- gonagra* (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
- heiligbrodti* (Harvey), *Sphingicampa* (Lepidoptera : Saturniidae), 60
- Horismenus* spp. (Hymenoptera : Eulophidae), 50
- imbricata* (Csy.), *Smicronyx* (Coleoptera : Curculionidae), 25
- immigrans* Bridwell, *Scleroderma* (Hymenoptera : Bethyridae), 49
- inermis* Crawford, *Aphalaroida* (Homoptera : Psyllidae), 47
- interpunctella* (Huebner), *Plodia* (Lepidoptera : Phycitidae), 59
- juno* Packard, *Hemileuca* (Lepidoptera : Saturniidae), 60
- laevicollis* (LeC.), *Rhopalophora* (Coleoptera : Cerambycidae), 15
- limbatus* (Horn), *Stator* (Coleoptera : Bruchidae), 6
- mali* Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- mali* (Fitch), *Leptothrips* (Thysanoptera : Phlaeothripidae), 63
- mendax* Horn, *Actenodes* (Coleoptera : Buprestidae), 8
- merkei* Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
- numerata hesperia* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- ochrodes* Guenée, *Melipotis* (Lepidoptera : Noctuidae), 59
- octocola* LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
- olneyae* (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
- palmerii marginalis* (Skin.), *Apodemia* (Lepidoptera : Lycaenidae), 58
- peninsulare peninsulare* Schffr., *Tragidion* (Coleoptera : Cerambycidae), 17
- picturatus* (Fabr.), *Rhipibruchus* (Coleoptera : Bruchidae), 6
- prosopidis* Vier., *Heterospilus* (Hymenoptera : Braconidae), 49
- prosopidis* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- prosopis* (LeC.), *Algarobius* (Coleoptera : Bruchidae), 5
- prosopis* Kings., *Rhipibruchus* (Coleoptera : Bruchidae), 6
- protensus* (LeC.), *Aneflus* (Coleoptera : Cerambycidae), 12
- protractus* (Horn), *Mimosestes* (Coleoptera : Bruchidae), 5
- pruininus* (Horn), *Stator* (Coleoptera : Bruchidae), 6
- puntosignata sulphurea* Timb., *Perdita* (Hymenoptera : Andrenidae), 48

- reducta* Caldwell and Martorell, *Heteropsylla* (Homoptera : Psyllidae), 48
- reticulatus* Van Duzee, *Tylocentrus* (Homoptera : Membracidae), 47
- rimosa* (Buquet), *Callona* (Coleoptera : Cerambycidae), 12
- rubens* (Csy.), *Plionoma* (Coleoptera : Cerambycidae), 15
- rufesens* Nelson, *Acmaeoderoides* (Coleoptera : Buprestidae), 8
- sallaei* (Sharp), *Mimosestes* (Coleoptera : Bruchidae), 5
- semifumipennis* Girault, *Uscana* (Hymenoptera : Trichogrammatidae), 57
- senex* LeC., *Schizax* (Coleoptera : Cerambycidae), 16
- sordidum* Smith, *Apion* (Coleoptera : Curculionidae), 23
- sphenica* (LeC.), *Hippomelas* (Coleoptera : Buprestidae), 10
- spinifera* Crawford, *Aphalaroida* (Homoptera : Psyllidae), 47
- stathamae stathamae* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- subornatum* Fall, *Apion* (Coleoptera : Coccinellidae), 24
- surinamum* (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- suturalis* Oliv., *Euryscelis* (Coleoptera : Cerambycidae), 13
- suturalis* (LeC.), *Plionoma* (Coleoptera : Cerambycidae), 15
- tabaci* Lindeman, *Thrips* (Thysanoptera : Thripidae), 63
- texana* Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- toumey* Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
- townsendi mexicanus* Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
- trachyderoides* Thoms., *Gnaphalodes* (Coleoptera : Cerambycidae), 13
- triangulifera* Timb., *Perdita* (Hymenoptera : Andrenidae), 48
- tuta* Horn, *Acmaeodera* (Coleoptera : Buprestidae), 7
- ustulata* Uhler, *Tylana* (Homoptera : Issidae), 46
- uvaldensis* Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
- validum* (LeC.), *Eustromula* (Coleoptera : Cerambycidae), 13
- velasco* Cast. and Gory, *Polycesta* (Coleoptera : Buprestidae), 10
- vogti* Cartwright, *Megasoma* (Coleoptera : Scarabaeidae), 30
- wickhami* Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
- Prosopis laevigata*
- abdominalis* (Say), *Olla* (Coleoptera : Coccinellidae), 23
- albiger* Reuter, *Anthocoris* (Hemiptera : Anthocoridae), 36
- Altica* sp. (Coleoptera : Chrysomelidae), 17
- americana* Mel., *Phymata* (Hemiptera : Phymatidae), 41
- auritulus* Muls., *Scymnus* (Coleoptera : Coccinellidae), 23
- barbatus barbatus* (F. Smith), *Pogonomyrmex* (Hymenoptera : Formicidae), 53
- caerulescens subcorticalis* (Banks), *Auplopus* (Hymenoptera : Pompilidae), 55
- calidus* Fall, *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- Chlamisus* sp. (Coleoptera : Chrysomelidae), 17
- clypeata* Parker, *Astata* (Hymenoptera : Sphecidae), 56
- coxendix* (Fitch) (near), *Oscinella* (Diptera : Chloropidae), 33
- derelicta* (Walk.), *Ravinia* (Diptera : Sarcophagidae), 35
- Drapetis* sp. (Diptera : Empididae), 33
- Efferia* spp. (Diptera : Asilidae), 31
- Eucelatoria* sp. (Diptera : Tachinidae), 36
- Euryscopa* spp. (Coleoptera : Chrysomelidae), 19
- foetidus foetidus* (Buckley), *Forelius* (Hymenoptera : Formicidae), 52
- gibbosus* (Fabr.), *Philanthus* (Hymenoptera : Sphecidae), 56
- Hylemyza* sp. (Diptera : Anthomyiidae), 31
- laevis* Bowd. (near), *Pachybrachys* (Coleoptera : Chrysomelidae), 20
- levrati* (Muls.), *Hyperaspis* (Coleoptera : Coccinellidae), 23
- Lissonota* sp. (Hymenoptera : Ichneumonidae), 54
- Longitarsus* sp. (Coleoptera : Chrysomelidae), 19
- lowei* Muls., *Scymnus* (Coleoptera : Coccinellidae), 23
- marginella* (Herrich-Schaeffer), *Stenomacra* (Hemiptera : Pyrrhocoridae), 41
- melliger melliger* Forel, *Myrmecocystus* (Hymenoptera : Formicidae), 53
- obtusa* Uhler, *Mozena* (Hemiptera : Coreidae), 37
- octonotata* Csy., *Hyperaspis* (Coleoptera : Coccinellidae), 23
- Ophion* sp. (Hymenoptera : Ichneumonidae), 54
- Oscinella* spp. (Diptera : Chloropidae), 33
- Pachybrachys* sp. (Coleoptera : Chrysomelidae), 20
- Pandeteius* sp. (Coleoptera : Curculionidae), 25
- Phyllobaenus* spp. (Coleoptera : Cleridae), 22
- plagiatus* (Fabr.), *Laemosaccus* (Coleoptera : Curculionidae), 24
- prosopidis* Knight, *Phymatopsallus* (Hemiptera : Miridae), 39
- punctifrons* (Van Duzee), *Macropsis* (Homoptera : Cicadellidae), 43
- pyramicus pyramicus* (Roger), *Conomyrma* (Hemiptera : Formicidae), 51
- rapax* (Walk.), *Helicobia* (Diptera : Sarcophagidae), 35
- Sphaerophthalma* sp. (Hymenoptera : Mutillidae), 55
- Sphecodes* sp. (Hymenoptera : Halictidae), 54
- subfasciatus* (LeC.), *Phyllobaenus* (Coleoptera : Cleridae), 22
- subvittatus* Csy., *Pechalius* (Coleoptera : Tenebrionidae), 30
- tarsalis* Loew, *Desmometopa* (Diptera : Milichiidae), 34
- Telabis* spp. (Coleoptera : Tenebrionidae), 31

- texana* Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- texanum* (Horn), *Xylobiops* (Coleoptera : Bostrichidae), 4
- texanus* Metcalf, *Oliarus* (Homoptera : Cixiidae), 45
- Tiphia* spp. (Hymenoptera : Tiphidae), 56
- Trachymyrmex* sp. (Hymenoptera : Formicidae), 54
- Trichodesma* sp. (Coleoptera : Anobiidae), 3
- tyleri* Ckll., *Agapostemon* (Hymenoptera : Halictidae), 54
- Prosopis nandubey*
- picturatus* (Fahr.), *Rhipibruchus* (Coleoptera : Bruchidae), 6
- Prosopis nigra*
- acutissimus* Stål, *Podisus* (Hemiptera : Pentatomidae), 40
- aeruginosa* Berg, *Thyanta* (Hemiptera : Pentatomidae), 40
- Allorhogas* sp. (Hymenoptera : Braconidae), 49
- angustipennis* Loew, *Diogmites* (Diptera : Asilidae), 31
- Arhyssus* sp. (Hemiptera : Rhopalidae), 42
- aspera* (Fldr.), *Automeris* (Lepidoptera : Saturniidae), 60
- Bilira* sp. (Hymenoptera : Ichneumonidae), 54
- bitubera* (Santschi), *Conomyrma* (Hymenoptera : Formicidae), 51
- Bracon* spp. (Hymenoptera : Braconidae), 49
- Bradysia* sp. (Diptera : Sciaridae), 35
- brevispinosa* Mayr, *Crematogaster* (Hymenoptera : Formicidae), 51
- Camponotus* spp. (Hymenoptera : Formicidae), 51
- concoloripes* Beckyne (near), *Meacolaspis* (Coleoptera : Chrysomelidae), 19
- Conioscinella* sp. (Diptera : Chloropidae), 33
- Copidosoma* sp. (Hymenoptera : Encyrtidae), 50
- Cormobius* sp. (Hymenoptera : Ichneumonidae), 54
- Empoasca* sp. (Homoptera : Cicadellidae), 43
- Enchenopa* sp. (Homoptera : Membracidae), 46
- Euphalerus* sp. (Homoptera : Psyllidae), 47
- Eurytoma* spp. (Hymenoptera : Eurytemidae), 51
- flaviceps* (Burmeister), *Stictopelta* (Homoptera : Membracidae), 47
- guentheri* (Berg), *Tolype* (Lepidoptera : Lasiocampidae), 58
- hamatifera* Lac., *Urodera* (Coleoptera : Chrysomelidae), 21
- heringi* Aczel, *Tomoplagia* (Diptera : Tephritidae), 36
- Horismenus* spp. (Hymenoptera : Eulophidae), 50
- indeterminata* Walker, *Stictopelta* (Homoptera : Membracidae), 47
- Iridomyrmex* sp. (Hymenoptera : Formicidae), 52
- jheringi* (Emery), *Paracryptocerus* (Hymenoptera : Formicidae), 53
- larreae* Leon, *Protargionia* (Homoptera : Coccidae), 45
- lineata* Dognin, *Dryocampa* (Lepidoptera : Saturniidae), 60
- liogaster* (Santschi), *Paracryptocerus* (Homoptera : Formicidae), 53
- macellaria* (Fabr.), *Cochliomyia* (Diptera : Calliphoridae), 32
- Macrocentrus* spp. (Hymenoptera : Braconidae), 49
- marginata* Warren, *Nipteria* (Lepidoptera : Geometridae), 58
- naegeli* (Forel), *Ephebomyrmex* (Hymenoptera : Formicidae), 52
- niger* Kieff. and Jorg., *Eschatocerus* (Hymenoptera : Cynipidae), 50
- nigriventris* Forel, *Forelius* (Hymenoptera : Formicidae), 52
- Novus* spp. (Hemiptera : Miridae), 39
- oberthuri* (Boisduval), *Automeris* (Lepidoptera : Saturniidae), 60
- Orasema* sp. (Hymenoptera : Eucharitidae), 50
- Orthotylus* sp. (Hemiptera : Miridae), 39
- Oscinella* spp. (Diptera : Chloropidae), 33
- Pachyneuron* spp. (Hymenoptera : Pteromalidae), 55
- Paratanus* sp. (Homoptera : Cicadellidae), 43
- paupercula* Spangberg, *Gypona* (*Obtusana*) (Homoptera : Cicadellidae), 43
- pellifera* Berg, *Lobepomis* (Hemiptera : Pentatomidae), 40
- Phytocoris* spp. (Hemiptera : Miridae), 39
- picturatus* (Fahr.), *Rhipibruchus* (Coleoptera : Bruchidae), 6
- Podisus* sp. (Hemiptera : Pentatomidae), 40
- prosopis* Kings., *Rhipibruchus* (Coleoptera : Bruchidae), 6
- proxima* Berg, *Smiliorachis* (Homoptera : Membracidae), 46
- quadridens* (Fabr.), *Ectatomma* (Hymenoptera : Formicidae), 52
- Rogas* sp. (Hymenoptera : Braconidae), 50
- sacculicornis* (End.), *Elachiptera* (Diptera : Chloropidae), 33
- Sarcophaga* spp. (Diptera : Sarcophagidae), 35
- Solenopsis* spp. (Hymenoptera : Formicidae), 54
- spinifera* Newman, *Cyllene* (Coleoptera : Cerambycidae), 13
- spinosa* Poppius, *Haarupia* (Hemiptera : Miridae), 38
- subrutileps* (Pic), *Tricorynus* (Coleoptera : Anobiidae), 3
- Tetrastichus* spp. (Hymenoptera : Eulophidae), 50
- Thionia* sp. (Homoptera : Issidae), 46
- Torymus* spp. (Hymenoptera : Torymidae), 56
- vagenotatus* (Pic), *Acanthoscelides* (Coleoptera : Bruchidae), 4
- viuda* Schaus, *Tolype* (Lepidoptera : Lasiocampidae), 58
- Prosopis odorata*
- gibbithorax* (Schffr.), *Neltumius* (Coleoptera : Bruchidae), 6
- townsendi* Townsend, *Oiketicus* (Lepidoptera : Psychidae), 59
- Prosopis pallida*
- indomita* Walker, *Melipotis* (Lepidoptera : Noctuidae), 59
- Prosopis panta*
- longiscutus* Kings., *Pectinibruchus* (Coleoptera : Bruchidae), 6
- Prosopis pubescens*
- brevicauda* (Cwfd.), *Eupelmus* (Hymenoptera : Eupelmidae), 50

- cazieri* Nelson, *Acmaeoderoides* (Coleoptera : Buprestidae), 7
gibbithorax (Schffr.), *Neltumius* (Coleoptera : Bruchidae), 6
jaguarina Knull, *Acmaeodera* (Coleoptera : Buprestidae), 7
mali (Fitch), *Leptothrips* (Thysanoptera : Phlaeothripidae), 63
ochrodes Guenée, *Melipotis* (Lepidoptera : Noctuidae), 59
prosopis (LeC.), *Algarobius* (Coleoptera : Bruchidae), 5
wickhami Fisher, *Chrysobothris* (Coleoptera : Buprestidae), 10
Prosopis rubriflora
duplicata Monros (near), *Urodera* (Coleoptera : Chrysomelidae), 21
Eupelmus sp. (Hymenoptera : Eupelmidae), 50
Geron sp. (Diptera : Bombyliidae), 32
Oliarus spp. (Homoptera : Cixiidae), 44
Phytocoris spp. (Hemiptera : Miridae), 39
Thinobatis sp. (Coleoptera : Tenebrionidae), 31
Prosopis ruscifolia
Apion spp. (Coleoptera : Curculionidae), 23
Coremia sp. (Coleoptera : Cerambycidae), 13
vagenotatus (Pic), *Acanthoscelides* (Coleoptera : Bruchidae), 4
Prosopis siliquastrum
picturatus (Fahr.), *Rhipibruchus* (Coleoptera : Bruchidae), 6
Prosopis strombulifera
bergii (Weyenbergh), *Oiketicus* (Lepidoptera : Psychidae), 59
Emesina (subfamily) spp. (Hemiptera : Reduviidae), 41
longescutus (Pic), *Acanthoscelides* (Coleoptera : Bruchidae), 4
prosopis Kings., *Rhipibruchus* (Coleoptera : Bruchidae), 6
Prosopis tamarugo
carpophagoides Clark, *Cryptophlebia* (Lepidoptera : Olethreutidae), 59
ferrugineipennis (Blanch.), *Acanthoscelides* (Coleoptera : Bruchidae), 4
Ithome spp. (Lepidoptera : Washiidae), 61
rodeos Moulton, *Frankliniella* (Thysanoptera : Thripidae), 63
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
trigemmatus Butl., *Leptotes* (Lepidoptera : Lycaenidae), 58
Prosopis torquata
prosopidis Kieff. and Jorg., *Ophisthocelis* (Homoptera : Coccidae), 45
Prosopis velutina
arizonensis (Schffr.), *Neltumius* (Coleoptera : Bruchidae), 5
prosopis (LeC.), *Algarobius* (Coleoptera : Bruchidae), 5
translucens Tucker, *Orthotylus* (Hemiptera : Miridae), 39
Prunus sp.
- calleta* (Westwood), *Eupeckardia* (Lepidoptera : Saturniidae), 60
toumeyii Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
Psidium guajava
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
Pyrus malus
toumeyii Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
Quercus spp.
arizonica Schffr., *Polycesta* (Coleoptera : Buprestidae), 10
batesi Horn, *Metaleptus* (Coleoptera : Cerambycidae), 14
caprea (Say), *Neoclytus* (Coleoptera : Cerambycidae), 14
chiricahuae (Fall), *Acanthoscelides* (Coleoptera : Bruchidae), 4
coquus (L.), *Tragidion* (Coleoptera : Cerambycidae), 17
geminatus geminatus LeC., *Derobrachus* (Coleoptera : Cerambycidae), 13
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
sallaei (Sharp), *Mimosestes* (Coleoptera : Bruchidae), 5
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
Quercus hypoleuca
arizonica Schffr., *Polycesta* (Coleoptera : Buprestidae), 10
Quercus hypoleucoides
robustus Schffr., *Mastogenius* (Coleoptera : Buprestidae), 10
Quercus undata
plagiatus (Fabr.), *Laemosaccus* (Coleoptera : Curculionidae), 24
Ricinus sp.
aliena Swezey, *Cryptoblabe* (Lepidoptera : Pyralidae), 60
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
Robinia sp.
toumeyii Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
townsendi townsendi Townsend, *Oiketicus* (Lepidoptera : Psychidae), 59
Robinia pseudacacia
robiniae (Forster), *Megacyllene* (Coleoptera : Cerambycidae), 14
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
Rochbrush
olneyae (Skinner), *Ancylotela* (Coleoptera : Buprestidae), 8
Rosa sp.
fragilaria (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59

- Salsola* sp.
maculata (Say), *Epicauta* (Coleoptera : Meloidae), 27
- Samanea saman*
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
ceratoniae (Zeller), *Ectomyelois* (Lepidoptera : Pyralidae), 60
indomita Walker, *Melipotis* (Lepidoptera : Noctuidae), 59
limbatus (Horn), *Stator* (Coleoptera : Bruchidae), 6
- Sapindus* spp.
reichei xilis Csy., *Eudercus* (Coleoptera : Cerambycidae), 13
toumeyii Jones, *Oiketicus* (Lepidoptera : Psychidae), 60
- Schinus* sp.
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
- Schnopsis* sp.
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- Solanum douglassii*
balteata LeC., *Diabrotica* (Coleoptera : Chrysomelidae), 18
- Solanum elaeagnifolium*
longicollis (LeC.), *Epicauta* (Coleoptera : Meloidae), 27
maculata (Say), *Epicauta* (Coleoptera : Meloidae), 27
pardalis LeC., *Epicauta* (Coleoptera : Meloidae), 28
- Solidago* sp.
halictoides Smith, *Perdita* (Hymenoptera : Andrenidae), 48
- Sorghum*
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
undecimpunctata Mannh., *Diabrotica* (Coleoptera : Chrysomelidae), 18
- Soursop*
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
- Soybeans*
fragilaria (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
varivestis Muls., *Epilachna* (Coleoptera : Coccinellidae), 22
- Sphaeralcea* sp.
sonorensis Jac. (near), *Saxinis* (Coleoptera : Chrysomelidae), 21
spretus Dietz, *Smicronyx* (Coleoptera : Curculionidae), 26
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- Sphaeralcea angustifolia*
spretus Dietz, *Smicronyx* (Coleoptera : Curculionidae), 26
- Spondias mombin*
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
- Stephanomeria* spp.
rossi (Cazier), *Acmaeoderoides* (Coleoptera : Buprestidae), 8
- Stevia* sp.
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
- Sugarcane*
aliena Swezey, *Cryptoblabes* (Lepidoptera : Pyralidae), 60
costalis (Fabr.), *Cuerna* (Homoptera : Cicadellidae), 43
knoblauchii (Berg), *Deois* (Homoptera : Cercopidae), 42
- Sunflowers* (wild)
spretus Dietz, *Smicronyx* (Coleoptera : Curculionidae), 26
- Sycamore*
ruficornis Say, *Ptilinus* (Coleoptera : Anobiidae), 3
- Tamarindus* sp.
surinamum (L.), *Achryson* (Coleoptera : Cerambycidae), 12
- Tamarindus indicus*
gonagra (Fabr.), *Caryoborus* (Coleoptera : Bruchidae), 5
- Tamarix* sp.
aspera (Fldr.), *Automeris* (Lepidoptera : Saturniidae), 60
martini (Fall), *Pseudozonitis* (Coleoptera : Meloidae), 28
texana Crawford, *Heteropsylla* (Homoptera : Psyllidae), 48
- Taxodium mucronatum*
townsendi mexicanus Gaede, *Oiketicus* (Lepidoptera : Psychidae), 59
- Terminalia catappa*
janata (L.), *Achaea* (Lepidoptera : Noctuidae), 58
- Tepehuage* (also tepeguaje)
acutipennis Chev., *Chrysobothris* (Coleoptera : Buprestidae), 9
analisis LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
basalis LeC., *Chrysobothris* (Coleoptera : Buprestidae), 9
texanus Schffr., *Paragrillus* (Coleoptera : Buprestidae), 10
- Thurberia* sp.
senex LeC., *Schizax* (Coleoptera : Cerambycidae), 16
- Tobacco*
ou (Guen.), *Rachiplusia* (Lepidoptera : Noctuidae), 59
- Turnips*
fragilaria (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
- Ulmus* sp.
caprea (Say), *Neoclytus* (Coleoptera : Cerambycidae), 14
caryae (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
- Ulmus crassifolia*
surinamum (L.), *Archryson* (Coleoptera : Cerambycidae), 12

- Vachellia farnesiana*
lebasi LeFev., *Colaspis* (Coleoptera : Chrysomelidae), 17
plagiatus (Fabr.), *Laemosaccus* (Coleoptera : Curculionidae), 24
prosopis (LeC.), *Algarobius* (Coleoptera : Bruchidae), 5
- Verbascum* sp.
annulatum LeC., *Tragidion* (Coleoptera : Cerambycidae), 16
- Verbesina encelioides*
piceicollis Stål, *Zygogramma* (Coleoptera : Chrysomelidae), 21
- Viguiera stenoloba*
sordidum Smith, *Apion* (Coleoptera : Curculionidae), 23
- Vitis* spp.
caryae (Gahan), *Megacyllene* (Coleoptera : Cerambycidae), 14
- Walnut
cinereus Horn, *Pandeleiteius* (Coleoptera : Curculionidae), 25
cornutus (Pallas), *Amphicerus* (Coleoptera : Bostriichidae), 3
- Willow
shoshone (Thomas), *Schistocerca* (Orthoptera : Acrididae), 62
- Wislezenia* sp.
renardii Kolenati, *Zelus* (Hemiptera : Reduviidae), 41
- Yauco
ochrodes Guenée, *Melipotis* (Lepidoptera : Noctuidae), 59
- Yucca
gloverii (Packard), *Cryptothelea* (Lepidoptera : Psychidae), 59
- Zexmenta brevifolia*
sordidum Smith, *Apion* (Coleoptera : Curculionidae), 23
- Ziziphus* sp.
senex LeC., *Schizax* (Coleoptera : Cerambycidae), 16
- Zygophyllaceae
postica LeC., *Pyrota* (Coleoptera : Meloidae), 28
- Wide host range
abdominalis (Say), *Olla* (Coleoptera : Coccinellidae), 23
albofasciatus (Reuter), *Spanagonicus* (Hemiptera : Miridae), 39
ceratoniae (Zeller), *Ectomyelois* (Lepidoptera : Pyralidae), 60
cingulata (Say), *Oncideres* (Coleoptera : Cerambycidae), 14
convergens Guérin, *Hippodamia* (Coleoptera : Coccinellidae), 23
cristatus (L.), *Arilus* (Hemiptera : Reduviidae), 41
differentialis (Thomas), *Melanoplus* (Orthoptera : Acrididae), 62
forticornis Reuter, *Rhinocloa* (Hemiptera : Miridae), 39
fragilaria (Grossbeck), *Anacamptodes* (Lepidoptera : Geometridae), 58
gibbula LeC., *Acmaeodera* (Coleoptera : Buprestidae), 6
gowdeyi (Franklin), *Haplothrips* (Thysanoptera : Phlaeothripidae), 63
hawaiiensis (Morgan), *Taeniothrips* (Thysanoptera : Thripidae), 63
hexacantha (Fairm.), *Xyloprista* (Coleoptera : Bostriichidae), 4
hilaris (Say), *Acrosternum* (Hemiptera : Pentatomidae), 39
histrionica (Hahn), *Murgantia* (Hemiptera : Pentatomidae), 40
humilis Banks, *Reticulitermes* (Isoptera : Rhinotermitidae), 57
ligata (Say), *Chlorochroa* (Hemiptera : Pentatomidae), 40
lineolaris (Palisot de Beauvois), *Lygus* (Hemiptera : Miridae), 38
lobigenis (Bates), *Stenodontes* (Coleoptera : Cerambycidae), 16
mali Horn, *Chrysobothris* (Coleoptera : Buprestidae), 9
mali Fitch, *Leptothrips* (Thysanoptera : Phlaeothripidae), 63
Nysius sp. (Hemiptera : Lygaeidae), 38
occidentalis (Pergande), *Frankliniella* (Thysanoptera : Thripidae), 63
pallido-virens spinosa (Stål), *Thyanta* (Hemiptera : Pentatomidae), 40
pantherinus (Walker), *Poecilotettix* (Orthoptera : Acrididae), 62
pisii (Harris), *Macrosiphum* (Homoptera : Aphididae), 42
quadrisignatus (Say), *Enoclerus* (Coleoptera : Cleridae), 21
rossi (Cazier), *Acmaeoderoidea* (Coleoptera : Buprestidae), 8
sayi (Stål), *Chlorochroa* (Hemiptera : Pentatomidae), 40
shoshone (Thomas), *Schistocerca* (Orthoptera : Acrididae), 62
siccifolius (Walker), *Cephisus* (Homoptera : Cercopidae), 42
tabaci Lindeman, *Thrips* (Thysanoptera : Thripidae), 63
tenellus (Baker), *Circulifer* (Homoptera : Cicadellidae), 42
tenellus Barber, *Nysius* (Hemiptera : Lygaeidae), 38
undecimpunctata Mannh., *Diabrotica* (Coleoptera : Chrysomelidae), 18
varivestis Muls., *Epilachna* (Coleoptera : Coccinellidae), 22

APPENDIX.—OLD WORLD INSECTS
RECORDED ON *PROSOPIS*

Coleoptera

Bostrichidae

- Apate francisca* Fabr., AFRICA, PUERTO RICO.
Lyctus africanus Lesne., AFRICA, INDIA, MAD-
AGASCAR, PHILIPPINES.
Sinoxylon anale Lesne., AUSTRALIA, INDO-
MALAYSIA.
Sinoxylon capillatum Lesne., KASHMIR.
Sinoxylon crassum Lesne., HIMALAYAS, IN-
DIA, INDOCHINA.
Sinoxylon indicum Lesne., BURMA, INDIA.
Trogoxylon auriculatum Lesne., INDIA.
Trogoxylon spinifrons Lesne., INDIA.
Xylonites reflexicauda Lesne., IRAN.

Bruchidae

- Bruchus uberatus* Fabr., INDIA.
Caredon serratus (Olivier), MURITANIA.
Pachymerus gonager Fabr., INDIA.

Buprestidae

- Chrysobothris andamana* Kerremans, INDIA.
Chrysobothris beelsoni Obenberger, INDIA.
Melanophila coriacea Kerremans, INDIA.

Cerambycidae

- Celosterna scabrator* Fabr., INDIA.
Stromatium barbatum Fabr., BURMA, CEY-
LON, INDIA, MADAGASCAR.

Homoptera

Aleyrodidae

- Aleurotrachelus alhagii*, EGYPT.

Aphidae

- Aphis cracciuora* Koch., INDIA.

Cicadellidae

- Moonia* sp., INDIA.

Coccidae

- Icerya formicarum* Newstead, INDIA.
Laccifer lacca Kerr, INDIA.

Membracidae

- Oxyrhachis tarandus* (Fabr.), FRANCE, INDIA,
PHILIPPINE ISLANDS, SYRIA, NORTH
and WEST AFRICA.

Isoptera

Hodotermitidae

- Anacanthotermes macrocephalus* Desneux, IN-
DIA.

Lepidoptera

Arbelidae

- Indarbela betraonis* (Fabr.), INDIA.

Lymantriidae

- Casama vilis* Walker, INDIA.

**U. S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL RESEARCH SERVICE
HYATTSVILLE, MARYLAND 20782**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

**POSTAGE AND FEES PAID
U. S. DEPARTMENT OF
AGRICULTURE
AGR 101**

