New Auchenorrhyncha species for the fauna of Romania

Valentin Popa¹, Alina Popa²

¹ "Babes-Bolyai" University, Department of Zoology, Clinicilor 5-7 Street, 3400-Cluj Napoca, Romania ² "Babes-Bolyai" University, Department of Geography, Clinicilor 5-7 Street, 3400-Cluj Napoca, Romania

The last articles concerning the cicada fauna (Homoptera, Auchenorrhyncha) from Romania was published in 1982. Until this date have been reported 410 species approximately.

In 1997 we have approach this insect group. In our researches that have been made in some regions from "Transylvania" county we have identified another 8 species, new for the fauna of Romania as follows:

Family Cicadellidae Latreille, 1825

Subfamily Typhlocybinae Kirschbaum, 1868

1. Alebra neglecta Wagner, 1940 - collected from different mixed forest in the "Ariesului Valley" area (6 males).

Subfamily Aphrodinae Haupt, 1927

2. Strogyllocephalus livens (Zettersted, 1840) - collected from a spruce forest in the "Cheile Somesului Cald" area (1 male)

Subfamily Deltocephalinae

- 3. Handianus limonii (?) Emeljanov, 1964 collected from a steppe meadow in the "Cheile Turzii" area (4 males, 1 females)
- 4. Colobotettix morbillosus (Melichar, 1896) collected from a spruce forest from the "Cheile Somesului Cald" area (1 male)
- 5. Mendrausus pauxillus (Fieber, 1869) collected from a dry meadow in the "Cheile Turzii" area (1 male, 1 female)
- 6. Rhoananus hypochlorus (Fieber, 1869) collected from a steppe meadow in the "Cheile Turzii" area (2 males, 2 females)
- 7. Mocydiopsis longicauda Remane, 1961 collected from a pasture in the "Cheile Turzii" area (2 males)

Family Delphacidae Leach, 1865

Subfamily Stenocraninae Wagner, 1963

8. Stenocranus major (Kirschbaum, 1868) – collected from a oak forest in the "Cheile Turzii" area (1 male, 2 females)